

From: Alex Testoff <files@montroseportal.com>
Sent: Tuesday, July 30, 2024 1:37 PM
To: Kimberly M. Kuhn <Kimberly.Kuhn@des.sc.gov>
Cc: kkessler@montrose-env.com <kkessler@montrose-env.com>; rredfi@ascendmaterials.com <rredfi@ascendmaterials.com>; atestoff@montrose-env.com <atestoff@montrose-env.com>
Subject: Ascend Performance Materials Greenwood - VCC16-4830-RP

***** Caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. *****

Kim - see attached report summarizing the results of the Site-wide groundwater sampling event proposed as part of the Burn Pit Area Treatability Studies Work Plan. Note, Appendix C is an electronic copy of a groundwater trend viewer (also attached). Let me know if you have any questions or any issues downloading the content.

Thanks, Alex



2024 GROUNDWATER SAMPLING EVENT REPORT

ASCEND/FORMER SOLUTIA FACILITY
GREENWOOD, SOUTH CAROLINA

Prepared for:

ASCEND PERFORMANCE MATERIALS OPERATIONS, LLC
1515 HIGHWAY 246 SOUTH
GREENWOOD, SOUTH CAROLINA 29646

Prepared by:

MONTROSE ENVIRONMENTAL SOLUTIONS, INC.

July 2024

400 Northridge Road, Suite 400
Sandy Springs, GA 30350
Tel: 404.315.9113
www.montrose-env.com

TABLE OF CONTENTS

1	Introduction.....	1-1
2	Background.....	2-1
	2.1 Site Description	2-1
	2.2 Hydrogeologic Setting	2-1
	2.3 Past Groundwater Studies and Monitoring.....	2-2
	2.4 Groundwater Remediation System	2-3
3	Sampling Regimen and Methods.....	3-1
	3.1 Work Scope	3-1
	3.2 Surface Water Sampling Methods	3-1
	3.3 Groundwater Sampling Methods.....	3-1
4	Results	4-1
	4.1 Surface Water.....	4-1
	4.2 Groundwater	4-1
5	Conclusions.....	5-4
6	References.....	6-1

FIGURES

Figure 2-1	Site Map
Figure 2-2	Well Location Map

TABLES

Table 2-1	Well Construction Table
Table 3-1	June 2024 Sampling Regimen
Table 4-1	VOC Detections in Groundwater (June 2024)

APPENDICES

Appendix A	Groundwater Purge Forms and Surface Water Sampling Log
Appendix B	Laboratory Analytical Report
Appendix C	Electronic Copy of Groundwater Data Trend Viewer (Excel Pivot)

Acronyms

Ascend	Ascend Performance Materials Operations, LLC
BP	Burn Pit
CDS	Construction Debris Site
CSM	conceptual site model
DCA	1,1-dichloroethane
DCE	1,1-dichloroethene
DHEC	South Carolina Department of Health and Environmental Control
FFS	focused feasibility study
ft-bgs	feet below ground surface
Montrose	Montrose Environmental Solutions, Inc.
PCE	tetrachloroethene
PDB	passive diffusion bag
PWR	partially weathered rock
TCA	1,1,1-trichloroethane
TCE	trichloroethene
VOC	volatile organic compound

1 INTRODUCTION

In June 2024, Montrose Environmental Solutions, Inc. (“Montrose”) on behalf of Ascend Performance Materials Operations, LLC (“Ascend”) submitted a Treatability Studies Work Plan (herein referred to as “the Work Plan”) (Montrose, 2024) for the groundwater condition at Ascend’s facility located in Greenwood, South Carolina (herein referred to as “the Site”). The Work Plan presented a scope of work to evaluate monitored natural attenuation and *in situ* treatment for volatile organic compounds (“VOCs”) in groundwater, historically addressed through groundwater extraction. The scope of work involved in part the first routine semi-annual sampling event of the 2024 monitoring regimen described in September 2023 Semi-Annual Water Quality Monitoring Report (HRP, 2023).

The purpose of this report is to summarize the results of a Site-wide groundwater sampling event. These results and other data obtained from the treatability studies will be incorporated with groundwater characterization data into an amended Focused Feasibility Study (“FFS”) Report, which will include a full interpretation of the groundwater conceptual site model (“CSM”) and an evaluation of ongoing remediation system effectiveness based on the body of information.

The remainder of the Work Plan is organized as follows:

- Section 2 describes the Site, including relevant hydrogeologic information;
- Section 3 provides the sampling regimen and methods;
- Section 4 reviews the results of the routine groundwater monitoring;
- Section 5 provides concluding remarks; and
- Section 6 is a list of references cited.

2 BACKGROUND

2.1 Site Description

The Site encompasses approximately 410 acres extending from Highway 246 South to Lake Greenwood, identified by the County of Greenwood as Parcel Identification Numbers 6887-203-437, 6887-158-470, 6887-275-615, and 6887-183-460 (Figure 2-1). The Site was originally developed by Monsanto Chemical Company in September 1960 for manufacturing bulk continuous filament, industrial fibers, and polymer flake. Site improvements include two primary manufacturing areas (referred to as the North and South Plants), several warehouse buildings, a process water holding basin, railroad spur, and employee parking areas. Ascend purchased the Site in June 2009 from Solutia Inc., an affiliate company of Monsanto.

Two streams originating off-Site meander through the Site: (1) North Creek, which flows in an easterly direction between the northern property boundary and the facility; and (2) South Creek, which flows to the north along the eastern boundary of the facility operation (see Figure 2-1). The two creeks converge northeast of the North Plant forming an unnamed tributary of Lake Greenwood. A constructed duck pond is present along this unnamed tributary approximately 1,000 down-stream from the convergence of North Creek and South Creek.

The operational areas of concern include the former Burn Pit (“BP”) Area and the Construction Debris Site (“CDS”) (Figure 2-2). The South Carolina Department of Health and Environmental Control (“DHEC”) and Ascend have agreed to evaluate the BP Area on an expedited timeline relative to the CDS, with activity related to the CDS determined based on the conclusions derived for the BP Area (Kuhn, 2021, 2023).

2.2 Hydrogeologic Setting

The Site is located within the Piedmont Physiographic Province (Piedmont Province) in South Carolina. Residual soils in the Piedmont formations, such as at the Site, are products of physical and chemical weathering of the underlying parent crystalline bedrock. Weathering generally decreases with depth below the ground surface, with a textural gradation from clay, silt, and sand-sized particles (soil) to saprolite, where the structure of the parent rock is preserved. The weathering profile continues with depth progressing from partially-weathered rock (“PWR”) to un-weathered crystalline bedrock.

The Site is characterized by a predominantly silty clay soil texture with sand and/or mica extending to typical depths in the range of 50-75 feet below ground surface (“ft-bgs”) or more. Bedrock at the Site is encountered as shallow as 10 ft-bgs to greater than 80 ft-bgs, with several small outcrops at various locations across the Site (HRP, 2023). The bedrock material is primarily comprised of granite, diorite, and biotite gneiss.

Groundwater in the Piedmont Province occurs under unconfined conditions where the potentiometric surface mimics the ground surface topography. Along topographically low areas, the water table typically

occurs within the soil to saprolite portions of the hydrogeological profile. Along topographically high areas, the water table often occurs in PWR. The relative permeability of the weathering profile is shown in the table below (Deere and Patton, 1971), which characterizes the PWR as the most transmissive portion of the profile. The crystalline bedrock exhibits essentially no primary porosity/permeability and relies upon secondary permeability features such as fractures and faults for the transmission and storage of groundwater. These secondary permeability features generally are not abundant and of a relatively small apertures, which limits the amount of fluid flowing through the bedrock.

TABLE 1.—Description of weathering profile for igneous and metasedimentary rocks in Fairfax County, Va. (modified from Deere and Patton, 1971)

Zone	Description ¹	RQD ² (NX core percent)	Percent core recovery (NX core)	Relative permeability	Relative strength	Common thickness (meters)	
Soil	A Horizon	Top soil, roots, organic material. Zone of leaching and eluviation. Generally porous and sandy.	Not applicable.	0	Medium to high	Very low	0.1-0.2
	B Horizon	Characteristically clay enriched, also accumulations of Fe and Al. No relict structures present.	Not applicable.	0	Low	Commonly low, medium if very dry.	0.3-1.0
Massive subsoil	No relict rock structure. Less dense than soil B horizon. Less clay than soil B horizon. Depleted in cations and silica relative to Fe and Al. May contain clasts of saprolite.	Not applicable.	0	Medium	Low	0.5-1.0	
Saprolite	Relict rock structures retained. Clay-bearing silt or clay-bearing sand grading to sand at depth. Commonly micaceous; feldspars and mafic minerals altered to clays. Less than 10 percent core stones. Joints strongly cemented with oxides at many places.	0 or not applicable.	Generally 0-10 percent.	Medium	Low to medium (relict structures very significant).	1-15	
Weathered rock	Transition (from saprolite to partly weathered rock).	Highly variable, saprolitelike to rocklike. Fines commonly fine to coarse sand (grus). 10-95 percent core stones. Feldspars and mafic minerals altered in part.	Variable, generally 0-50 percent.	Variable, generally 10-90 percent.	High (water losses common during drilling).	Medium to low where weak structures and relict structures are present.	0.3-3
	Partly weathered rock.	Rocklike, soft to hard rock. Joints stained to altered. Slight alteration of feldspars and mafic minerals.	Generally 50-75 percent.	Generally 90 percent.	Medium to high	Medium to high ³ .	0.3-3
Unweathered rock	No iron stains to trace along joints. No weathering of feldspars and micas. No sheared zones.	>75 percent (generally >90 percent).	Generally 100 percent.	Low to medium	Very high ³ .	—	

¹The descriptions provide the only reliable means of distinguishing the zones.

²RQD stands for Rock Quality Designation, described in Deere and others (1967). RQD in percent equals length of core pieces 4 in. (10.3 cm) and longer divided by length of run times 100 NX core diameter in 1.75 in. (4.5 cm).

³Considering only intact rock with no adversely oriented geologic structures.

2.3 Past Groundwater Studies and Monitoring

Initial studies of the nature and extent of VOCs in groundwater underlying the Site began in 1984. The current monitoring well network includes a total of 44 observation and extraction wells spanning the various Site operational areas and perimeter, as well as the vertical profile of the aquifer (Table 2-1). The subset of wells related to the BP Area (18 wells) and CDS (12 wells) have been monitored routinely for VOCs over the past two-and-a-half decades (1999 – 2024). The two operational areas exhibit distinct groundwater VOC profile patterns where the chemical signature of the BP Area is dominated by trichloroethene (“TCE”) and, to a lesser extent, tetrachloroethene (“PCE”) while the CDS is comprised predominantly of 1,1-dichloroethene (“DCE”), 1,1-dichloroethane (“DCA”), and 1,1,1-trichloroethane (“TCA”) (Montrose, 2024).

2.4 Groundwater Remediation System

Ascend operates a groundwater recovery system spanning the BP Area and CDS, involving five (5) extraction wells in (EW-04D, EW-32S, EW-01C, EW-02A, EW-03B)¹, submersible pumps, conveyance, pipelines, and controls. Groundwater extracted from the wells in the BP Area and CDS is conveyed through underground piping to the facility wastewater system prior to discharge to the Greenwood Metropolitan Sewer District Publicly Owned Treatment Works under an Industrial User Permit maintained by Ascend.

Montrose has noted that this system does not warrant continued operation owing to asymptotic influent conditions and a groundwater plume that is at steady state (Montrose, 2024). Operations will be terminated to monitor the return of the natural hydraulic gradients coupled with monitoring of the groundwater-surface water interaction.

¹ Two extraction wells have been replaced since inception of the system: EW-01B was replaced by EW-01C in 2017, and EW-03A was replaced by EW-03B in 2018.

3 SAMPLING REGIMEN AND METHODS

3.1 Work Scope

In June 2024, Montrose collected samples from twenty-eight (28) groundwater wells spanning the BP Area and CDS and seven (7) surface water stations along North Creek, South Creek, and the unnamed tributary of Lake Greenwood. (Table 3-1). All groundwater and surface water samples were submitted to the Eurofins analytical laboratory in Atlanta, Georgia and characterized for VOCs by EPA Method 8260D. Sampling logs (notes) are provided in Appendix A.

Previous sampling events have included a site-wide groundwater elevation gauging event. Montrose will collect these measurements following the shutdown of the groundwater extraction system as part of the groundwater treatability studies testing. This information will provide context for understanding the potentiometric surface across the Site in the absence of induced hydraulic sinks.

3.2 Surface Water Sampling Methods

Surface water samples were collected using a 1-liter amber glass bottle and transferred into sample containers. A clean (new) amber was used at each sample location to avoid the need for decontamination. The ambers were carefully dipped into the surface water, to not disturb the sediment and create turbid conditions. The cap was left secured on the bottle until the top was below the water surface, then the cap was removed to fill the bottle and re-secured. This technique was used to minimize surface influence on the sample.

Visual observations of surface water conditions were documented during sample collection. Montrose field technicians noted the presence/absence of a sheen, odor, and aquatic wildlife.

3.3 Groundwater Sampling Methods

Groundwater sampling involved a combination of no-purge passive diffusion bags (“PDBs”), deployed in some of the monitoring wells following a prior sampling event, and conventional purge-and-sample methods (where PDBs had not been previously deployed) in accordance with EPA (2023). Standard field parameters temperature, pH, oxidation-reduction potential, dissolved oxygen, specific conductivity, and turbidity were measured using a water quality meter and recorded during purging. Groundwater samples were collected when pH and specific conductivity stabilized, defined as follows: pH \pm 0.1 units and conductivity \pm 5% for three consecutive measurements (minimum of 30 minutes of purge time).

4 RESULTS

4.1 Surface Water

All surface water samples reported non-detect for VOCs (the laboratory analytical report is included as Appendix B). Following the shut down of the groundwater extraction operations, Montrose will monitor groundwater-surface water interaction within North Creek and South Creek via pore water and surface water testing as part of the Work Plan.


4.2 Groundwater

The Work Plan for the BP Area provided an evaluation of the breadth of historical data involving graphical illustrations and, for a subset of key organic constituents (PCE and TCE), spatiotemporal and 3-dimensional modeling illustrating the evolution (attenuation) of the groundwater condition since the inception of the groundwater monitoring program in 1999. Additionally, the fate and transport of VOCs were evaluated, with a focus on evidence and mechanisms of intrinsic degradation. The evaluation demonstrated considerable plume attenuation over time with the plume reaching a steady-state condition (i.e., plume edges are no longer expanding) within the last decade.




VOC detections in groundwater from the recent sampling event are summarized in Table 4-1. These results are generally consistent with that of previous sampling events, as illustrated by the following representative time-trends graphs, thus reinforcing the conclusions set forth in the Work Plan. All VOC groundwater data is provided in Appendix C containing a Microsoft Excel spreadsheet in a Pivot Table format for concentration time series.

Burn Pit Area

Downgradient of Plume Core




Within Plume Core





PCE (blue) and TCE (orange) time series trends for two wells within (OW-05S and EW-32S; top and bottom right, respectively) and downgradient (EW-04D and PZ-04S; top and bottom left, respectively) of the BP Area plume core. TCE concentrations are plotted on the primary (left) vertical axis. PCE concentrations are plotted on the secondary (right) vertical axis.

CDS

Downgradient of Plume Core



Within Plume Core



TCA (red), DCE (purple), and DCA (green) time series trends for two wells within (EW-01C and EW-02A; top and bottom right, respectively) and downgradient (OW-01 and OW-16; top and bottom left, respectively) of the CDS plume core. TCA concentrations are plotted on the primary (left) vertical axis. DCE and DCA concentrations are plotted on the secondary (right) vertical axis.


5 CONCLUSIONS

The VOC plumes emanating from the BP Area and CDS were discovered in the mid-1980s and have been extensively monitored since 1999. Our evaluation of this data indicates (as presented in the Work Plan) that the plumes have reached a stable configuration characteristic of a mature condition, indicating a diminishing value in further monitoring. Montrose advised suspending the routine semi-annual groundwater monitoring regimen in the latest progress report until the conclusion of our site review, which includes additional targeted sampling as proposed in the Work Plan. We will move forward with addressing the identified data gaps with the work scope identified in the Work Plan, which will support the updated CSM and support a more rigorous review of final remedial alternatives for the Site.

6 REFERENCES


- Deere DU, Patton FD (1971). Slope stability in residual soils. Proc., 4th Panamerican Conference on Soil Mechanics and Foundation Engineers, San Juan, Puerto Rico, Vol. 1, 87-170.
- EPA (2023). Groundwater Sampling, Laboratory Services and Applied Science Division LSASDPROC-301-R6. Dated April 2023.
- Kuhn, Kimberly (DHEC). "Response to Investigation Work Plan, Revised Pre-Feasibility Study Investigation Work Plan dated November 17, 2021." Letter to Diane Sackmann (Ascend). 7 December 2021.
- Kuhn, Kimberly (DHEC). "Follow-up Meeting Letter, Revised Focused Feasibility Study-Burn Pit dated January 5, 2023, Construction Debris Site-Response to Focused Feasibility Study dated January 6, 2023." Letter to Robert Scott (Ascend). 28 February 2023.
- HRP Associates, Inc. (2023). September 2023 Semi-Annual Water Quality Monitoring Report. December.
- Montrose Environmental Solutions, Inc. (2024). Burn Pit Treatability Studies Work Plan – Revision 1. Ascend/Former Solutia Facility, Greenwood, South Carolina. April.
- .

Figures



- Ascend Property
- Creeks

Site Map



Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community

- Property Boundary
- Creeks
- Extraction Wells
- Observation Wells

Well Location Map

Tables

Table 2-1. Well Construction

Well ID	Location/Area	Type	Completion Date	Well Diameter (in)	Well Depth (ft bgs)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	Geology of Screened Interval	Top of Casing Elevation (ft > MSL)	Depth to Rock (ft bgs)	Well Material	Open Hole?
OW-5S	BP	Observation Well	4/25/1984	2	40	20	24	Saprolite	547.19	NE	PVC	N
OW-24S	BP	Observation Well	4/17/1985	2	37.7	24.8	34.4	Saprolite/Weathered	555.79	NE	PVC	N
OW-25S	BP	Observation Well	4/23/1985	2	34.2	22.4	32	Saprolite	541.89	NE	PVC	N
OW-26S	BP	Observation Well	4/18/1985	2	34.4	17.4	31.8	Saprolite	540.38	NE	PVC	N
OW-27D	BP	Observation Well	5/1/1985	5	83	70	83	Bedrock	535.16	70	PVC	Y
OW-28D	BP	Observation Well	4/27/1985	5	113	81	113	Bedrock	498.96	81	PVC	Y
OW-33S	BP	Observation Well	12/11/2017	2	35	24	34	Saprolite	533.35	NE	PVC	N
OW-34S	BP	Observation Well	12/12/2017	2	43	33	43	Saprolite	533.78	NE	PVC	N
OW-35D	BP	Observation Well	12/13/2017	2	74	64	74	Saprolite	534.01	NE	PVC	N
OW-36S	BP	Observation Well	12/14/2017	2	59	49	59	Saprolite	539.76	NE	PVC	N
OW-37D	BP	Observation Well	12/15/2017	2	76.5	66	76	Saprolite	505.20	NE	PVC	N
EW-4D	BP	Extraction Well	Unknown	2	75	--	--	Saprolite & Bedrock	510.07	--	Unknown	--
EW-32S	BP	Extraction Well	12/21/1995	2	45	39	59	Saprolite	539.12	NE	PVC	N
PZ-4S	BP	Piezometer	5/20/1992	2	59	46	56	Saprolite	510.91	NE	PVC	N
PZ-29S	BP	Piezometer	5/21/1992	2	56.9	44	54	Saprolite	497.48	NE	PVC	N
PZ-30S	BP	Piezometer	5/22/1992	2	56.8	44	54	Saprolite	513.08	NE	PVC	N
PZ-31S	BP	Piezometer	5/26/1992	2	57.4	44	54	Saprolite	511.04	NE	PVC	N
OW-1	CDS	Observation Well	12/6/1983	6	102.3	50	100	Bedrock	473.29	~50	Unknown	Y
OW-2D	CDS	Observation Well	12/6/1983	6	62.2	50	100	Bedrock	501.03	~50	Unknown	Y
OW-13S	CDS	Observation Well	Unknown	--	40	20*	24*	Bedrock*	496.58	7*	Unknown	--
OW-13D	CDS	Observation Well	Unknown	4	81.9	37.5*	47.5*	Bedrock*	496.99	7*	Unknown	--
OW-15D	CDS	Observation Well	Unknown	6	61	36*	61*	--	468.05	--	Steel	Y
OW-16	CDS	Observation Well	Unknown	6	82.3	--	--	Bedrock	492.34	--	Unknown	--
OW-17	CDS	Observation Well	Unknown	6	64.7	--	--	Bedrock	493.30	--	Unknown	--
OW-19D	CDS	Observation Well	Unknown	6	63	--	--	--	513.19	--	Steel	--
OW-21	CDS	Observation Well	Unknown	6	62.5	--	--	Bedrock	472.95	5*	Unknown	Y*
OW-38	CDS	Observation Well	3/4/2019	2	38	28	38	Saprolite	517.61	--	PVC	N
OW-39	CDS	Observation Well	3/4/2019	2	26	16	26	Saprolite	517.60	--	PVC	N
EW-1C	CDS	Extraction Well	9/27/2017	4	48	25	40	Saprolite	483.85	48	Steel	N
EW-2A	CDS	Extraction Well	Unknown	6	102	--	--	Saprolite & Bedrock	479.93	--	Unknown	--
EW-3B	CDS	Extraction Well	4/9/2018	4	52	27	52	Saprolite & Bedrock	pending	50	Steel	N
OW-6D	WP	Observation Well	4/26/1984	4	123	110	120	Weathered Bedrock	572.36	NE	PVC	N
OW-7S	WP	Observation Well	4/26/1984	2	25	18	22	Saprolite	553.74	NE	PVC	N
OW-8S	WP	Observation Well	4/26/1984	2	25	17	21	Saprolite	542.23	NE	PVC	N
OW-22S	WP	Observation Well	4/2/1985	2	32.5	22.7	32.5	Saprolite	560.16	NE	PVC	N
OW-23S	WP	Observation Well	4/12/1985	2	34.7	25.1	34.7	Saprolite	544.30	NE	PVC	N
OW-23D	WP	Observation Well	4/10/1985	4	118.3	99	118.3	Weathered Bedrock	543.50	NE	PVC	N
OW-3D	Perimeter	Observation Well	6/7/1984	6	100	93	100	Bedrock	560.71	93	PVC	Y
OW-9D	Perimeter	Observation Well	4/24/1984	4	111.5	101.5	111.5	Weathered Bedrock	558.42	98	PVC	N
OW-10D	Perimeter	Observation Well	6/1/1984	6	42	14	42	Bedrock	484.46	14	PVC	Y
OW-11D	Perimeter	Observation Well	4/2/1984	6	63	41	63	Bedrock	541.19	41	PVC	Y
OW-12D	Perimeter	Observation Well	6/8/1984	6	121.5	105	121.5	Bedrock	--	100	PVC	Y
OW-18D	Perimeter	Observation Well	5/2/1984	6 to 4	68	58	68	Weathered Bedrock	490.44	NE	PVC	N
OW-20D	Off-site	Observation Well	5/30/1984	6	81	65	81	Bedrock	566.72	65	PVC	Y

Notes: *Data from Duncan-Parnell figure dated 1985

Table 3-1. June 2024 Sampling Regimen

Media	Well ID	Sampled	Sampling Methodology
<i>Burn Pit Area</i>			
Groundwater	OW-05S	X	Low-flow purge
	OW-10D	X	PDB
	OW-24S	X	Low-flow purge
	OW-25S	X	PDB
	OW-26S	X	PDB
	OW-27D	X	PDB
	OW-28D	X	PDB
	OW-33S	X	PDB
	OW-34S	X	PDB
	OW-35D	X	PDB
	OW-36S	X	PDB
	OW-37D	X	PDB
	EW-04D	X	Spigot
	EW-32S	X	Spigot
	PZ-04S	X	PDB
	PZ-29S	X	PDB
	PZ-30S		--
PZ-31S		PDB	
Surface Water	North Creek Up	X	Grab
	North Creek Down	X	Grab
<i>Construction Debris Site</i>			
Groundwater	OW-01	X	PDB
	OW-02D	X	PDB
	OW-13S	X	PDB
	OW-13D	X	PDB
	OW-16	X	PDB
	OW-17	X	PDB
	OW-21		--
	OW-38	X	PDB
	OW-39	X	PDB
	EW-01C	X	Spigot
	EW-02A	X	Spigot
	EW-03B	X	Spigot
Surface Water	CDS Up	X	Grab
	CDS Down	X	Grab
	South Creek Up	X	Grab
	South Creek Down	X	Grab
	Duck Pond	X	Grab

Notes: PDB = Passive Diffusion Bag

Table 4-1. VOC Detections in Groundwater (June 2024)

Well Location	Date Sampled	1,1,1-Trichloroethane (µg/L)	1,1,2-Trichloroethane (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	1,2-Dichloroethane (µg/L)	cis/trans-1,2-dichloroethene (µg/L)	Acetone (µg/L)	Benzene (µg/L)	Carbon tetrachloride (µg/L)	Chloroethane (µg/L)	Chloroform (µg/L)	cis-1,2-Dichloroethene (µg/L)
<i>Burn Pit Area</i>													
EW-04D	6/18/2024	<1	<1	<1	30	<1	<3	<20	<1	<2	<1	39	<1
EW-32S	6/18/2024	48	<1	2.5	130	<1	4.8	<20	3	<2	<1	11	4.8
OW-05S	6/18/2024	7.5	<1	<1	12	<1	<3	<20	<1	<2	<1	1.1	<1
OW-10D	6/18/2024	<1	<1	<1	9.7	<1	<3	97	<1	<2	<1	<1	<1
OW-24S	6/18/2024	<1	<1	<1	<2	<1	<3	<20	<1	<2	<1	<1	<1
OW-25S	6/18/2024	<1	<1	2.4	13	<1	<3	330	<1	<2	<1	1.6	1
OW-26S	6/18/2024	<1	<1	<1	<2	<1	<3	930	<1	<2	<1	<1	<1
OW-27D	6/18/2024	12	<1	<1	23	<1	<3	100	<1	<2	<1	22	<1
OW-28D	6/18/2024	<1	<1	3.5	310	<1	<3	130	<1	2.1	<1	170	<1
OW-33S	6/18/2024	<1	<1	<1	<2	<1	<3	96	<1	<2	<1	<1	<1
OW-34S	6/18/2024	<1	<1	<1	<2	<1	<3	540	<1	<2	<1	<1	<1
OW-35D	6/18/2024	<1	<1	5	94	<1	37	230	<1	<2	<1	1.4	37
OW-36S	6/18/2024	<1	<1	2.4	28	<1	3.4	230	<1	<2	<1	<1	3.4
OW-37D	6/18/2024	<1	<1	<1	<2	<1	<3	94	<1	<2	<1	<1	<1
PZ-04S	6/18/2024	<1	<1	<1	19	<1	<3	80	<1	<2	<1	<1	<1
PZ-29S	6/18/2024	<1	<1	<1	21	<1	<3	160	<1	<2	<1	<1	<1
PZ-31S	6/18/2024	<1	<1	<1	8.8	<1	<3	46	<1	<2	<1	<1	<1
<i>Construction Debris Site</i>													
OW-01	6/18/2024	<1	<1	16	<2	<1	<3	34	<1	<2	<1	<1	<1
OW-02D	6/18/2024	1.6	<1	120	250	<1	6.8	140	<1	<2	<1	7.2	6.8
OW-13D	6/18/2024	1.6	1	11	1200	<1	13	120	<1	<2	<1	29	13
OW-13S	6/18/2024	<1	<1	17	180	<1	12	130	<1	<2	<1	3	12
OW-16	6/18/2024	<1	<1	53	68	<1	3.7	44	<1	3.8	<1	5.3	3.7
OW-17	6/18/2024	<1	<1	1.6	25	<1	<3	160	<1	11	<1	13	<1
OW-38	6/18/2024	<1	<1	<1	<2	<1	<3	34	<1	<2	<1	3.4	<1
OW-39	6/18/2024	<1	<1	<1	<2	<1	<3	140	<1	<2	<1	<1	<1
EW-01C	6/18/2024	170	<1	160	220	<1	170	<20	<1	<2	45	2.2	170
EW-02A	6/18/2024	72	<1	150	220	<1	22	<20	<1	<2	<1	1.3	22
EW-03B	6/18/2024	73	<1	160	260	3	36	<20	<1	<2	5	3.1	35

Notes: Detections denoted in bold font
< method detection limit

Table 4-1. VOC Detections in Groundwater (June 2024)

Well Location	Date Sampled	Cyclohexane (µg/L)	Ethyl benzene (µg/L)	Freon-11 (µg/L)	m&p-Xylene (µg/L)	o-Xylene (µg/L)	Tetrachloroethene (µg/L)	Toluene (µg/L)	Trichloroethene (µg/L)	Vinyl chloride (µg/L)	Xylenes (Total) (µg/L)
<i>Burn Pit Area</i>											
EW-04D	6/18/2024	<2	<1	4.6	<1	<1	17	<1	73	<1	<1
EW-32S	6/18/2024	22	<1	<1	<1	<1	1000	<1	2300	<1	<1
OW-05S	6/18/2024	<2	<1	<1	<1	<1	70	<1	210	<1	<1
OW-10D	6/18/2024	<2	<1	<1	<1	<1	<1	<1	8.6	<1	<1
OW-24S	6/18/2024	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1
OW-25S	6/18/2024	<2	<1	<1	<1	<1	16	<1	130	<1	<1
OW-26S	6/18/2024	<2	<1	<1	<1	<1	3	<1	9.4	<1	<1
OW-27D	6/18/2024	<2	<1	<1	<1	<1	25	<1	62	<1	<1
OW-28D	6/18/2024	<2	<1	96	<1	<1	50	<1	400	<1	<1
OW-33S	6/18/2024	<2	<1	<1	<1	<1	<1	<1	1.1	<1	<1
OW-34S	6/18/2024	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1
OW-35D	6/18/2024	<2	<1	<1	<1	<1	11	<1	110	<1	<1
OW-36S	6/18/2024	<2	<1	<1	<1	<1	2.7	<1	33	<1	<1
OW-37D	6/18/2024	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1
PZ-04S	6/18/2024	<2	<1	<1	<1	<1	<1	<1	20	<1	<1
PZ-29S	6/18/2024	<2	<1	<1	<1	<1	<1	<1	3	<1	<1
PZ-31S	6/18/2024	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1
<i>Construction Debris Site</i>											
OW-01	6/18/2024	<2	<1	<1	<1	<1	<1	<1	<1	9.3	<1
OW-02D	6/18/2024	<2	<1	<1	<1	<1	1.8	<1	55	<1	<1
OW-13D	6/18/2024	<2	<1	1.9	<1	<1	1.4	<1	450	1.1	<1
OW-13S	6/18/2024	<2	<1	<1	<1	<1	<1	<1	77	<1	<1
OW-16	6/18/2024	<2	<1	<1	<1	<1	<1	<1	59	<1	<1
OW-17	6/18/2024	<2	<1	<1	<1	<1	1.1	<1	29	<1	<1
OW-38	6/18/2024	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1
OW-39	6/18/2024	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1
EW-01C	6/18/2024	4.8	1.4	<1	3.5	1.5	1.1	1.7	80	31	5
EW-02A	6/18/2024	<2	<1	<1	<1	<1	<1	<1	77	3.4	<1
EW-03B	6/18/2024	<2	<1	<1	<1	<1	<1	<1	82	4.8	<1

Notes: Detections denoted in bold font
 < method detection limit

Appendix A – Groundwater Purge Forms and Surface Water
Sampling Log

MONITORING WELL SAMPLING FORM

Project Name: Ascend SC	Date: 6/18/24	Well ID: 0W-055	Sampling Performed By: Alex Testoff & Michael Senkter
Field Conditions: ~85°F, overcast			
Well Construction: stick-up	Well Labeled: yes	Well Cap: yes	Well Locked: yes
General Condition of Well: good			
Condition of Surrounding Area: Wooded area			
Well Depth from TOC:	Depth to Water from TOC: 20.76	Well Diameter: 2"	Method of Measure: water level meter
Height (Ht) of water in well (well depth from TOC – Static level from TOC):			
Volume of water in well (Ht. x (0.04 for 1") (0.16 for 2") (.653 for 4") (1.469 for 6")):			Three Well Volumes (gal):
Purging Method: low-flow	Time @ Start of Purge: 1310	Sample Method: direct	Sample Parameters: vocs
Initial Depth of Pump/Tubing: _____ ft (BTOC)		Final Depth of Pump/Tubing: _____ ft (BTOC)	

Time	Volume (gal)	Temp (°C)	pH	Cond. (mS/cm)	Salinity (%)	DO (mg/L)	Turbidity (NTU)	ORP (mV)	DTW (ft, BTOC)	Comments
1330	0.20	24.15	5.58	0.055	—	1.98	0.0	240	21.02	
1335	0.25	24.00	5.58	0.055	—	1.97	0.0	238	21.02	
1340	0.30	24.07	5.57	0.055	—	1.95	0.0	235		

WQ Meter Make/Model/SN: Hanna GDY90VBB
 Turbidity Meter Make/Model: —

Pump Make/Model: Alexis peristaltic pump

Sample ID: 24170-6W055 Time Collected: 1340
24170-DUP-6W 1200

Technician Signature: 

MONITORING WELL SAMPLING FORM

Project Name: Ascend SC	Date: 6/18/24	Well ID: OW-245	Sampling Performed By: Alex Tectoff & Michael Senkler		
Field Conditions: ~80 °F, partly cloudy					
Well Construction: stick-up	Well Labeled: Yes	Well Cap: Yes	Well Locked: Yes		
General Condition of Well: good					
Condition of Surrounding Area: Wooded area fenced area					
Well Depth from TOC:	Depth to Water from TOC: 25.36	Well Diameter: 2"	Method of Measure: water level meter		
Height (Ht) of water in well (well depth from TOC – Static level from TOC):					
Volume of water in well (Ht. x (0.04 for 1") (0.16 for 2") (.653 for 4") (1.469 for 6")):				Three Well Volumes (gal):	
Purging Method: low-flow	Time @ Start of Purge: 1800	Sample Method: direct	Sample Parameters: vocs		
Initial Depth of Pump/Tubing: _____ ft (BTOC)			Final Depth of Pump/Tubing: _____ ft (BTOC)		

Time	Volume (gal)	Temp (°C)	pH	Cond. (mS/cm)	Salinity (%)	DO (mg/L)	Turbidity (NTU)	ORP (mV)	DTW (ft, BTOC)	Comments
1815		26.71	6.66	0.253	—	2.07	34.1	-125	25.50	
1820		26.43	6.66	0.249	—	0.81	17.6	-124	25.51	
1825		26.30	6.66	0.249	—	0.71	9.7	-121		

WQ Meter Make/Model/SN: Hanlon 6D7900BB Pump Make/Model: _____
 Turbidity Meter Make/Model: _____

Sample ID: 24176-OW245 Time Collected: 1825 Technician Signature: 

**Ascend Greenwood SC
Surface Water Quality Parameters**

Number	Location	Date	Time	Temperature °C	pH STU	ORP mV	Conductivity mS/cm	DO mg/L	Turbidity NTU	Visual Observations
1	North Creek Upstream	6/18/2024	1205	20.51	7.32	100	0.078	6.64	8.8	Live fish observed. No sheen, no odor.
2	North Creek Downstream	6/18/2024	1110	20.90	7.26	113	0.081	7.00	17.8	Live fish observed. No sheen, no odor.
3	CDS Upstream	6/18/2024	1445	23.11	7.28	177	0.092	6.28	9.6	No fish, odor, nor sheen observed.
4	CDS Downstream	6/18/2024	1520	23.22	7.39	169	0.101	5.34	0.3	No fish, odor, nor sheen observed.
5	South Creek Upstream	6/18/2024	1615	22.55	7.31	149	0.101	4.79	0.6	Live fish observed. No sheen, no odor.
6	South Creek Downstream	6/18/2024	1525	22.8	7.48	160	0.101	5.36	0.0	Live fish observed. No sheen, no odor.
7	Duck Pond	6/18/2024	1745	26.94	7.97	157	0.100	4.88	33.0	Live fish and heron observed. No sheen, no odor.

CALIBRATION CERTIFICATE

Instrument Model : **HORIBA U-52**

Serial Number: **GDY9GVBB**

Calibration Solution Lot # : **24005593** Exp.- **12/24**

<u>Calibration Solution</u>	<u>Calibration Results</u>
Temperature - 25C	Temperature - 25C
pH - 4.00 / 7.00	4.00 / 7.00
Conductivity - 0.00 mS/cm -- 4.49 mS/cm	0.00 mS/cm -- 4.49 mS/cm
Dissolved O ₂ - 0.00 mg/L -- 9.09 mg/L	0.00 mg/L -- 9.09 mg/L
ORP - +228 mV	+228 mV
Turbidity - 0 NTU / 800 NTU	0 NTU / 800 NTU

Technician: 

Calibration Date: 

The calibration results were obtained using NIST Traceable Standards.

Appendix B – Laboratory Analytical Report

June 28, 2024

Alex Testoff
Montrose Environmental

400 Northridge Rd
Sandy Springs GA 30350

RE: Ascend Greenwood

Dear Alex Testoff:

Order No: 2406L66

Eurofins Environment Testing Southeast-Atlanta, LLC (EETSE-Atlanta) received 37 samples on June 19, 2024 10:39 am for the analyses presented in following report.

No problems were encountered during the analyses except as noted in the Case Narrative or by qualifiers in the report or QC Summary. Additionally, all results for the associated Quality Control samples were within EPA and/or EETSE-Atlanta established limits.

EETSE-Atlanta accreditations are as follows:

-NELAP/State of Florida Laboratory ID E87582 for analysis of Non-Potable Water, Solid & Chemical Materials, Air & Emissions Volatile Organics, and Drinking Water Microbiology & Metals, effective 07/01/23-06/30/24.

-State of Georgia, Department of Natural Resources ID #800 for analysis of Drinking Water Metals, effective through 06/30/24 and Total Coliforms/ E. coli, effective 04/25/23-04/24/24.

-AIHA LAP, LLC Laboratory ID: 100671 for Industrial Hygiene samples (Metals and PCM Asbestos), Environmental Lead (Paint, Soil, Dust Wipes, Air), and Environmental Microbiology (Fungal) Direct Examination, effective until 11/01/25.

These results relate only to the items tested as received. This report may only be reproduced in full.

If you have any questions regarding these test results, please feel free to call.

Sincerely,



Shawn Boyd
Project Manager



Environment Testing

Eurofins Environment Testing Southeast-Atlanta, LLC
3080 Presidential Drive, Atlanta, GA 30340 Phone: (770) 457-8177

Work Order: 2406L66
Page 1 of 3

CHAIN OF CUSTODY

Form containing company information (Montrose Environmental), address (400 Northridge Rd, Sandy Springs GA), analysis requested, sample list (14 samples), and project information (Ascend Greenwood, Greenwood, SC).

Matrix Codes: A = Air GW = Groundwater SE = Sediment SO = Soil SW = Surface Water ST = Stormwater WW = Waste Water W = Water (Blanks) DW = Drinking Water (Blanks) O = Other (specify)
Preservative Codes: H+I = Hydrochloric acid + ice I = Ice only N = Nitric acid S+I = Sulfuric acid + ice S/M+I = Sodium Bisulfate/Methanol + ice NaOH=SH O = Other (specify) NA = None

CHAIN OF CUSTODY

COMPANY: Montrose Environmental (MES)		ADDRESS: 400 Northridge Rd, Ste 400 Sandy Springs, GA 30350				ANALYSIS REQUESTED								Visit our website www.EurofinsUS.com for downloadable COCs.	Number of Containers																																									
PHONE: 404 315 9113		EMAIL: atestoff@montrose-env.com				<table border="1" style="width:100%; height: 100%; border-collapse: collapse;"> <tr> <td style="writing-mode: vertical-rl; text-orientation: mixed;">VOCs 8260</td> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td colspan="20">PRESERVATION (see codes)</td> </tr> </table>										VOCs 8260																					PRESERVATION (see codes)																			
VOCs 8260																																																								
PRESERVATION (see codes)																																																								
SAMPLED BY: Alex Testoff Michael Sentas		SIGNATURE: 																																																						
#	SAMPLE ID	SAMPLED:		GRAB	COMPOSITE	MATRIX (see codes)	PRESERVATION (see codes)										REMARKS																																							
		DATE	TIME				#1																																																	
1	24170-P204S	6/18/24	1155	X		GW	X															2																																		
2	24170-P229S		1200	X		GW	X															2																																		
3	24170-P231S		1245	X		GW	X															2																																		
4	24170-NCU ₂		1205	X		SW	X															2																																		
5	24170-NC Down		1110	X		SW	X															2																																		
6	24170-OW01		1545	X		GW	X															2																																		
7	24170-OW02D		1515	X		GW	X															2																																		
8	24170-OW13S		1640	X		GW	X															2																																		
9	24170-OW13D		1645	X		GW	X															2																																		
10	24170-OW16		1570	X		GW	X															2																																		
11	24170-OW17		1420	X		GW	X															2																																		
12	24170-OW138		1425	X		GW	X															2																																		
13	24170-OW39		1650	X		GW	X															2																																		
14	24170-EW01C	6/18/24	1625	X		GW	X															4																																		

RELINQUISHED BY: Michael Sentas 6-19-24 1039		DATE/TIME:		RECEIVED BY: Anna Neal 6-19-24 1039		DATE/TIME:		PROJECT INFORMATION				RECEIPT	
1. Michael Sentas 6-19-24 1039				1. Anna Neal 6-19-24 1039		1. 1:40		PROJECT NAME: Ascend Greenwood				Total # of Containers: 30	
2.				2.				PROJECT #: PROJ-042952				Turnaround Time (TAT) Request in Business Days <input checked="" type="checkbox"/> Standard <input type="checkbox"/> 4-Day Rush* <input type="checkbox"/> 3-Day Rush* <input type="checkbox"/> 2-Day Rush* <input type="checkbox"/> Next Day Rush* <input type="checkbox"/> Other _____ <input type="checkbox"/> Same-Day Rush* (auth req.) * Surcharges apply for Rush TAT	
3.				3.				SITE ADDRESS: Greenwood, SC					
								SEND REPORT TO: atestoff@montrose-env.com					
SPECIAL INSTRUCTIONS/COMMENTS: Stand 5-day TAT				SHIPMENT METHOD				INVOICE TO (IF DIFFERENT FROM ABOVE):				REGULATORY PROGRAM (if any):	
				OUT: / / VIA:				QUOTE #:				DATA PACKAGE: I <input type="radio"/> II <input type="radio"/> III <input type="radio"/> IV <input type="radio"/>	
				IN: / / VIA:				PO#:					
				<input checked="" type="radio"/> Client FedEx UPS US mail courier other: _____									

Submission of samples to the laboratory constitutes acceptance of EETSE's Terms & Conditions. Client assumes sole responsibility for damage or loss of samples before we accept them. Samples received after 3PM or on Saturday are considered as received the following business day. If no TAT is marked on COC, EETSE-Atlanta will proceed with standard TAT. Samples are disposed of 30 days after completion of report unless other arrangements are made.

CHAIN OF CUSTODY

COMPANY: Montrose Environmental (MES)		ADDRESS: 400 Northridge Rd, Ste 400 Sandy Springs, GA 30350				ANALYSIS REQUESTED						Visit our website www.EurofinsUS.com for downloadable COCs.	Number of Containers																																								
PHONE: 404 315 9113		EMAIL: atestaff@montrose-env.com				<table border="1" style="width:100%; height: 100%; text-align: center;"> <tr> <td style="writing-mode: vertical-rl; transform: rotate(180deg);">VOCs</td> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td style="writing-mode: vertical-rl; transform: rotate(180deg);">HAPs</td> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> </table>								VOCs																					HAPs																		
VOCs																																																					
HAPs																																																					
SAMPLED BY: Alex Testoff & Michael Senktaş		SIGNATURE: 				PRESERVATION (see codes)						REMARKS																																									
#	SAMPLE ID	DATE	TIME	GRAB	COMPOSITE	MATRIX (see codes)																																															
1	24170-EW02A	6/18/24	1630	X		GW	X													2																																	
2	24170-EW03B		1635	X		GW	X													4																																	
3	24170-CDSUp		1445	X		SW	X													2																																	
4	24170-CDSDown		1520	X		SW	X													2																																	
5	24170-SCUp		1615	X		SW	X													2																																	
6	24170-SCDown		1525	X		SW	X													2																																	
7	24170-DuckP	6/18/24	1745	X		SW	X													2																																	
8	24170-DUP-GW (AI)																																																				
9	24170-DUP-GW	6/18/24	1200	X		GW	X													2																																	
10	24170-TripBlank	-	-			W	X													2																																	
11																																																					
12																																																					
13																																																					
14																																																					
RELINQUISHED BY: 1. Michael Senktaş 6-19-24 1039		DATE/TIME:		RECEIVED BY: 1. Annabelle 6-19-24 1039		DATE/TIME:		PROJECT INFORMATION						RECEIPT																																							
2.				3.		14°C		PROJECT NAME: Ascend Greenwood						Total # of Containers: 20																																							
3.								PROJECT #: PROJ-042952						Turnaround Time (TAT) Request in Business Days																																							
								SITE ADDRESS: Greenwood, SC						<input checked="" type="checkbox"/> Standard <input type="checkbox"/> 4-Day Rush* <input type="checkbox"/> 3-Day Rush* <input type="checkbox"/> 2-Day Rush* <input type="checkbox"/> Next Day Rush* <input type="checkbox"/> Other _____ <input type="checkbox"/> Same-Day Rush* (auth req.)																																							
SPECIAL INSTRUCTIONS/COMMENTS: Stand 5-day TAT		SHIPMENT METHOD		SEND REPORT TO: atestaff@montrose-env.com		INVOICE TO (IF DIFFERENT FROM ABOVE):		QUOTE #: _____ PO#: _____						* Surcharges apply for Rush TAT																																							
		OUT: / / VIA:												REGULATORY PROGRAM (if any):																																							
		IN: / / VIA:		<input checked="" type="checkbox"/> Client FedEx UPS US mail courier other: _____										DATA PACKAGE: I <input type="checkbox"/> II <input type="checkbox"/> III <input type="checkbox"/> IV <input type="checkbox"/>																																							

Client: Montrose Environmental
Project Name: Ascend Greenwood
Lab ID: 2406L66

Case Narrative

Sample Receiving Nonconformance:

Sample collection time on the Chain of Custody (COC) did not match that on the sample bottle labels for sample 2406L66-025. Collection time on the COC was written as 14:20 but on the sample bottle labels, the collection time was 14:30. Sample was logged in using the information on the COC.

Client: Montrose Environmental	Client Sample ID: 24170-0W05S
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 1:40:00 PM
Lab ID: 2406L66-001	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D		(SW5030B)						
1,1,1-Trichloroethane	7.5	1.0		ug/L	378238	1	06/21/2024 15:48	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
1,1-Dichloroethane	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
1,1-Dichloroethene	12	2.0		ug/L	378238	1	06/21/2024 15:48	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
2-Butanone	BRL	10		ug/L	378238	1	06/21/2024 15:48	AV
2-Hexanone	BRL	10		ug/L	378238	1	06/21/2024 15:48	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378238	1	06/21/2024 15:48	AV
Acetone	BRL	20		ug/L	378238	1	06/21/2024 15:48	AV
Benzene	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
Bromodichloromethane	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
Bromoform	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
Bromomethane	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
Carbon disulfide	BRL	5.0		ug/L	378238	1	06/21/2024 15:48	AV
Carbon tetrachloride	BRL	2.0		ug/L	378238	1	06/21/2024 15:48	AV
Chlorobenzene	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
Chloroethane	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
Chloroform	1.1	1.0		ug/L	378238	1	06/21/2024 15:48	AV
Chloromethane	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
cis-1,2-Dichloroethene	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
Cyclohexane	BRL	2.0		ug/L	378238	1	06/21/2024 15:48	AV
Dibromochloromethane	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
Ethylbenzene	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
Freon-113	BRL	5.0		ug/L	378238	1	06/21/2024 15:48	AV
Isopropylbenzene	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
m,p-Xylene	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
Methyl acetate	BRL	2.0		ug/L	378238	1	06/21/2024 15:48	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
Methylcyclohexane	BRL	2.0		ug/L	378238	1	06/21/2024 15:48	AV
Methylene chloride	BRL	5.0		ug/L	378238	1	06/21/2024 15:48	AV
o-Xylene	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
Styrene	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
Tetrachloroethene	70	1.0		ug/L	378238	1	06/21/2024 15:48	AV
Toluene	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W05S
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 1:40:00 PM
Lab ID: 2406L66-001	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378238	1	06/21/2024 15:48	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378238	1	06/21/2024 15:48	AV
Trichloroethene	210	10		ug/L	378493	10	06/26/2024 14:33	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
Vinyl chloride	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
1,2-Dichloroethene, Total	BRL	3.0		ug/L	378238	1	06/21/2024 15:48	AV
Xylenes, Total	BRL	1.0		ug/L	378238	1	06/21/2024 15:48	AV
Surr: 4-Bromofluorobenzene	98.5	70-126		%REC	378493	10	06/26/2024 14:33	AV
Surr: 4-Bromofluorobenzene	101	70-126		%REC	378238	1	06/21/2024 15:48	AV
Surr: Dibromofluoromethane	98.5	77-121		%REC	378238	1	06/21/2024 15:48	AV
Surr: Dibromofluoromethane	98.4	77-121		%REC	378493	10	06/26/2024 14:33	AV
Surr: Toluene-d8	99.7	78.6-119		%REC	378493	10	06/26/2024 14:33	AV
Surr: Toluene-d8	101	78.6-119		%REC	378238	1	06/21/2024 15:48	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W10D
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 2:00:00 PM
Lab ID: 2406L66-002	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D		(SW5030B)						
1,1,1-Trichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
1,1-Dichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
1,1-Dichloroethene	9.7	2.0		ug/L	378367	1	06/22/2024 16:18	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
2-Butanone	BRL	10		ug/L	378367	1	06/22/2024 16:18	AV
2-Hexanone	BRL	10		ug/L	378367	1	06/22/2024 16:18	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378367	1	06/22/2024 16:18	AV
Acetone	97	20		ug/L	378367	1	06/22/2024 16:18	AV
Benzene	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
Bromodichloromethane	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
Bromoform	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
Bromomethane	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
Carbon disulfide	BRL	5.0		ug/L	378367	1	06/22/2024 16:18	AV
Carbon tetrachloride	BRL	2.0		ug/L	378367	1	06/22/2024 16:18	AV
Chlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
Chloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
Chloroform	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
Chloromethane	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
cis-1,2-Dichloroethene	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
Cyclohexane	BRL	2.0		ug/L	378367	1	06/22/2024 16:18	AV
Dibromochloromethane	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
Ethylbenzene	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
Freon-113	BRL	5.0		ug/L	378367	1	06/22/2024 16:18	AV
Isopropylbenzene	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
m,p-Xylene	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
Methyl acetate	BRL	2.0		ug/L	378367	1	06/22/2024 16:18	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
Methylcyclohexane	BRL	2.0		ug/L	378367	1	06/22/2024 16:18	AV
Methylene chloride	BRL	5.0		ug/L	378367	1	06/22/2024 16:18	AV
o-Xylene	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
Styrene	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
Tetrachloroethene	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
Toluene	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W10D
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 2:00:00 PM
Lab ID: 2406L66-002	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378367	1	06/22/2024 16:18	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378367	1	06/22/2024 16:18	AV
Trichloroethene	8.6	1.0		ug/L	378367	1	06/22/2024 16:18	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
Vinyl chloride	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
1,2-Dichloroethene, Total	BRL	3.0		ug/L	378367	1	06/22/2024 16:18	AV
Xylenes, Total	BRL	1.0		ug/L	378367	1	06/22/2024 16:18	AV
Surr: 4-Bromofluorobenzene	97.6	70-126		%REC	378367	1	06/22/2024 16:18	AV
Surr: Dibromofluoromethane	97.4	77-121		%REC	378367	1	06/22/2024 16:18	AV
Surr: Toluene-d8	98.3	78.6-119		%REC	378367	1	06/22/2024 16:18	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W24S
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 6:25:00 PM
Lab ID: 2406L66-003	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D		(SW5030B)						
1,1,1-Trichloroethane	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
1,1-Dichloroethane	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
1,1-Dichloroethene	BRL	2.0		ug/L	378238	1	06/21/2024 16:35	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
2-Butanone	BRL	10		ug/L	378238	1	06/21/2024 16:35	AV
2-Hexanone	BRL	10		ug/L	378238	1	06/21/2024 16:35	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378238	1	06/21/2024 16:35	AV
Acetone	BRL	20		ug/L	378238	1	06/21/2024 16:35	AV
Benzene	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
Bromodichloromethane	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
Bromoform	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
Bromomethane	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
Carbon disulfide	BRL	5.0		ug/L	378238	1	06/21/2024 16:35	AV
Carbon tetrachloride	BRL	2.0		ug/L	378238	1	06/21/2024 16:35	AV
Chlorobenzene	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
Chloroethane	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
Chloroform	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
Chloromethane	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
cis-1,2-Dichloroethene	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
Cyclohexane	BRL	2.0		ug/L	378238	1	06/21/2024 16:35	AV
Dibromochloromethane	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
Ethylbenzene	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
Freon-113	BRL	5.0		ug/L	378238	1	06/21/2024 16:35	AV
Isopropylbenzene	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
m,p-Xylene	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
Methyl acetate	BRL	2.0		ug/L	378238	1	06/21/2024 16:35	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
Methylcyclohexane	BRL	2.0		ug/L	378238	1	06/21/2024 16:35	AV
Methylene chloride	BRL	5.0		ug/L	378238	1	06/21/2024 16:35	AV
o-Xylene	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
Styrene	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
Tetrachloroethene	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
Toluene	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W24S
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 6:25:00 PM
Lab ID: 2406L66-003	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378238	1	06/21/2024 16:35	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378238	1	06/21/2024 16:35	AV
Trichloroethene	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
Vinyl chloride	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
1,2-Dichloroethene, Total	BRL	3.0		ug/L	378238	1	06/21/2024 16:35	AV
Xylenes, Total	BRL	1.0		ug/L	378238	1	06/21/2024 16:35	AV
Surr: 4-Bromofluorobenzene	101	70-126		%REC	378238	1	06/21/2024 16:35	AV
Surr: Dibromofluoromethane	93.4	77-121		%REC	378238	1	06/21/2024 16:35	AV
Surr: Toluene-d8	97.6	78.6-119		%REC	378238	1	06/21/2024 16:35	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value
- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W25S
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 12:55:00 PM
Lab ID: 2406L66-004	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D		(SW5030B)						
1,1,1-Trichloroethane	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
1,1-Dichloroethane	2.4	1.0		ug/L	378238	1	06/21/2024 16:58	AV
1,1-Dichloroethene	13	2.0		ug/L	378238	1	06/21/2024 16:58	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
2-Butanone	BRL	10		ug/L	378238	1	06/21/2024 16:58	AV
2-Hexanone	BRL	10		ug/L	378238	1	06/21/2024 16:58	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378238	1	06/21/2024 16:58	AV
Acetone	330	20		ug/L	378238	1	06/21/2024 16:58	AV
Benzene	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
Bromodichloromethane	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
Bromoform	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
Bromomethane	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
Carbon disulfide	BRL	5.0		ug/L	378238	1	06/21/2024 16:58	AV
Carbon tetrachloride	BRL	2.0		ug/L	378238	1	06/21/2024 16:58	AV
Chlorobenzene	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
Chloroethane	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
Chloroform	1.6	1.0		ug/L	378238	1	06/21/2024 16:58	AV
Chloromethane	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
cis-1,2-Dichloroethene	1.0	1.0		ug/L	378238	1	06/21/2024 16:58	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
Cyclohexane	BRL	2.0		ug/L	378238	1	06/21/2024 16:58	AV
Dibromochloromethane	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
Ethylbenzene	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
Freon-113	BRL	5.0		ug/L	378238	1	06/21/2024 16:58	AV
Isopropylbenzene	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
m,p-Xylene	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
Methyl acetate	BRL	2.0		ug/L	378238	1	06/21/2024 16:58	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
Methylcyclohexane	BRL	2.0		ug/L	378238	1	06/21/2024 16:58	AV
Methylene chloride	BRL	5.0		ug/L	378238	1	06/21/2024 16:58	AV
o-Xylene	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
Styrene	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
Tetrachloroethene	16	1.0		ug/L	378238	1	06/21/2024 16:58	AV
Toluene	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W25S
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 12:55:00 PM
Lab ID: 2406L66-004	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D		(SW5030B)						
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378238	1	06/21/2024 16:58	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378238	1	06/21/2024 16:58	AV
Trichloroethene	130	1.0		ug/L	378238	1	06/21/2024 16:58	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
Vinyl chloride	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
1,2-Dichloroethene, Total	BRL	3.0		ug/L	378238	1	06/21/2024 16:58	AV
Xylenes, Total	BRL	1.0		ug/L	378238	1	06/21/2024 16:58	AV
Surr: 4-Bromofluorobenzene	98.9	70-126		%REC	378238	1	06/21/2024 16:58	AV
Surr: Dibromofluoromethane	98.1	77-121		%REC	378238	1	06/21/2024 16:58	AV
Surr: Toluene-d8	99.2	78.6-119		%REC	378238	1	06/21/2024 16:58	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W26S
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 1:20:00 PM
Lab ID: 2406L66-005	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D		(SW5030B)						
1,1,1-Trichloroethane	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
1,1-Dichloroethane	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
1,1-Dichloroethene	BRL	2.0		ug/L	378238	1	06/21/2024 17:22	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
2-Butanone	BRL	10		ug/L	378238	1	06/21/2024 17:22	AV
2-Hexanone	BRL	10		ug/L	378238	1	06/21/2024 17:22	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378238	1	06/21/2024 17:22	AV
Acetone	930	200		ug/L	378451	10	06/25/2024 13:53	AV
Benzene	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
Bromodichloromethane	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
Bromoform	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
Bromomethane	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
Carbon disulfide	BRL	5.0		ug/L	378238	1	06/21/2024 17:22	AV
Carbon tetrachloride	BRL	2.0		ug/L	378238	1	06/21/2024 17:22	AV
Chlorobenzene	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
Chloroethane	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
Chloroform	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
Chloromethane	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
cis-1,2-Dichloroethene	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
Cyclohexane	BRL	2.0		ug/L	378238	1	06/21/2024 17:22	AV
Dibromochloromethane	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
Ethylbenzene	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
Freon-113	BRL	5.0		ug/L	378238	1	06/21/2024 17:22	AV
Isopropylbenzene	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
m,p-Xylene	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
Methyl acetate	BRL	2.0		ug/L	378238	1	06/21/2024 17:22	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
Methylcyclohexane	BRL	2.0		ug/L	378238	1	06/21/2024 17:22	AV
Methylene chloride	BRL	5.0		ug/L	378238	1	06/21/2024 17:22	AV
o-Xylene	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
Styrene	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
Tetrachloroethene	3.0	1.0		ug/L	378238	1	06/21/2024 17:22	AV
Toluene	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W26S
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 1:20:00 PM
Lab ID: 2406L66-005	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378238	1	06/21/2024 17:22	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378238	1	06/21/2024 17:22	AV
Trichloroethene	9.4	1.0		ug/L	378238	1	06/21/2024 17:22	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
Vinyl chloride	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
1,2-Dichloroethene, Total	BRL	3.0		ug/L	378238	1	06/21/2024 17:22	AV
Xylenes, Total	BRL	1.0		ug/L	378238	1	06/21/2024 17:22	AV
Surr: 4-Bromofluorobenzene	96.7	70-126		%REC	378238	1	06/21/2024 17:22	AV
Surr: 4-Bromofluorobenzene	98.9	70-126		%REC	378451	10	06/25/2024 13:53	AV
Surr: Dibromofluoromethane	98.8	77-121		%REC	378238	1	06/21/2024 17:22	AV
Surr: Dibromofluoromethane	98.1	77-121		%REC	378451	10	06/25/2024 13:53	AV
Surr: Toluene-d8	99.6	78.6-119		%REC	378238	1	06/21/2024 17:22	AV
Surr: Toluene-d8	101	78.6-119		%REC	378451	10	06/25/2024 13:53	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W27D
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 12:40:00 PM
Lab ID: 2406L66-006	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D		(SW5030B)						
1,1,1-Trichloroethane	12	1.0		ug/L	378238	1	06/21/2024 17:46	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
1,1-Dichloroethane	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
1,1-Dichloroethene	23	2.0		ug/L	378238	1	06/21/2024 17:46	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
2-Butanone	BRL	10		ug/L	378238	1	06/21/2024 17:46	AV
2-Hexanone	BRL	10		ug/L	378238	1	06/21/2024 17:46	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378238	1	06/21/2024 17:46	AV
Acetone	100	20		ug/L	378238	1	06/21/2024 17:46	AV
Benzene	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
Bromodichloromethane	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
Bromoform	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
Bromomethane	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
Carbon disulfide	BRL	5.0		ug/L	378238	1	06/21/2024 17:46	AV
Carbon tetrachloride	BRL	2.0		ug/L	378238	1	06/21/2024 17:46	AV
Chlorobenzene	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
Chloroethane	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
Chloroform	22	1.0		ug/L	378238	1	06/21/2024 17:46	AV
Chloromethane	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
cis-1,2-Dichloroethene	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
Cyclohexane	BRL	2.0		ug/L	378238	1	06/21/2024 17:46	AV
Dibromochloromethane	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
Ethylbenzene	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
Freon-113	BRL	5.0		ug/L	378238	1	06/21/2024 17:46	AV
Isopropylbenzene	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
m,p-Xylene	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
Methyl acetate	BRL	2.0		ug/L	378238	1	06/21/2024 17:46	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
Methylcyclohexane	BRL	2.0		ug/L	378238	1	06/21/2024 17:46	AV
Methylene chloride	BRL	5.0		ug/L	378238	1	06/21/2024 17:46	AV
o-Xylene	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
Styrene	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
Tetrachloroethene	25	1.0		ug/L	378238	1	06/21/2024 17:46	AV
Toluene	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W27D
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 12:40:00 PM
Lab ID: 2406L66-006	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378238	1	06/21/2024 17:46	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378238	1	06/21/2024 17:46	AV
Trichloroethene	62	1.0		ug/L	378238	1	06/21/2024 17:46	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
Vinyl chloride	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
1,2-Dichloroethene, Total	BRL	3.0		ug/L	378238	1	06/21/2024 17:46	AV
Xylenes, Total	BRL	1.0		ug/L	378238	1	06/21/2024 17:46	AV
Surr: 4-Bromofluorobenzene	97.7	70-126		%REC	378238	1	06/21/2024 17:46	AV
Surr: Dibromofluoromethane	95.5	77-121		%REC	378238	1	06/21/2024 17:46	AV
Surr: Toluene-d8	99.8	78.6-119		%REC	378238	1	06/21/2024 17:46	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value
- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Montrose Environmental
Project Name: Ascend Greenwood
Lab ID: 2406L66-007

Client Sample ID: 24170-0W28D
Collection Date: 6/18/2024 11:30:00 AM
Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D					(SW5030B)			
1,1,1-Trichloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
1,1-Dichloroethane	3.5	1.0		ug/L	378361	1	06/21/2024 20:31	AV
1,1-Dichloroethene	310	20		ug/L	378372	10	06/23/2024 20:06	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
2-Butanone	BRL	10		ug/L	378361	1	06/21/2024 20:31	AV
2-Hexanone	BRL	10		ug/L	378361	1	06/21/2024 20:31	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378361	1	06/21/2024 20:31	AV
Acetone	130	20		ug/L	378361	1	06/21/2024 20:31	AV
Benzene	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
Bromodichloromethane	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
Bromoform	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
Bromomethane	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
Carbon disulfide	BRL	5.0		ug/L	378361	1	06/21/2024 20:31	AV
Carbon tetrachloride	2.1	2.0		ug/L	378361	1	06/21/2024 20:31	AV
Chlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
Chloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
Chloroform	170	1.0		ug/L	378361	1	06/21/2024 20:31	AV
Chloromethane	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
cis-1,2-Dichloroethene	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
Cyclohexane	BRL	2.0		ug/L	378361	1	06/21/2024 20:31	AV
Dibromochloromethane	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
Ethylbenzene	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
Freon-113	BRL	5.0		ug/L	378361	1	06/21/2024 20:31	AV
Isopropylbenzene	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
m,p-Xylene	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
Methyl acetate	BRL	2.0		ug/L	378361	1	06/21/2024 20:31	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
Methylcyclohexane	BRL	2.0		ug/L	378361	1	06/21/2024 20:31	AV
Methylene chloride	BRL	5.0		ug/L	378361	1	06/21/2024 20:31	AV
o-Xylene	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
Styrene	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
Tetrachloroethene	50	1.0		ug/L	378361	1	06/21/2024 20:31	AV
Toluene	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W28D
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 11:30:00 AM
Lab ID: 2406L66-007	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D					(SW5030B)			
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378361	1	06/21/2024 20:31	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378361	1	06/21/2024 20:31	AV
Trichloroethene	400	10		ug/L	378372	10	06/23/2024 20:06	AV
Trichlorofluoromethane	96	1.0		ug/L	378361	1	06/21/2024 20:31	AV
Vinyl chloride	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
1,2-Dichloroethene, Total	BRL	3.0		ug/L	378361	1	06/21/2024 20:31	AV
Xylenes, Total	BRL	1.0		ug/L	378361	1	06/21/2024 20:31	AV
Surr: 4-Bromofluorobenzene	98.7	70-126		%REC	378361	1	06/21/2024 20:31	AV
Surr: 4-Bromofluorobenzene	100	70-126		%REC	378372	10	06/23/2024 20:06	AV
Surr: Dibromofluoromethane	98.5	77-121		%REC	378361	1	06/21/2024 20:31	AV
Surr: Dibromofluoromethane	99.1	77-121		%REC	378372	10	06/23/2024 20:06	AV
Surr: Toluene-d8	99.3	78.6-119		%REC	378372	10	06/23/2024 20:06	AV
Surr: Toluene-d8	100	78.6-119		%REC	378361	1	06/21/2024 20:31	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W33S
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 12:45:00 PM
Lab ID: 2406L66-008	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D		(SW5030B)						
1,1,1-Trichloroethane	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
1,1-Dichloroethane	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
1,1-Dichloroethene	BRL	2.0		ug/L	378372	1	06/23/2024 17:18	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
2-Butanone	BRL	10		ug/L	378372	1	06/23/2024 17:18	AV
2-Hexanone	BRL	10		ug/L	378372	1	06/23/2024 17:18	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378372	1	06/23/2024 17:18	AV
Acetone	96	20		ug/L	378372	1	06/23/2024 17:18	AV
Benzene	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
Bromodichloromethane	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
Bromoform	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
Bromomethane	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
Carbon disulfide	BRL	5.0		ug/L	378372	1	06/23/2024 17:18	AV
Carbon tetrachloride	BRL	2.0		ug/L	378372	1	06/23/2024 17:18	AV
Chlorobenzene	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
Chloroethane	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
Chloroform	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
Chloromethane	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
cis-1,2-Dichloroethene	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
Cyclohexane	BRL	2.0		ug/L	378372	1	06/23/2024 17:18	AV
Dibromochloromethane	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
Ethylbenzene	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
Freon-113	BRL	5.0		ug/L	378372	1	06/23/2024 17:18	AV
Isopropylbenzene	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
m,p-Xylene	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
Methyl acetate	BRL	2.0		ug/L	378372	1	06/23/2024 17:18	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
Methylcyclohexane	BRL	2.0		ug/L	378372	1	06/23/2024 17:18	AV
Methylene chloride	BRL	5.0		ug/L	378372	1	06/23/2024 17:18	AV
o-Xylene	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
Styrene	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
Tetrachloroethene	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
Toluene	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W33S
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 12:45:00 PM
Lab ID: 2406L66-008	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378372	1	06/23/2024 17:18	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378372	1	06/23/2024 17:18	AV
Trichloroethene	1.1	1.0		ug/L	378372	1	06/23/2024 17:18	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
Vinyl chloride	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
1,2-Dichloroethene, Total	BRL	3.0		ug/L	378372	1	06/23/2024 17:18	AV
Xylenes, Total	BRL	1.0		ug/L	378372	1	06/23/2024 17:18	AV
Surr: 4-Bromofluorobenzene	99.2	70-126		%REC	378372	1	06/23/2024 17:18	AV
Surr: Dibromofluoromethane	98.1	77-121		%REC	378372	1	06/23/2024 17:18	AV
Surr: Toluene-d8	98.6	78.6-119		%REC	378372	1	06/23/2024 17:18	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W34S
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 10:45:00 AM
Lab ID: 2406L66-009	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D					(SW5030B)			
1,1,1-Trichloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
1,1-Dichloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
1,1-Dichloroethene	BRL	2.0		ug/L	378361	1	06/21/2024 21:18	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
2-Butanone	BRL	10		ug/L	378361	1	06/21/2024 21:18	AV
2-Hexanone	BRL	10		ug/L	378361	1	06/21/2024 21:18	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378361	1	06/21/2024 21:18	AV
Acetone	540	50		ug/L	378372	2.5	06/23/2024 18:06	AV
Benzene	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
Bromodichloromethane	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
Bromoform	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
Bromomethane	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
Carbon disulfide	BRL	5.0		ug/L	378361	1	06/21/2024 21:18	AV
Carbon tetrachloride	BRL	2.0		ug/L	378361	1	06/21/2024 21:18	AV
Chlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
Chloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
Chloroform	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
Chloromethane	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
cis-1,2-Dichloroethene	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
Cyclohexane	BRL	2.0		ug/L	378361	1	06/21/2024 21:18	AV
Dibromochloromethane	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
Ethylbenzene	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
Freon-113	BRL	5.0		ug/L	378361	1	06/21/2024 21:18	AV
Isopropylbenzene	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
m,p-Xylene	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
Methyl acetate	BRL	2.0		ug/L	378361	1	06/21/2024 21:18	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
Methylcyclohexane	BRL	2.0		ug/L	378361	1	06/21/2024 21:18	AV
Methylene chloride	BRL	5.0		ug/L	378361	1	06/21/2024 21:18	AV
o-Xylene	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
Styrene	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
Tetrachloroethene	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
Toluene	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value
- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W34S
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 10:45:00 AM
Lab ID: 2406L66-009	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378361	1	06/21/2024 21:18	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378361	1	06/21/2024 21:18	AV
Trichloroethene	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
Vinyl chloride	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
1,2-Dichloroethene, Total	BRL	3.0		ug/L	378361	1	06/21/2024 21:18	AV
Xylenes, Total	BRL	1.0		ug/L	378361	1	06/21/2024 21:18	AV
Surr: 4-Bromofluorobenzene	95.8	70-126		%REC	378372	2.5	06/23/2024 18:06	AV
Surr: 4-Bromofluorobenzene	97.4	70-126		%REC	378361	1	06/21/2024 21:18	AV
Surr: Dibromofluoromethane	101	77-121		%REC	378372	2.5	06/23/2024 18:06	AV
Surr: Dibromofluoromethane	94.7	77-121		%REC	378361	1	06/21/2024 21:18	AV
Surr: Toluene-d8	100	78.6-119		%REC	378372	2.5	06/23/2024 18:06	AV
Surr: Toluene-d8	98	78.6-119		%REC	378361	1	06/21/2024 21:18	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value
- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W35D
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 10:40:00 AM
Lab ID: 2406L66-010	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D		(SW5030B)						
1,1,1-Trichloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
1,1-Dichloroethane	5.0	1.0		ug/L	378361	1	06/21/2024 21:42	AV
1,1-Dichloroethene	94	2.0		ug/L	378361	1	06/21/2024 21:42	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
2-Butanone	BRL	10		ug/L	378361	1	06/21/2024 21:42	AV
2-Hexanone	BRL	10		ug/L	378361	1	06/21/2024 21:42	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378361	1	06/21/2024 21:42	AV
Acetone	230	20		ug/L	378361	1	06/21/2024 21:42	AV
Benzene	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
Bromodichloromethane	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
Bromoform	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
Bromomethane	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
Carbon disulfide	BRL	5.0		ug/L	378361	1	06/21/2024 21:42	AV
Carbon tetrachloride	BRL	2.0		ug/L	378361	1	06/21/2024 21:42	AV
Chlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
Chloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
Chloroform	1.4	1.0		ug/L	378361	1	06/21/2024 21:42	AV
Chloromethane	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
cis-1,2-Dichloroethene	37	1.0		ug/L	378361	1	06/21/2024 21:42	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
Cyclohexane	BRL	2.0		ug/L	378361	1	06/21/2024 21:42	AV
Dibromochloromethane	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
Ethylbenzene	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
Freon-113	BRL	5.0		ug/L	378361	1	06/21/2024 21:42	AV
Isopropylbenzene	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
m,p-Xylene	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
Methyl acetate	BRL	2.0		ug/L	378361	1	06/21/2024 21:42	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
Methylcyclohexane	BRL	2.0		ug/L	378361	1	06/21/2024 21:42	AV
Methylene chloride	BRL	5.0		ug/L	378361	1	06/21/2024 21:42	AV
o-Xylene	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
Styrene	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
Tetrachloroethene	11	1.0		ug/L	378361	1	06/21/2024 21:42	AV
Toluene	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W35D
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 10:40:00 AM
Lab ID: 2406L66-010	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378361	1	06/21/2024 21:42	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378361	1	06/21/2024 21:42	AV
Trichloroethene	110	1.0		ug/L	378361	1	06/21/2024 21:42	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
Vinyl chloride	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
1,2-Dichloroethene, Total	37	3.0		ug/L	378361	1	06/21/2024 21:42	AV
Xylenes, Total	BRL	1.0		ug/L	378361	1	06/21/2024 21:42	AV
Surr: 4-Bromofluorobenzene	97.2	70-126		%REC	378361	1	06/21/2024 21:42	AV
Surr: Dibromofluoromethane	97.1	77-121		%REC	378361	1	06/21/2024 21:42	AV
Surr: Toluene-d8	98.9	78.6-119		%REC	378361	1	06/21/2024 21:42	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W36S
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 1:50:00 PM
Lab ID: 2406L66-011	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D		(SW5030B)						
1,1,1-Trichloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
1,1-Dichloroethane	2.4	1.0		ug/L	378361	1	06/21/2024 22:05	AV
1,1-Dichloroethene	28	2.0		ug/L	378361	1	06/21/2024 22:05	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
2-Butanone	BRL	10		ug/L	378361	1	06/21/2024 22:05	AV
2-Hexanone	BRL	10		ug/L	378361	1	06/21/2024 22:05	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378361	1	06/21/2024 22:05	AV
Acetone	230	20		ug/L	378361	1	06/21/2024 22:05	AV
Benzene	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
Bromodichloromethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
Bromoform	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
Bromomethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
Carbon disulfide	BRL	5.0		ug/L	378361	1	06/21/2024 22:05	AV
Carbon tetrachloride	BRL	2.0		ug/L	378361	1	06/21/2024 22:05	AV
Chlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
Chloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
Chloroform	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
Chloromethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
cis-1,2-Dichloroethene	3.4	1.0		ug/L	378361	1	06/21/2024 22:05	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
Cyclohexane	BRL	2.0		ug/L	378361	1	06/21/2024 22:05	AV
Dibromochloromethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
Ethylbenzene	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
Freon-113	BRL	5.0		ug/L	378361	1	06/21/2024 22:05	AV
Isopropylbenzene	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
m,p-Xylene	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
Methyl acetate	BRL	2.0		ug/L	378361	1	06/21/2024 22:05	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
Methylcyclohexane	BRL	2.0		ug/L	378361	1	06/21/2024 22:05	AV
Methylene chloride	BRL	5.0		ug/L	378361	1	06/21/2024 22:05	AV
o-Xylene	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
Styrene	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
Tetrachloroethene	2.7	1.0		ug/L	378361	1	06/21/2024 22:05	AV
Toluene	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W36S
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 1:50:00 PM
Lab ID: 2406L66-011	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378361	1	06/21/2024 22:05	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378361	1	06/21/2024 22:05	AV
Trichloroethene	33	1.0		ug/L	378361	1	06/21/2024 22:05	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
Vinyl chloride	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
1,2-Dichloroethene, Total	3.4	3.0		ug/L	378361	1	06/21/2024 22:05	AV
Xylenes, Total	BRL	1.0		ug/L	378361	1	06/21/2024 22:05	AV
Surr: 4-Bromofluorobenzene	97.4	70-126		%REC	378361	1	06/21/2024 22:05	AV
Surr: Dibromofluoromethane	99.3	77-121		%REC	378361	1	06/21/2024 22:05	AV
Surr: Toluene-d8	98.7	78.6-119		%REC	378361	1	06/21/2024 22:05	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W37D
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 11:25:00 AM
Lab ID: 2406L66-012	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D		(SW5030B)						
1,1,1-Trichloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
1,1-Dichloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
1,1-Dichloroethene	BRL	2.0		ug/L	378361	1	06/21/2024 22:28	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
2-Butanone	BRL	10		ug/L	378361	1	06/21/2024 22:28	AV
2-Hexanone	BRL	10		ug/L	378361	1	06/21/2024 22:28	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378361	1	06/21/2024 22:28	AV
Acetone	94	20		ug/L	378361	1	06/21/2024 22:28	AV
Benzene	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
Bromodichloromethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
Bromoform	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
Bromomethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
Carbon disulfide	BRL	5.0		ug/L	378361	1	06/21/2024 22:28	AV
Carbon tetrachloride	BRL	2.0		ug/L	378361	1	06/21/2024 22:28	AV
Chlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
Chloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
Chloroform	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
Chloromethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
cis-1,2-Dichloroethene	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
Cyclohexane	BRL	2.0		ug/L	378361	1	06/21/2024 22:28	AV
Dibromochloromethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
Ethylbenzene	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
Freon-113	BRL	5.0		ug/L	378361	1	06/21/2024 22:28	AV
Isopropylbenzene	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
m,p-Xylene	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
Methyl acetate	BRL	2.0		ug/L	378361	1	06/21/2024 22:28	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
Methylcyclohexane	BRL	2.0		ug/L	378361	1	06/21/2024 22:28	AV
Methylene chloride	BRL	5.0		ug/L	378361	1	06/21/2024 22:28	AV
o-Xylene	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
Styrene	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
Tetrachloroethene	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
Toluene	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W37D
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 11:25:00 AM
Lab ID: 2406L66-012	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378361	1	06/21/2024 22:28	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378361	1	06/21/2024 22:28	AV
Trichloroethene	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
Vinyl chloride	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
1,2-Dichloroethene, Total	BRL	3.0		ug/L	378361	1	06/21/2024 22:28	AV
Xylenes, Total	BRL	1.0		ug/L	378361	1	06/21/2024 22:28	AV
Surr: 4-Bromofluorobenzene	95.1	70-126		%REC	378361	1	06/21/2024 22:28	AV
Surr: Dibromofluoromethane	96.8	77-121		%REC	378361	1	06/21/2024 22:28	AV
Surr: Toluene-d8	97.6	78.6-119		%REC	378361	1	06/21/2024 22:28	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value
- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-EW04D
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 11:50:00 AM
Lab ID: 2406L66-013	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D		(SW5030B)						
1,1,1-Trichloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
1,1-Dichloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
1,1-Dichloroethene	30	2.0		ug/L	378361	1	06/21/2024 22:52	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
2-Butanone	BRL	10		ug/L	378361	1	06/21/2024 22:52	AV
2-Hexanone	BRL	10		ug/L	378361	1	06/21/2024 22:52	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378361	1	06/21/2024 22:52	AV
Acetone	BRL	20		ug/L	378361	1	06/21/2024 22:52	AV
Benzene	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
Bromodichloromethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
Bromoform	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
Bromomethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
Carbon disulfide	BRL	5.0		ug/L	378361	1	06/21/2024 22:52	AV
Carbon tetrachloride	BRL	2.0		ug/L	378361	1	06/21/2024 22:52	AV
Chlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
Chloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
Chloroform	39	1.0		ug/L	378361	1	06/21/2024 22:52	AV
Chloromethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
cis-1,2-Dichloroethene	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
Cyclohexane	BRL	2.0		ug/L	378361	1	06/21/2024 22:52	AV
Dibromochloromethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
Ethylbenzene	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
Freon-113	BRL	5.0		ug/L	378361	1	06/21/2024 22:52	AV
Isopropylbenzene	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
m,p-Xylene	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
Methyl acetate	BRL	2.0		ug/L	378361	1	06/21/2024 22:52	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
Methylcyclohexane	BRL	2.0		ug/L	378361	1	06/21/2024 22:52	AV
Methylene chloride	BRL	5.0		ug/L	378361	1	06/21/2024 22:52	AV
o-Xylene	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
Styrene	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
Tetrachloroethene	17	1.0		ug/L	378361	1	06/21/2024 22:52	AV
Toluene	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-EW04D
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 11:50:00 AM
Lab ID: 2406L66-013	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378361	1	06/21/2024 22:52	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378361	1	06/21/2024 22:52	AV
Trichloroethene	73	1.0		ug/L	378361	1	06/21/2024 22:52	AV
Trichlorofluoromethane	4.6	1.0		ug/L	378361	1	06/21/2024 22:52	AV
Vinyl chloride	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
1,2-Dichloroethene, Total	BRL	3.0		ug/L	378361	1	06/21/2024 22:52	AV
Xylenes, Total	BRL	1.0		ug/L	378361	1	06/21/2024 22:52	AV
Surr: 4-Bromofluorobenzene	97	70-126		%REC	378361	1	06/21/2024 22:52	AV
Surr: Dibromofluoromethane	96.6	77-121		%REC	378361	1	06/21/2024 22:52	AV
Surr: Toluene-d8	98.7	78.6-119		%REC	378361	1	06/21/2024 22:52	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-EW32S
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 1:15:00 PM
Lab ID: 2406L66-014	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D					(SW5030B)			
1,1,1-Trichloroethane	48	1.0		ug/L	378361	1	06/21/2024 23:15	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 23:15	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 23:15	AV
1,1-Dichloroethane	2.5	1.0		ug/L	378361	1	06/21/2024 23:15	AV
1,1-Dichloroethene	130	2.0		ug/L	378361	1	06/21/2024 23:15	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 23:15	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378361	1	06/21/2024 23:15	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378361	1	06/21/2024 23:15	AV
1,2-Dichlorobenzene	19	1.0		ug/L	378361	1	06/21/2024 23:15	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 23:15	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378361	1	06/21/2024 23:15	AV
1,3-Dichlorobenzene	3.8	1.0		ug/L	378361	1	06/21/2024 23:15	AV
1,4-Dichlorobenzene	6.4	1.0		ug/L	378361	1	06/21/2024 23:15	AV
2-Butanone	BRL	10		ug/L	378361	1	06/21/2024 23:15	AV
2-Hexanone	BRL	10		ug/L	378361	1	06/21/2024 23:15	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378361	1	06/21/2024 23:15	AV
Acetone	BRL	20		ug/L	378361	1	06/21/2024 23:15	AV
Benzene	3.0	1.0		ug/L	378361	1	06/21/2024 23:15	AV
Bromodichloromethane	BRL	1.0		ug/L	378361	1	06/21/2024 23:15	AV
Bromoform	BRL	1.0		ug/L	378361	1	06/21/2024 23:15	AV
Bromomethane	BRL	1.0		ug/L	378361	1	06/21/2024 23:15	AV
Carbon disulfide	BRL	5.0		ug/L	378361	1	06/21/2024 23:15	AV
Carbon tetrachloride	BRL	2.0		ug/L	378361	1	06/21/2024 23:15	AV
Chlorobenzene	BRL	1.0		ug/L	378361	1	06/21/2024 23:15	AV
Chloroethane	BRL	1.0		ug/L	378361	1	06/21/2024 23:15	AV
Chloroform	11	1.0		ug/L	378361	1	06/21/2024 23:15	AV
Chloromethane	BRL	1.0		ug/L	378361	1	06/21/2024 23:15	AV
cis-1,2-Dichloroethene	4.8	1.0		ug/L	378361	1	06/21/2024 23:15	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378361	1	06/21/2024 23:15	AV
Cyclohexane	22	2.0		ug/L	378361	1	06/21/2024 23:15	AV
Dibromochloromethane	BRL	1.0		ug/L	378361	1	06/21/2024 23:15	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378361	1	06/21/2024 23:15	AV
Ethylbenzene	BRL	1.0		ug/L	378361	1	06/21/2024 23:15	AV
Freon-113	BRL	5.0		ug/L	378361	1	06/21/2024 23:15	AV
Isopropylbenzene	BRL	1.0		ug/L	378361	1	06/21/2024 23:15	AV
m,p-Xylene	BRL	1.0		ug/L	378361	1	06/21/2024 23:15	AV
Methyl acetate	BRL	2.0		ug/L	378361	1	06/21/2024 23:15	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378361	1	06/21/2024 23:15	AV
Methylcyclohexane	4.4	2.0		ug/L	378361	1	06/21/2024 23:15	AV
Methylene chloride	BRL	5.0		ug/L	378361	1	06/21/2024 23:15	AV
o-Xylene	BRL	1.0		ug/L	378361	1	06/21/2024 23:15	AV
Styrene	BRL	1.0		ug/L	378361	1	06/21/2024 23:15	AV
Tetrachloroethene	1000	50		ug/L	378372	50	06/23/2024 19:42	AV
Toluene	BRL	1.0		ug/L	378361	1	06/21/2024 23:15	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-EW32S
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 1:15:00 PM
Lab ID: 2406L66-014	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378361	1	06/21/2024 23:15	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378361	1	06/21/2024 23:15	AV
Trichloroethene	2300	50		ug/L	378372	50	06/23/2024 19:42	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378361	1	06/21/2024 23:15	AV
Vinyl chloride	BRL	1.0		ug/L	378361	1	06/21/2024 23:15	AV
1,2-Dichloroethene, Total	4.8	3.0		ug/L	378361	1	06/21/2024 23:15	AV
Xylenes, Total	BRL	1.0		ug/L	378361	1	06/21/2024 23:15	AV
Surr: 4-Bromofluorobenzene	97.4	70-126		%REC	378372	50	06/23/2024 19:42	AV
Surr: 4-Bromofluorobenzene	97.5	70-126		%REC	378361	1	06/21/2024 23:15	AV
Surr: Dibromofluoromethane	99.3	77-121		%REC	378372	50	06/23/2024 19:42	AV
Surr: Dibromofluoromethane	98	77-121		%REC	378361	1	06/21/2024 23:15	AV
Surr: Toluene-d8	99.8	78.6-119		%REC	378372	50	06/23/2024 19:42	AV
Surr: Toluene-d8	97.8	78.6-119		%REC	378361	1	06/21/2024 23:15	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-PZ04S
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 11:55:00 AM
Lab ID: 2406L66-015	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D		(SW5030B)						
1,1,1-Trichloroethane	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
1,1-Dichloroethane	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
1,1-Dichloroethene	19	2.0		ug/L	378372	1	06/23/2024 17:42	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
2-Butanone	BRL	10		ug/L	378372	1	06/23/2024 17:42	AV
2-Hexanone	BRL	10		ug/L	378372	1	06/23/2024 17:42	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378372	1	06/23/2024 17:42	AV
Acetone	80	20		ug/L	378372	1	06/23/2024 17:42	AV
Benzene	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
Bromodichloromethane	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
Bromoform	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
Bromomethane	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
Carbon disulfide	BRL	5.0		ug/L	378372	1	06/23/2024 17:42	AV
Carbon tetrachloride	BRL	2.0		ug/L	378372	1	06/23/2024 17:42	AV
Chlorobenzene	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
Chloroethane	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
Chloroform	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
Chloromethane	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
cis-1,2-Dichloroethene	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
Cyclohexane	BRL	2.0		ug/L	378372	1	06/23/2024 17:42	AV
Dibromochloromethane	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
Ethylbenzene	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
Freon-113	BRL	5.0		ug/L	378372	1	06/23/2024 17:42	AV
Isopropylbenzene	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
m,p-Xylene	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
Methyl acetate	BRL	2.0		ug/L	378372	1	06/23/2024 17:42	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
Methylcyclohexane	BRL	2.0		ug/L	378372	1	06/23/2024 17:42	AV
Methylene chloride	BRL	5.0		ug/L	378372	1	06/23/2024 17:42	AV
o-Xylene	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
Styrene	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
Tetrachloroethene	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
Toluene	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-PZ04S
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 11:55:00 AM
Lab ID: 2406L66-015	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378372	1	06/23/2024 17:42	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378372	1	06/23/2024 17:42	AV
Trichloroethene	20	1.0		ug/L	378372	1	06/23/2024 17:42	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
Vinyl chloride	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
1,2-Dichloroethene, Total	BRL	3.0		ug/L	378372	1	06/23/2024 17:42	AV
Xylenes, Total	BRL	1.0		ug/L	378372	1	06/23/2024 17:42	AV
Surr: 4-Bromofluorobenzene	99	70-126		%REC	378372	1	06/23/2024 17:42	AV
Surr: Dibromofluoromethane	98.6	77-121		%REC	378372	1	06/23/2024 17:42	AV
Surr: Toluene-d8	97.1	78.6-119		%REC	378372	1	06/23/2024 17:42	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-PZ29S
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 12:00:00 PM
Lab ID: 2406L66-016	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D		(SW5030B)						
1,1,1-Trichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
1,1-Dichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
1,1-Dichloroethene	21	2.0		ug/L	378361	1	06/22/2024 00:03	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
2-Butanone	BRL	10		ug/L	378361	1	06/22/2024 00:03	AV
2-Hexanone	BRL	10		ug/L	378361	1	06/22/2024 00:03	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378361	1	06/22/2024 00:03	AV
Acetone	160	20		ug/L	378361	1	06/22/2024 00:03	AV
Benzene	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
Bromodichloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
Bromoform	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
Bromomethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
Carbon disulfide	BRL	5.0		ug/L	378361	1	06/22/2024 00:03	AV
Carbon tetrachloride	BRL	2.0		ug/L	378361	1	06/22/2024 00:03	AV
Chlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
Chloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
Chloroform	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
Chloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
cis-1,2-Dichloroethene	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
Cyclohexane	BRL	2.0		ug/L	378361	1	06/22/2024 00:03	AV
Dibromochloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
Ethylbenzene	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
Freon-113	BRL	5.0		ug/L	378361	1	06/22/2024 00:03	AV
Isopropylbenzene	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
m,p-Xylene	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
Methyl acetate	BRL	2.0		ug/L	378361	1	06/22/2024 00:03	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
Methylcyclohexane	BRL	2.0		ug/L	378361	1	06/22/2024 00:03	AV
Methylene chloride	BRL	5.0		ug/L	378361	1	06/22/2024 00:03	AV
o-Xylene	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
Styrene	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
Tetrachloroethene	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
Toluene	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-PZ29S
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 12:00:00 PM
Lab ID: 2406L66-016	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378361	1	06/22/2024 00:03	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378361	1	06/22/2024 00:03	AV
Trichloroethene	3.0	1.0		ug/L	378361	1	06/22/2024 00:03	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
Vinyl chloride	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
1,2-Dichloroethene, Total	BRL	3.0		ug/L	378361	1	06/22/2024 00:03	AV
Xylenes, Total	BRL	1.0		ug/L	378361	1	06/22/2024 00:03	AV
Surr: 4-Bromofluorobenzene	98.2	70-126		%REC	378361	1	06/22/2024 00:03	AV
Surr: Dibromofluoromethane	100	77-121		%REC	378361	1	06/22/2024 00:03	AV
Surr: Toluene-d8	99.5	78.6-119		%REC	378361	1	06/22/2024 00:03	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-PZ31S
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 12:15:00 PM
Lab ID: 2406L66-017	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D		(SW5030B)						
1,1,1-Trichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
1,1-Dichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
1,1-Dichloroethene	8.8	2.0		ug/L	378361	1	06/22/2024 00:26	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
2-Butanone	BRL	10		ug/L	378361	1	06/22/2024 00:26	AV
2-Hexanone	BRL	10		ug/L	378361	1	06/22/2024 00:26	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378361	1	06/22/2024 00:26	AV
Acetone	46	20		ug/L	378361	1	06/22/2024 00:26	AV
Benzene	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
Bromodichloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
Bromoform	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
Bromomethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
Carbon disulfide	BRL	5.0		ug/L	378361	1	06/22/2024 00:26	AV
Carbon tetrachloride	BRL	2.0		ug/L	378361	1	06/22/2024 00:26	AV
Chlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
Chloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
Chloroform	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
Chloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
cis-1,2-Dichloroethene	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
Cyclohexane	BRL	2.0		ug/L	378361	1	06/22/2024 00:26	AV
Dibromochloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
Ethylbenzene	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
Freon-113	BRL	5.0		ug/L	378361	1	06/22/2024 00:26	AV
Isopropylbenzene	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
m,p-Xylene	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
Methyl acetate	BRL	2.0		ug/L	378361	1	06/22/2024 00:26	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
Methylcyclohexane	BRL	2.0		ug/L	378361	1	06/22/2024 00:26	AV
Methylene chloride	BRL	5.0		ug/L	378361	1	06/22/2024 00:26	AV
o-Xylene	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
Styrene	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
Tetrachloroethene	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
Toluene	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-PZ31S
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 12:15:00 PM
Lab ID: 2406L66-017	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378361	1	06/22/2024 00:26	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378361	1	06/22/2024 00:26	AV
Trichloroethene	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
Vinyl chloride	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
1,2-Dichloroethene, Total	BRL	3.0		ug/L	378361	1	06/22/2024 00:26	AV
Xylenes, Total	BRL	1.0		ug/L	378361	1	06/22/2024 00:26	AV
Surr: 4-Bromofluorobenzene	97.4	70-126		%REC	378361	1	06/22/2024 00:26	AV
Surr: Dibromofluoromethane	97.4	77-121		%REC	378361	1	06/22/2024 00:26	AV
Surr: Toluene-d8	98.2	78.6-119		%REC	378361	1	06/22/2024 00:26	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-NC UP
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 12:05:00 PM
Lab ID: 2406L66-018	Matrix: Surface Water

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D		(SW5030B)						
1,1,1-Trichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
1,1-Dichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
1,1-Dichloroethene	BRL	2.0		ug/L	378361	1	06/22/2024 00:49	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
2-Butanone	BRL	10		ug/L	378361	1	06/22/2024 00:49	AV
2-Hexanone	BRL	10		ug/L	378361	1	06/22/2024 00:49	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378361	1	06/22/2024 00:49	AV
Acetone	BRL	20		ug/L	378361	1	06/22/2024 00:49	AV
Benzene	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
Bromodichloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
Bromoform	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
Bromomethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
Carbon disulfide	BRL	5.0		ug/L	378361	1	06/22/2024 00:49	AV
Carbon tetrachloride	BRL	2.0		ug/L	378361	1	06/22/2024 00:49	AV
Chlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
Chloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
Chloroform	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
Chloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
cis-1,2-Dichloroethene	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
Cyclohexane	BRL	2.0		ug/L	378361	1	06/22/2024 00:49	AV
Dibromochloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
Ethylbenzene	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
Freon-113	BRL	5.0		ug/L	378361	1	06/22/2024 00:49	AV
Isopropylbenzene	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
m,p-Xylene	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
Methyl acetate	BRL	2.0		ug/L	378361	1	06/22/2024 00:49	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
Methylcyclohexane	BRL	2.0		ug/L	378361	1	06/22/2024 00:49	AV
Methylene chloride	BRL	5.0		ug/L	378361	1	06/22/2024 00:49	AV
o-Xylene	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
Styrene	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
Tetrachloroethene	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
Toluene	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-NC UP
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 12:05:00 PM
Lab ID: 2406L66-018	Matrix: Surface Water

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378361	1	06/22/2024 00:49	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378361	1	06/22/2024 00:49	AV
Trichloroethene	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
Vinyl chloride	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
1,2-Dichloroethene, Total	BRL	3.0		ug/L	378361	1	06/22/2024 00:49	AV
Xylenes, Total	BRL	1.0		ug/L	378361	1	06/22/2024 00:49	AV
Surr: 4-Bromofluorobenzene	98.2	70-126		%REC	378361	1	06/22/2024 00:49	AV
Surr: Dibromofluoromethane	99.9	77-121		%REC	378361	1	06/22/2024 00:49	AV
Surr: Toluene-d8	98.1	78.6-119		%REC	378361	1	06/22/2024 00:49	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-NC DOWN
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 11:10:00 AM
Lab ID: 2406L66-019	Matrix: Surface Water

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D		(SW5030B)						
1,1,1-Trichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
1,1-Dichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
1,1-Dichloroethene	BRL	2.0		ug/L	378361	1	06/22/2024 01:13	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
2-Butanone	BRL	10		ug/L	378361	1	06/22/2024 01:13	AV
2-Hexanone	BRL	10		ug/L	378361	1	06/22/2024 01:13	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378361	1	06/22/2024 01:13	AV
Acetone	BRL	20		ug/L	378361	1	06/22/2024 01:13	AV
Benzene	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
Bromodichloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
Bromoform	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
Bromomethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
Carbon disulfide	BRL	5.0		ug/L	378361	1	06/22/2024 01:13	AV
Carbon tetrachloride	BRL	2.0		ug/L	378361	1	06/22/2024 01:13	AV
Chlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
Chloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
Chloroform	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
Chloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
cis-1,2-Dichloroethene	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
Cyclohexane	BRL	2.0		ug/L	378361	1	06/22/2024 01:13	AV
Dibromochloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
Ethylbenzene	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
Freon-113	BRL	5.0		ug/L	378361	1	06/22/2024 01:13	AV
Isopropylbenzene	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
m,p-Xylene	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
Methyl acetate	BRL	2.0		ug/L	378361	1	06/22/2024 01:13	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
Methylcyclohexane	BRL	2.0		ug/L	378361	1	06/22/2024 01:13	AV
Methylene chloride	BRL	5.0		ug/L	378361	1	06/22/2024 01:13	AV
o-Xylene	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
Styrene	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
Tetrachloroethene	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
Toluene	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-NC DOWN
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 11:10:00 AM
Lab ID: 2406L66-019	Matrix: Surface Water

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378361	1	06/22/2024 01:13	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378361	1	06/22/2024 01:13	AV
Trichloroethene	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
Vinyl chloride	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
1,2-Dichloroethene, Total	BRL	3.0		ug/L	378361	1	06/22/2024 01:13	AV
Xylenes, Total	BRL	1.0		ug/L	378361	1	06/22/2024 01:13	AV
Surr: 4-Bromofluorobenzene	98.1	70-126		%REC	378361	1	06/22/2024 01:13	AV
Surr: Dibromofluoromethane	95.5	77-121		%REC	378361	1	06/22/2024 01:13	AV
Surr: Toluene-d8	98.1	78.6-119		%REC	378361	1	06/22/2024 01:13	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value
- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W01
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 3:45:00 PM
Lab ID: 2406L66-020	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D					(SW5030B)			
1,1,1-Trichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
1,1-Dichloroethane	16	1.0		ug/L	378361	1	06/22/2024 01:36	AV
1,1-Dichloroethene	BRL	2.0		ug/L	378361	1	06/22/2024 01:36	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
2-Butanone	BRL	10		ug/L	378361	1	06/22/2024 01:36	AV
2-Hexanone	BRL	10		ug/L	378361	1	06/22/2024 01:36	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378361	1	06/22/2024 01:36	AV
Acetone	34	20		ug/L	378361	1	06/22/2024 01:36	AV
Benzene	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
Bromodichloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
Bromoform	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
Bromomethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
Carbon disulfide	BRL	5.0		ug/L	378361	1	06/22/2024 01:36	AV
Carbon tetrachloride	BRL	2.0		ug/L	378361	1	06/22/2024 01:36	AV
Chlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
Chloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
Chloroform	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
Chloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
cis-1,2-Dichloroethene	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
Cyclohexane	BRL	2.0		ug/L	378361	1	06/22/2024 01:36	AV
Dibromochloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
Ethylbenzene	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
Freon-113	BRL	5.0		ug/L	378361	1	06/22/2024 01:36	AV
Isopropylbenzene	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
m,p-Xylene	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
Methyl acetate	BRL	2.0		ug/L	378361	1	06/22/2024 01:36	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
Methylcyclohexane	BRL	2.0		ug/L	378361	1	06/22/2024 01:36	AV
Methylene chloride	BRL	5.0		ug/L	378361	1	06/22/2024 01:36	AV
o-Xylene	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
Styrene	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
Tetrachloroethene	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
Toluene	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value
- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W01
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 3:45:00 PM
Lab ID: 2406L66-020	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378361	1	06/22/2024 01:36	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378361	1	06/22/2024 01:36	AV
Trichloroethene	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
Vinyl chloride	9.3	1.0		ug/L	378361	1	06/22/2024 01:36	AV
1,2-Dichloroethene, Total	BRL	3.0		ug/L	378361	1	06/22/2024 01:36	AV
Xylenes, Total	BRL	1.0		ug/L	378361	1	06/22/2024 01:36	AV
Surr: 4-Bromofluorobenzene	96.8	70-126		%REC	378361	1	06/22/2024 01:36	AV
Surr: Dibromofluoromethane	101	77-121		%REC	378361	1	06/22/2024 01:36	AV
Surr: Toluene-d8	99.2	78.6-119		%REC	378361	1	06/22/2024 01:36	AV

Qualifiers:

* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
BRL Below reporting limit	S Spike Recovery outside limits due to matrix
H Holding times for preparation or analysis exceeded	Narr See case narrative
N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
B Analyte detected in the associated method blank	< Less than Result value
> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W02D
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 3:15:00 PM
Lab ID: 2406L66-021	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D		(SW5030B)						
1,1,1-Trichloroethane	1.6	1.0		ug/L	378361	1	06/22/2024 01:59	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
1,1-Dichloroethane	120	1.0		ug/L	378361	1	06/22/2024 01:59	AV
1,1-Dichloroethene	250	20		ug/L	378372	10	06/23/2024 18:54	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
2-Butanone	BRL	10		ug/L	378361	1	06/22/2024 01:59	AV
2-Hexanone	BRL	10		ug/L	378361	1	06/22/2024 01:59	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378361	1	06/22/2024 01:59	AV
Acetone	140	20		ug/L	378361	1	06/22/2024 01:59	AV
Benzene	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
Bromodichloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
Bromoform	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
Bromomethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
Carbon disulfide	BRL	5.0		ug/L	378361	1	06/22/2024 01:59	AV
Carbon tetrachloride	BRL	2.0		ug/L	378361	1	06/22/2024 01:59	AV
Chlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
Chloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
Chloroform	7.2	1.0		ug/L	378361	1	06/22/2024 01:59	AV
Chloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
cis-1,2-Dichloroethene	6.8	1.0		ug/L	378361	1	06/22/2024 01:59	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
Cyclohexane	BRL	2.0		ug/L	378361	1	06/22/2024 01:59	AV
Dibromochloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
Ethylbenzene	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
Freon-113	BRL	5.0		ug/L	378361	1	06/22/2024 01:59	AV
Isopropylbenzene	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
m,p-Xylene	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
Methyl acetate	BRL	2.0		ug/L	378361	1	06/22/2024 01:59	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
Methylcyclohexane	BRL	2.0		ug/L	378361	1	06/22/2024 01:59	AV
Methylene chloride	BRL	5.0		ug/L	378361	1	06/22/2024 01:59	AV
o-Xylene	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
Styrene	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
Tetrachloroethene	1.8	1.0		ug/L	378361	1	06/22/2024 01:59	AV
Toluene	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W02D
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 3:15:00 PM
Lab ID: 2406L66-021	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378361	1	06/22/2024 01:59	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378361	1	06/22/2024 01:59	AV
Trichloroethene	55	1.0		ug/L	378361	1	06/22/2024 01:59	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
Vinyl chloride	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
1,2-Dichloroethene, Total	6.8	3.0		ug/L	378361	1	06/22/2024 01:59	AV
Xylenes, Total	BRL	1.0		ug/L	378361	1	06/22/2024 01:59	AV
Surr: 4-Bromofluorobenzene	97.4	70-126		%REC	378372	10	06/23/2024 18:54	AV
Surr: 4-Bromofluorobenzene	98.5	70-126		%REC	378361	1	06/22/2024 01:59	AV
Surr: Dibromofluoromethane	99.2	77-121		%REC	378361	1	06/22/2024 01:59	AV
Surr: Dibromofluoromethane	100	77-121		%REC	378372	10	06/23/2024 18:54	AV
Surr: Toluene-d8	98.5	78.6-119		%REC	378361	1	06/22/2024 01:59	AV
Surr: Toluene-d8	98.9	78.6-119		%REC	378372	10	06/23/2024 18:54	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W13S
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 4:40:00 PM
Lab ID: 2406L66-022	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D		(SW5030B)						
1,1,1-Trichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
1,1-Dichloroethane	17	1.0		ug/L	378361	1	06/22/2024 02:22	AV
1,1-Dichloroethene	180	2.0		ug/L	378361	1	06/22/2024 02:22	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
2-Butanone	BRL	10		ug/L	378361	1	06/22/2024 02:22	AV
2-Hexanone	BRL	10		ug/L	378361	1	06/22/2024 02:22	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378361	1	06/22/2024 02:22	AV
Acetone	130	20		ug/L	378361	1	06/22/2024 02:22	AV
Benzene	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
Bromodichloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
Bromoform	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
Bromomethane	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
Carbon disulfide	BRL	5.0		ug/L	378361	1	06/22/2024 02:22	AV
Carbon tetrachloride	BRL	2.0		ug/L	378361	1	06/22/2024 02:22	AV
Chlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
Chloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
Chloroform	3.0	1.0		ug/L	378361	1	06/22/2024 02:22	AV
Chloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
cis-1,2-Dichloroethene	12	1.0		ug/L	378361	1	06/22/2024 02:22	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
Cyclohexane	BRL	2.0		ug/L	378361	1	06/22/2024 02:22	AV
Dibromochloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
Ethylbenzene	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
Freon-113	BRL	5.0		ug/L	378361	1	06/22/2024 02:22	AV
Isopropylbenzene	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
m,p-Xylene	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
Methyl acetate	BRL	2.0		ug/L	378361	1	06/22/2024 02:22	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
Methylcyclohexane	BRL	2.0		ug/L	378361	1	06/22/2024 02:22	AV
Methylene chloride	BRL	5.0		ug/L	378361	1	06/22/2024 02:22	AV
o-Xylene	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
Styrene	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
Tetrachloroethene	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV
Toluene	BRL	1.0		ug/L	378361	1	06/22/2024 02:22	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W13D
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 4:45:00 PM
Lab ID: 2406L66-023	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D		(SW5030B)						
1,1,1-Trichloroethane	1.6	1.0		ug/L	378361	1	06/22/2024 02:45	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 02:45	AV
1,1,2-Trichloroethane	1.0	1.0		ug/L	378361	1	06/22/2024 02:45	AV
1,1-Dichloroethane	11	1.0		ug/L	378361	1	06/22/2024 02:45	AV
1,1-Dichloroethene	1200	20		ug/L	378367	10	06/23/2024 01:38	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 02:45	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378361	1	06/22/2024 02:45	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378361	1	06/22/2024 02:45	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 02:45	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 02:45	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378361	1	06/22/2024 02:45	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 02:45	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 02:45	AV
2-Butanone	BRL	10		ug/L	378361	1	06/22/2024 02:45	AV
2-Hexanone	BRL	10		ug/L	378361	1	06/22/2024 02:45	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378361	1	06/22/2024 02:45	AV
Acetone	120	20		ug/L	378361	1	06/22/2024 02:45	AV
Benzene	BRL	1.0		ug/L	378361	1	06/22/2024 02:45	AV
Bromodichloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 02:45	AV
Bromoform	BRL	1.0		ug/L	378361	1	06/22/2024 02:45	AV
Bromomethane	BRL	1.0		ug/L	378361	1	06/22/2024 02:45	AV
Carbon disulfide	BRL	5.0		ug/L	378361	1	06/22/2024 02:45	AV
Carbon tetrachloride	BRL	2.0		ug/L	378361	1	06/22/2024 02:45	AV
Chlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 02:45	AV
Chloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 02:45	AV
Chloroform	29	1.0		ug/L	378361	1	06/22/2024 02:45	AV
Chloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 02:45	AV
cis-1,2-Dichloroethene	13	1.0		ug/L	378361	1	06/22/2024 02:45	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378361	1	06/22/2024 02:45	AV
Cyclohexane	BRL	2.0		ug/L	378361	1	06/22/2024 02:45	AV
Dibromochloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 02:45	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378361	1	06/22/2024 02:45	AV
Ethylbenzene	BRL	1.0		ug/L	378361	1	06/22/2024 02:45	AV
Freon-113	BRL	5.0		ug/L	378361	1	06/22/2024 02:45	AV
Isopropylbenzene	BRL	1.0		ug/L	378361	1	06/22/2024 02:45	AV
m,p-Xylene	BRL	1.0		ug/L	378361	1	06/22/2024 02:45	AV
Methyl acetate	BRL	2.0		ug/L	378361	1	06/22/2024 02:45	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378361	1	06/22/2024 02:45	AV
Methylcyclohexane	BRL	2.0		ug/L	378361	1	06/22/2024 02:45	AV
Methylene chloride	BRL	5.0		ug/L	378361	1	06/22/2024 02:45	AV
o-Xylene	BRL	1.0		ug/L	378361	1	06/22/2024 02:45	AV
Styrene	BRL	1.0		ug/L	378361	1	06/22/2024 02:45	AV
Tetrachloroethene	1.4	1.0		ug/L	378361	1	06/22/2024 02:45	AV
Toluene	BRL	1.0		ug/L	378361	1	06/22/2024 02:45	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W13D
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 4:45:00 PM
Lab ID: 2406L66-023	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378361	1	06/22/2024 02:45	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378361	1	06/22/2024 02:45	AV
Trichloroethene	450	10		ug/L	378367	10	06/23/2024 01:38	AV
Trichlorofluoromethane	1.9	1.0		ug/L	378361	1	06/22/2024 02:45	AV
Vinyl chloride	1.1	1.0		ug/L	378361	1	06/22/2024 02:45	AV
1,2-Dichloroethene, Total	13	3.0		ug/L	378361	1	06/22/2024 02:45	AV
Xylenes, Total	BRL	1.0		ug/L	378361	1	06/22/2024 02:45	AV
Surr: 4-Bromofluorobenzene	97.3	70-126		%REC	378367	10	06/23/2024 01:38	AV
Surr: 4-Bromofluorobenzene	99.2	70-126		%REC	378361	1	06/22/2024 02:45	AV
Surr: Dibromofluoromethane	97.8	77-121		%REC	378361	1	06/22/2024 02:45	AV
Surr: Dibromofluoromethane	103	77-121		%REC	378367	10	06/23/2024 01:38	AV
Surr: Toluene-d8	99.5	78.6-119		%REC	378361	1	06/22/2024 02:45	AV
Surr: Toluene-d8	101	78.6-119		%REC	378367	10	06/23/2024 01:38	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W16
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 3:10:00 PM
Lab ID: 2406L66-024	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D		(SW5030B)						
1,1,1-Trichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
1,1-Dichloroethane	53	1.0		ug/L	378361	1	06/22/2024 03:09	AV
1,1-Dichloroethene	68	2.0		ug/L	378361	1	06/22/2024 03:09	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
2-Butanone	BRL	10		ug/L	378361	1	06/22/2024 03:09	AV
2-Hexanone	BRL	10		ug/L	378361	1	06/22/2024 03:09	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378361	1	06/22/2024 03:09	AV
Acetone	44	20		ug/L	378361	1	06/22/2024 03:09	AV
Benzene	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
Bromodichloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
Bromoform	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
Bromomethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
Carbon disulfide	BRL	5.0		ug/L	378361	1	06/22/2024 03:09	AV
Carbon tetrachloride	3.8	2.0		ug/L	378361	1	06/22/2024 03:09	AV
Chlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
Chloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
Chloroform	5.3	1.0		ug/L	378361	1	06/22/2024 03:09	AV
Chloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
cis-1,2-Dichloroethene	3.7	1.0		ug/L	378361	1	06/22/2024 03:09	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
Cyclohexane	BRL	2.0		ug/L	378361	1	06/22/2024 03:09	AV
Dibromochloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
Ethylbenzene	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
Freon-113	BRL	5.0		ug/L	378361	1	06/22/2024 03:09	AV
Isopropylbenzene	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
m,p-Xylene	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
Methyl acetate	BRL	2.0		ug/L	378361	1	06/22/2024 03:09	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
Methylcyclohexane	BRL	2.0		ug/L	378361	1	06/22/2024 03:09	AV
Methylene chloride	BRL	5.0		ug/L	378361	1	06/22/2024 03:09	AV
o-Xylene	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
Styrene	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
Tetrachloroethene	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV
Toluene	BRL	1.0		ug/L	378361	1	06/22/2024 03:09	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W17
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 2:20:00 PM
Lab ID: 2406L66-025	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D					(SW5030B)			
1,1,1-Trichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
1,1-Dichloroethane	1.6	1.0		ug/L	378361	1	06/22/2024 03:32	AV
1,1-Dichloroethene	25	2.0		ug/L	378361	1	06/22/2024 03:32	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
2-Butanone	BRL	10		ug/L	378361	1	06/22/2024 03:32	AV
2-Hexanone	BRL	10		ug/L	378361	1	06/22/2024 03:32	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378361	1	06/22/2024 03:32	AV
Acetone	160	20		ug/L	378361	1	06/22/2024 03:32	AV
Benzene	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
Bromodichloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
Bromoform	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
Bromomethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
Carbon disulfide	BRL	5.0		ug/L	378361	1	06/22/2024 03:32	AV
Carbon tetrachloride	11	2.0		ug/L	378361	1	06/22/2024 03:32	AV
Chlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
Chloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
Chloroform	13	1.0		ug/L	378361	1	06/22/2024 03:32	AV
Chloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
cis-1,2-Dichloroethene	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
Cyclohexane	BRL	2.0		ug/L	378361	1	06/22/2024 03:32	AV
Dibromochloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
Ethylbenzene	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
Freon-113	BRL	5.0		ug/L	378361	1	06/22/2024 03:32	AV
Isopropylbenzene	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
m,p-Xylene	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
Methyl acetate	BRL	2.0		ug/L	378361	1	06/22/2024 03:32	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
Methylcyclohexane	BRL	2.0		ug/L	378361	1	06/22/2024 03:32	AV
Methylene chloride	BRL	5.0		ug/L	378361	1	06/22/2024 03:32	AV
o-Xylene	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
Styrene	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
Tetrachloroethene	1.1	1.0		ug/L	378361	1	06/22/2024 03:32	AV
Toluene	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W17
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 2:20:00 PM
Lab ID: 2406L66-025	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378361	1	06/22/2024 03:32	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378361	1	06/22/2024 03:32	AV
Trichloroethene	29	1.0		ug/L	378361	1	06/22/2024 03:32	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
Vinyl chloride	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
1,2-Dichloroethene, Total	BRL	3.0		ug/L	378361	1	06/22/2024 03:32	AV
Xylenes, Total	BRL	1.0		ug/L	378361	1	06/22/2024 03:32	AV
Surr: 4-Bromofluorobenzene	96.7	70-126		%REC	378361	1	06/22/2024 03:32	AV
Surr: Dibromofluoromethane	97.4	77-121		%REC	378361	1	06/22/2024 03:32	AV
Surr: Toluene-d8	98.5	78.6-119		%REC	378361	1	06/22/2024 03:32	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W38
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 2:25:00 PM
Lab ID: 2406L66-026	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D					(SW5030B)			
1,1,1-Trichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
1,1-Dichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
1,1-Dichloroethene	BRL	2.0		ug/L	378367	1	06/22/2024 16:42	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
2-Butanone	BRL	10		ug/L	378367	1	06/22/2024 16:42	AV
2-Hexanone	BRL	10		ug/L	378367	1	06/22/2024 16:42	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378367	1	06/22/2024 16:42	AV
Acetone	34	20		ug/L	378367	1	06/22/2024 16:42	AV
Benzene	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
Bromodichloromethane	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
Bromoform	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
Bromomethane	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
Carbon disulfide	BRL	5.0		ug/L	378367	1	06/22/2024 16:42	AV
Carbon tetrachloride	BRL	2.0		ug/L	378367	1	06/22/2024 16:42	AV
Chlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
Chloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
Chloroform	3.4	1.0		ug/L	378367	1	06/22/2024 16:42	AV
Chloromethane	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
cis-1,2-Dichloroethene	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
Cyclohexane	BRL	2.0		ug/L	378367	1	06/22/2024 16:42	AV
Dibromochloromethane	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
Ethylbenzene	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
Freon-113	BRL	5.0		ug/L	378367	1	06/22/2024 16:42	AV
Isopropylbenzene	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
m,p-Xylene	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
Methyl acetate	BRL	2.0		ug/L	378367	1	06/22/2024 16:42	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
Methylcyclohexane	BRL	2.0		ug/L	378367	1	06/22/2024 16:42	AV
Methylene chloride	BRL	5.0		ug/L	378367	1	06/22/2024 16:42	AV
o-Xylene	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
Styrene	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
Tetrachloroethene	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
Toluene	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W38
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 2:25:00 PM
Lab ID: 2406L66-026	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378367	1	06/22/2024 16:42	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378367	1	06/22/2024 16:42	AV
Trichloroethene	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
Vinyl chloride	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
1,2-Dichloroethene, Total	BRL	3.0		ug/L	378367	1	06/22/2024 16:42	AV
Xylenes, Total	BRL	1.0		ug/L	378367	1	06/22/2024 16:42	AV
Surr: 4-Bromofluorobenzene	97.7	70-126		%REC	378367	1	06/22/2024 16:42	AV
Surr: Dibromofluoromethane	100	77-121		%REC	378367	1	06/22/2024 16:42	AV
Surr: Toluene-d8	100	78.6-119		%REC	378367	1	06/22/2024 16:42	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value
- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W39
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 4:50:00 PM
Lab ID: 2406L66-027	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D					(SW5030B)			
1,1,1-Trichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
1,1-Dichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
1,1-Dichloroethene	BRL	2.0		ug/L	378361	1	06/22/2024 03:55	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
2-Butanone	BRL	10		ug/L	378361	1	06/22/2024 03:55	AV
2-Hexanone	BRL	10		ug/L	378361	1	06/22/2024 03:55	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378361	1	06/22/2024 03:55	AV
Acetone	140	20		ug/L	378361	1	06/22/2024 03:55	AV
Benzene	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
Bromodichloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
Bromoform	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
Bromomethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
Carbon disulfide	BRL	5.0		ug/L	378361	1	06/22/2024 03:55	AV
Carbon tetrachloride	BRL	2.0		ug/L	378361	1	06/22/2024 03:55	AV
Chlorobenzene	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
Chloroethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
Chloroform	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
Chloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
cis-1,2-Dichloroethene	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
Cyclohexane	BRL	2.0		ug/L	378361	1	06/22/2024 03:55	AV
Dibromochloromethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
Ethylbenzene	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
Freon-113	BRL	5.0		ug/L	378361	1	06/22/2024 03:55	AV
Isopropylbenzene	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
m,p-Xylene	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
Methyl acetate	BRL	2.0		ug/L	378361	1	06/22/2024 03:55	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
Methylcyclohexane	BRL	2.0		ug/L	378361	1	06/22/2024 03:55	AV
Methylene chloride	BRL	5.0		ug/L	378361	1	06/22/2024 03:55	AV
o-Xylene	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
Styrene	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
Tetrachloroethene	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
Toluene	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-0W39
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 4:50:00 PM
Lab ID: 2406L66-027	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378361	1	06/22/2024 03:55	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378361	1	06/22/2024 03:55	AV
Trichloroethene	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
Vinyl chloride	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
1,2-Dichloroethene, Total	BRL	3.0		ug/L	378361	1	06/22/2024 03:55	AV
Xylenes, Total	BRL	1.0		ug/L	378361	1	06/22/2024 03:55	AV
Surr: 4-Bromofluorobenzene	97.6	70-126		%REC	378361	1	06/22/2024 03:55	AV
Surr: Dibromofluoromethane	101	77-121		%REC	378361	1	06/22/2024 03:55	AV
Surr: Toluene-d8	101	78.6-119		%REC	378361	1	06/22/2024 03:55	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-EW01C
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 4:25:00 PM
Lab ID: 2406L66-028	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D					(SW5030B)			
1,1,1-Trichloroethane	170	1.0		ug/L	378367	1	06/22/2024 17:05	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:05	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:05	AV
1,1-Dichloroethane	160	1.0		ug/L	378367	1	06/22/2024 17:05	AV
1,1-Dichloroethene	220	20		ug/L	378367	10	06/22/2024 23:18	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 17:05	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378367	1	06/22/2024 17:05	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:05	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 17:05	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:05	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378367	1	06/22/2024 17:05	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 17:05	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 17:05	AV
2-Butanone	BRL	10		ug/L	378367	1	06/22/2024 17:05	AV
2-Hexanone	BRL	10		ug/L	378367	1	06/22/2024 17:05	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378367	1	06/22/2024 17:05	AV
Acetone	BRL	20		ug/L	378367	1	06/22/2024 17:05	AV
Benzene	BRL	1.0		ug/L	378367	1	06/22/2024 17:05	AV
Bromodichloromethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:05	AV
Bromoform	BRL	1.0		ug/L	378367	1	06/22/2024 17:05	AV
Bromomethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:05	AV
Carbon disulfide	BRL	5.0		ug/L	378367	1	06/22/2024 17:05	AV
Carbon tetrachloride	BRL	2.0		ug/L	378367	1	06/22/2024 17:05	AV
Chlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 17:05	AV
Chloroethane	45	1.0		ug/L	378367	1	06/22/2024 17:05	AV
Chloroform	2.2	1.0		ug/L	378367	1	06/22/2024 17:05	AV
Chloromethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:05	AV
cis-1,2-Dichloroethene	170	1.0		ug/L	378367	1	06/22/2024 17:05	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378367	1	06/22/2024 17:05	AV
Cyclohexane	4.8	2.0		ug/L	378367	1	06/22/2024 17:05	AV
Dibromochloromethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:05	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:05	AV
Ethylbenzene	1.4	1.0		ug/L	378367	1	06/22/2024 17:05	AV
Freon-113	BRL	5.0		ug/L	378367	1	06/22/2024 17:05	AV
Isopropylbenzene	BRL	1.0		ug/L	378367	1	06/22/2024 17:05	AV
m,p-Xylene	3.5	1.0		ug/L	378367	1	06/22/2024 17:05	AV
Methyl acetate	BRL	2.0		ug/L	378367	1	06/22/2024 17:05	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378367	1	06/22/2024 17:05	AV
Methylcyclohexane	BRL	2.0		ug/L	378367	1	06/22/2024 17:05	AV
Methylene chloride	BRL	5.0		ug/L	378367	1	06/22/2024 17:05	AV
o-Xylene	1.5	1.0		ug/L	378367	1	06/22/2024 17:05	AV
Styrene	BRL	1.0		ug/L	378367	1	06/22/2024 17:05	AV
Tetrachloroethene	1.1	1.0		ug/L	378367	1	06/22/2024 17:05	AV
Toluene	1.7	1.0		ug/L	378367	1	06/22/2024 17:05	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-EW01C
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 4:25:00 PM
Lab ID: 2406L66-028	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378367	1	06/22/2024 17:05	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378367	1	06/22/2024 17:05	AV
Trichloroethene	80	1.0		ug/L	378367	1	06/22/2024 17:05	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:05	AV
Vinyl chloride	31	1.0		ug/L	378367	1	06/22/2024 17:05	AV
1,2-Dichloroethene, Total	170	3.0		ug/L	378367	1	06/22/2024 17:05	AV
Xylenes, Total	5.0	1.0		ug/L	378367	1	06/22/2024 17:05	AV
Surr: 4-Bromofluorobenzene	97.7	70-126		%REC	378367	10	06/22/2024 23:18	AV
Surr: 4-Bromofluorobenzene	99	70-126		%REC	378367	1	06/22/2024 17:05	AV
Surr: Dibromofluoromethane	101	77-121		%REC	378367	1	06/22/2024 17:05	AV
Surr: Dibromofluoromethane	102	77-121		%REC	378367	10	06/22/2024 23:18	AV
Surr: Toluene-d8	96.3	78.6-119		%REC	378367	1	06/22/2024 17:05	AV
Surr: Toluene-d8	99.3	78.6-119		%REC	378367	10	06/22/2024 23:18	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental
Project Name: Ascend Greenwood
Lab ID: 2406L66-029

Client Sample ID: 24170-EW02A
Collection Date: 6/18/2024 4:30:00 PM
Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D					(SW5030B)			
1,1,1-Trichloroethane	72	1.0		ug/L	378367	1	06/22/2024 17:28	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
1,1-Dichloroethane	150	1.0		ug/L	378367	1	06/22/2024 17:28	AV
1,1-Dichloroethene	220	20		ug/L	378367	10	06/23/2024 00:28	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
2-Butanone	BRL	10		ug/L	378367	1	06/22/2024 17:28	AV
2-Hexanone	BRL	10		ug/L	378367	1	06/22/2024 17:28	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378367	1	06/22/2024 17:28	AV
Acetone	BRL	20		ug/L	378367	1	06/22/2024 17:28	AV
Benzene	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
Bromodichloromethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
Bromoform	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
Bromomethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
Carbon disulfide	BRL	5.0		ug/L	378367	1	06/22/2024 17:28	AV
Carbon tetrachloride	BRL	2.0		ug/L	378367	1	06/22/2024 17:28	AV
Chlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
Chloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
Chloroform	1.3	1.0		ug/L	378367	1	06/22/2024 17:28	AV
Chloromethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
cis-1,2-Dichloroethene	22	1.0		ug/L	378367	1	06/22/2024 17:28	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
Cyclohexane	BRL	2.0		ug/L	378367	1	06/22/2024 17:28	AV
Dibromochloromethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
Ethylbenzene	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
Freon-113	BRL	5.0		ug/L	378367	1	06/22/2024 17:28	AV
Isopropylbenzene	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
m,p-Xylene	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
Methyl acetate	BRL	2.0		ug/L	378367	1	06/22/2024 17:28	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
Methylcyclohexane	BRL	2.0		ug/L	378367	1	06/22/2024 17:28	AV
Methylene chloride	BRL	5.0		ug/L	378367	1	06/22/2024 17:28	AV
o-Xylene	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
Styrene	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
Tetrachloroethene	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
Toluene	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV

Qualifiers: * Value exceeds maximum contaminant level
 BRL Below reporting limit
 H Holding times for preparation or analysis exceeded
 N Analyte not NELAC certified
 B Analyte detected in the associated method blank
 > Greater than Result value

E Estimated (value above quantitation range)
 S Spike Recovery outside limits due to matrix
 Narr See case narrative
 F Analyzed in the lab which is a deviation from the method
 < Less than Result value
 J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-EW02A
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 4:30:00 PM
Lab ID: 2406L66-029	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D					(SW5030B)			
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378367	1	06/22/2024 17:28	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378367	1	06/22/2024 17:28	AV
Trichloroethene	77	1.0		ug/L	378367	1	06/22/2024 17:28	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
Vinyl chloride	3.4	1.0		ug/L	378367	1	06/22/2024 17:28	AV
1,2-Dichloroethene, Total	22	3.0		ug/L	378367	1	06/22/2024 17:28	AV
Xylenes, Total	BRL	1.0		ug/L	378367	1	06/22/2024 17:28	AV
Surr: 4-Bromofluorobenzene	95.9	70-126		%REC	378367	1	06/22/2024 17:28	AV
Surr: 4-Bromofluorobenzene	97.7	70-126		%REC	378367	10	06/23/2024 00:28	AV
Surr: Dibromofluoromethane	98.1	77-121		%REC	378367	1	06/22/2024 17:28	AV
Surr: Dibromofluoromethane	98.3	77-121		%REC	378367	10	06/23/2024 00:28	AV
Surr: Toluene-d8	98.4	78.6-119		%REC	378367	10	06/23/2024 00:28	AV
Surr: Toluene-d8	100	78.6-119		%REC	378367	1	06/22/2024 17:28	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-EW03B
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 4:35:00 PM
Lab ID: 2406L66-030	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D		(SW5030B)						
1,1,1-Trichloroethane	73	1.0		ug/L	378367	1	06/22/2024 17:51	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV
1,1-Dichloroethane	160	1.0		ug/L	378367	1	06/22/2024 17:51	AV
1,1-Dichloroethene	260	20		ug/L	378372	10	06/23/2024 19:18	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV
1,2-Dichloroethane	3.0	1.0		ug/L	378367	1	06/22/2024 17:51	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV
2-Butanone	BRL	10		ug/L	378367	1	06/22/2024 17:51	AV
2-Hexanone	BRL	10		ug/L	378367	1	06/22/2024 17:51	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378367	1	06/22/2024 17:51	AV
Acetone	BRL	20		ug/L	378367	1	06/22/2024 17:51	AV
Benzene	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV
Bromodichloromethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV
Bromoform	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV
Bromomethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV
Carbon disulfide	BRL	5.0		ug/L	378367	1	06/22/2024 17:51	AV
Carbon tetrachloride	BRL	2.0		ug/L	378367	1	06/22/2024 17:51	AV
Chlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV
Chloroethane	5.0	1.0		ug/L	378367	1	06/22/2024 17:51	AV
Chloroform	3.1	1.0		ug/L	378367	1	06/22/2024 17:51	AV
Chloromethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV
cis-1,2-Dichloroethene	35	1.0		ug/L	378367	1	06/22/2024 17:51	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV
Cyclohexane	BRL	2.0		ug/L	378367	1	06/22/2024 17:51	AV
Dibromochloromethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV
Ethylbenzene	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV
Freon-113	BRL	5.0		ug/L	378367	1	06/22/2024 17:51	AV
Isopropylbenzene	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV
m,p-Xylene	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV
Methyl acetate	BRL	2.0		ug/L	378367	1	06/22/2024 17:51	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV
Methylcyclohexane	BRL	2.0		ug/L	378367	1	06/22/2024 17:51	AV
Methylene chloride	BRL	5.0		ug/L	378367	1	06/22/2024 17:51	AV
o-Xylene	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV
Styrene	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV
Tetrachloroethene	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV
Toluene	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-EW03B
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 4:35:00 PM
Lab ID: 2406L66-030	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378367	1	06/22/2024 17:51	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378367	1	06/22/2024 17:51	AV
Trichloroethene	82	1.0		ug/L	378367	1	06/22/2024 17:51	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV
Vinyl chloride	4.8	1.0		ug/L	378367	1	06/22/2024 17:51	AV
1,2-Dichloroethene, Total	36	3.0		ug/L	378367	1	06/22/2024 17:51	AV
Xylenes, Total	BRL	1.0		ug/L	378367	1	06/22/2024 17:51	AV
Surr: 4-Bromofluorobenzene	98	70-126		%REC	378367	1	06/22/2024 17:51	AV
Surr: 4-Bromofluorobenzene	96.7	70-126		%REC	378372	10	06/23/2024 19:18	AV
Surr: Dibromofluoromethane	98.9	77-121		%REC	378372	10	06/23/2024 19:18	AV
Surr: Dibromofluoromethane	100	77-121		%REC	378367	1	06/22/2024 17:51	AV
Surr: Toluene-d8	98.3	78.6-119		%REC	378367	1	06/22/2024 17:51	AV
Surr: Toluene-d8	99.5	78.6-119		%REC	378372	10	06/23/2024 19:18	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-CDS UP
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 2:45:00 PM
Lab ID: 2406L66-031	Matrix: Surface Water

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D		(SW5030B)						
1,1,1-Trichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
1,1-Dichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
1,1-Dichloroethene	BRL	2.0		ug/L	378367	1	06/22/2024 18:15	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
2-Butanone	BRL	10		ug/L	378367	1	06/22/2024 18:15	AV
2-Hexanone	BRL	10		ug/L	378367	1	06/22/2024 18:15	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378367	1	06/22/2024 18:15	AV
Acetone	BRL	20		ug/L	378367	1	06/22/2024 18:15	AV
Benzene	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
Bromodichloromethane	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
Bromoform	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
Bromomethane	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
Carbon disulfide	BRL	5.0		ug/L	378367	1	06/22/2024 18:15	AV
Carbon tetrachloride	BRL	2.0		ug/L	378367	1	06/22/2024 18:15	AV
Chlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
Chloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
Chloroform	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
Chloromethane	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
cis-1,2-Dichloroethene	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
Cyclohexane	BRL	2.0		ug/L	378367	1	06/22/2024 18:15	AV
Dibromochloromethane	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
Ethylbenzene	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
Freon-113	BRL	5.0		ug/L	378367	1	06/22/2024 18:15	AV
Isopropylbenzene	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
m,p-Xylene	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
Methyl acetate	BRL	2.0		ug/L	378367	1	06/22/2024 18:15	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
Methylcyclohexane	BRL	2.0		ug/L	378367	1	06/22/2024 18:15	AV
Methylene chloride	BRL	5.0		ug/L	378367	1	06/22/2024 18:15	AV
o-Xylene	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
Styrene	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
Tetrachloroethene	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
Toluene	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-CDS UP
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 2:45:00 PM
Lab ID: 2406L66-031	Matrix: Surface Water

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378367	1	06/22/2024 18:15	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378367	1	06/22/2024 18:15	AV
Trichloroethene	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
Vinyl chloride	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
1,2-Dichloroethene, Total	BRL	3.0		ug/L	378367	1	06/22/2024 18:15	AV
Xylenes, Total	BRL	1.0		ug/L	378367	1	06/22/2024 18:15	AV
Surr: 4-Bromofluorobenzene	98	70-126		%REC	378367	1	06/22/2024 18:15	AV
Surr: Dibromofluoromethane	98.5	77-121		%REC	378367	1	06/22/2024 18:15	AV
Surr: Toluene-d8	99	78.6-119		%REC	378367	1	06/22/2024 18:15	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value
- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-CDS DOWN
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 3:20:00 PM
Lab ID: 2406L66-032	Matrix: Surface Water

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D					(SW5030B)			
1,1,1-Trichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
1,1-Dichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
1,1-Dichloroethene	BRL	2.0		ug/L	378367	1	06/22/2024 19:01	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
2-Butanone	BRL	10		ug/L	378367	1	06/22/2024 19:01	AV
2-Hexanone	BRL	10		ug/L	378367	1	06/22/2024 19:01	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378367	1	06/22/2024 19:01	AV
Acetone	BRL	20		ug/L	378367	1	06/22/2024 19:01	AV
Benzene	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
Bromodichloromethane	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
Bromoform	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
Bromomethane	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
Carbon disulfide	BRL	5.0		ug/L	378367	1	06/22/2024 19:01	AV
Carbon tetrachloride	BRL	2.0		ug/L	378367	1	06/22/2024 19:01	AV
Chlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
Chloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
Chloroform	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
Chloromethane	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
cis-1,2-Dichloroethene	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
Cyclohexane	BRL	2.0		ug/L	378367	1	06/22/2024 19:01	AV
Dibromochloromethane	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
Ethylbenzene	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
Freon-113	BRL	5.0		ug/L	378367	1	06/22/2024 19:01	AV
Isopropylbenzene	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
m,p-Xylene	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
Methyl acetate	BRL	2.0		ug/L	378367	1	06/22/2024 19:01	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
Methylcyclohexane	BRL	2.0		ug/L	378367	1	06/22/2024 19:01	AV
Methylene chloride	BRL	5.0		ug/L	378367	1	06/22/2024 19:01	AV
o-Xylene	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
Styrene	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
Tetrachloroethene	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
Toluene	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-CDS DOWN
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 3:20:00 PM
Lab ID: 2406L66-032	Matrix: Surface Water

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378367	1	06/22/2024 19:01	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378367	1	06/22/2024 19:01	AV
Trichloroethene	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
Vinyl chloride	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
1,2-Dichloroethene, Total	BRL	3.0		ug/L	378367	1	06/22/2024 19:01	AV
Xylenes, Total	BRL	1.0		ug/L	378367	1	06/22/2024 19:01	AV
Surr: 4-Bromofluorobenzene	97.4	70-126		%REC	378367	1	06/22/2024 19:01	AV
Surr: Dibromofluoromethane	102	77-121		%REC	378367	1	06/22/2024 19:01	AV
Surr: Toluene-d8	99.5	78.6-119		%REC	378367	1	06/22/2024 19:01	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value
- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-SC UP
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 4:15:00 PM
Lab ID: 2406L66-033	Matrix: Surface Water

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D		(SW5030B)						
1,1,1-Trichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
1,1-Dichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
1,1-Dichloroethene	BRL	2.0		ug/L	378367	1	06/22/2024 18:38	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
2-Butanone	BRL	10		ug/L	378367	1	06/22/2024 18:38	AV
2-Hexanone	BRL	10		ug/L	378367	1	06/22/2024 18:38	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378367	1	06/22/2024 18:38	AV
Acetone	BRL	20		ug/L	378367	1	06/22/2024 18:38	AV
Benzene	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
Bromodichloromethane	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
Bromoform	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
Bromomethane	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
Carbon disulfide	BRL	5.0		ug/L	378367	1	06/22/2024 18:38	AV
Carbon tetrachloride	BRL	2.0		ug/L	378367	1	06/22/2024 18:38	AV
Chlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
Chloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
Chloroform	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
Chloromethane	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
cis-1,2-Dichloroethene	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
Cyclohexane	BRL	2.0		ug/L	378367	1	06/22/2024 18:38	AV
Dibromochloromethane	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
Ethylbenzene	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
Freon-113	BRL	5.0		ug/L	378367	1	06/22/2024 18:38	AV
Isopropylbenzene	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
m,p-Xylene	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
Methyl acetate	BRL	2.0		ug/L	378367	1	06/22/2024 18:38	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
Methylcyclohexane	BRL	2.0		ug/L	378367	1	06/22/2024 18:38	AV
Methylene chloride	BRL	5.0		ug/L	378367	1	06/22/2024 18:38	AV
o-Xylene	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
Styrene	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
Tetrachloroethene	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
Toluene	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-SC UP
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 4:15:00 PM
Lab ID: 2406L66-033	Matrix: Surface Water

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378367	1	06/22/2024 18:38	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378367	1	06/22/2024 18:38	AV
Trichloroethene	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
Vinyl chloride	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
1,2-Dichloroethene, Total	BRL	3.0		ug/L	378367	1	06/22/2024 18:38	AV
Xylenes, Total	BRL	1.0		ug/L	378367	1	06/22/2024 18:38	AV
Surr: 4-Bromofluorobenzene	98	70-126		%REC	378367	1	06/22/2024 18:38	AV
Surr: Dibromofluoromethane	101	77-121		%REC	378367	1	06/22/2024 18:38	AV
Surr: Toluene-d8	98.7	78.6-119		%REC	378367	1	06/22/2024 18:38	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value
- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-SC DOWN
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 3:25:00 PM
Lab ID: 2406L66-034	Matrix: Surface Water

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D					(SW5030B)			
1,1,1-Trichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
1,1-Dichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
1,1-Dichloroethene	BRL	2.0		ug/L	378367	1	06/22/2024 19:25	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
2-Butanone	BRL	10		ug/L	378367	1	06/22/2024 19:25	AV
2-Hexanone	BRL	10		ug/L	378367	1	06/22/2024 19:25	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378367	1	06/22/2024 19:25	AV
Acetone	BRL	20		ug/L	378367	1	06/22/2024 19:25	AV
Benzene	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
Bromodichloromethane	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
Bromoform	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
Bromomethane	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
Carbon disulfide	BRL	5.0		ug/L	378367	1	06/22/2024 19:25	AV
Carbon tetrachloride	BRL	2.0		ug/L	378367	1	06/22/2024 19:25	AV
Chlorobenzene	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
Chloroethane	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
Chloroform	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
Chloromethane	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
cis-1,2-Dichloroethene	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
Cyclohexane	BRL	2.0		ug/L	378367	1	06/22/2024 19:25	AV
Dibromochloromethane	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
Ethylbenzene	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
Freon-113	BRL	5.0		ug/L	378367	1	06/22/2024 19:25	AV
Isopropylbenzene	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
m,p-Xylene	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
Methyl acetate	BRL	2.0		ug/L	378367	1	06/22/2024 19:25	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
Methylcyclohexane	BRL	2.0		ug/L	378367	1	06/22/2024 19:25	AV
Methylene chloride	BRL	5.0		ug/L	378367	1	06/22/2024 19:25	AV
o-Xylene	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
Styrene	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
Tetrachloroethene	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
Toluene	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-SC DOWN
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 3:25:00 PM
Lab ID: 2406L66-034	Matrix: Surface Water

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378367	1	06/22/2024 19:25	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378367	1	06/22/2024 19:25	AV
Trichloroethene	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
Vinyl chloride	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
1,2-Dichloroethene, Total	BRL	3.0		ug/L	378367	1	06/22/2024 19:25	AV
Xylenes, Total	BRL	1.0		ug/L	378367	1	06/22/2024 19:25	AV
Surr: 4-Bromofluorobenzene	98	70-126		%REC	378367	1	06/22/2024 19:25	AV
Surr: Dibromofluoromethane	99.8	77-121		%REC	378367	1	06/22/2024 19:25	AV
Surr: Toluene-d8	100	78.6-119		%REC	378367	1	06/22/2024 19:25	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-DUCK P
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 5:45:00 PM
Lab ID: 2406L66-035	Matrix: Surface Water

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D		(SW5030B)						
1,1,1-Trichloroethane	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
1,1-Dichloroethane	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
1,1-Dichloroethene	BRL	2.0		ug/L	378451	1	06/25/2024 13:29	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
2-Butanone	BRL	10		ug/L	378451	1	06/25/2024 13:29	AV
2-Hexanone	BRL	10		ug/L	378451	1	06/25/2024 13:29	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378451	1	06/25/2024 13:29	AV
Acetone	BRL	20		ug/L	378451	1	06/25/2024 13:29	AV
Benzene	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
Bromodichloromethane	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
Bromoform	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
Bromomethane	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
Carbon disulfide	BRL	5.0		ug/L	378451	1	06/25/2024 13:29	AV
Carbon tetrachloride	BRL	2.0		ug/L	378451	1	06/25/2024 13:29	AV
Chlorobenzene	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
Chloroethane	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
Chloroform	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
Chloromethane	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
cis-1,2-Dichloroethene	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
Cyclohexane	BRL	2.0		ug/L	378451	1	06/25/2024 13:29	AV
Dibromochloromethane	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
Ethylbenzene	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
Freon-113	BRL	5.0		ug/L	378451	1	06/25/2024 13:29	AV
Isopropylbenzene	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
m,p-Xylene	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
Methyl acetate	BRL	2.0		ug/L	378451	1	06/25/2024 13:29	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
Methylcyclohexane	BRL	2.0		ug/L	378451	1	06/25/2024 13:29	AV
Methylene chloride	BRL	5.0		ug/L	378451	1	06/25/2024 13:29	AV
o-Xylene	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
Styrene	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
Tetrachloroethene	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
Toluene	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-DUCK P
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 5:45:00 PM
Lab ID: 2406L66-035	Matrix: Surface Water

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378451	1	06/25/2024 13:29	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378451	1	06/25/2024 13:29	AV
Trichloroethene	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
Vinyl chloride	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
1,2-Dichloroethene, Total	BRL	3.0		ug/L	378451	1	06/25/2024 13:29	AV
Xylenes, Total	BRL	1.0		ug/L	378451	1	06/25/2024 13:29	AV
Surr: 4-Bromofluorobenzene	95.9	70-126		%REC	378451	1	06/25/2024 13:29	AV
Surr: Dibromofluoromethane	97.4	77-121		%REC	378451	1	06/25/2024 13:29	AV
Surr: Toluene-d8	99.4	78.6-119		%REC	378451	1	06/25/2024 13:29	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-DUP-GW
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 12:00:00 PM
Lab ID: 2406L66-036	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D					(SW5030B)			
1,1,1-Trichloroethane	8.1	1.0		ug/L	378372	1	06/23/2024 22:04	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
1,1-Dichloroethane	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
1,1-Dichloroethene	12	2.0		ug/L	378372	1	06/23/2024 22:04	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
2-Butanone	BRL	10		ug/L	378372	1	06/23/2024 22:04	AV
2-Hexanone	BRL	10		ug/L	378372	1	06/23/2024 22:04	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378372	1	06/23/2024 22:04	AV
Acetone	BRL	20		ug/L	378372	1	06/23/2024 22:04	AV
Benzene	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
Bromodichloromethane	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
Bromoform	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
Bromomethane	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
Carbon disulfide	BRL	5.0		ug/L	378372	1	06/23/2024 22:04	AV
Carbon tetrachloride	BRL	2.0		ug/L	378372	1	06/23/2024 22:04	AV
Chlorobenzene	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
Chloroethane	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
Chloroform	1.4	1.0		ug/L	378372	1	06/23/2024 22:04	AV
Chloromethane	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
cis-1,2-Dichloroethene	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
Cyclohexane	BRL	2.0		ug/L	378372	1	06/23/2024 22:04	AV
Dibromochloromethane	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
Ethylbenzene	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
Freon-113	BRL	5.0		ug/L	378372	1	06/23/2024 22:04	AV
Isopropylbenzene	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
m,p-Xylene	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
Methyl acetate	BRL	2.0		ug/L	378372	1	06/23/2024 22:04	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
Methylcyclohexane	BRL	2.0		ug/L	378372	1	06/23/2024 22:04	AV
Methylene chloride	BRL	5.0		ug/L	378372	1	06/23/2024 22:04	AV
o-Xylene	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
Styrene	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
Tetrachloroethene	71	1.0		ug/L	378372	1	06/23/2024 22:04	AV
Toluene	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-DUP-GW
Project Name: Ascend Greenwood	Collection Date: 6/18/2024 12:00:00 PM
Lab ID: 2406L66-036	Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378372	1	06/23/2024 22:04	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378372	1	06/23/2024 22:04	AV
Trichloroethene	200	10		ug/L	378451	10	06/25/2024 14:16	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
Vinyl chloride	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
1,2-Dichloroethene, Total	BRL	3.0		ug/L	378372	1	06/23/2024 22:04	AV
Xylenes, Total	BRL	1.0		ug/L	378372	1	06/23/2024 22:04	AV
Surr: 4-Bromofluorobenzene	96.9	70-126		%REC	378372	1	06/23/2024 22:04	AV
Surr: 4-Bromofluorobenzene	98.4	70-126		%REC	378451	10	06/25/2024 14:16	AV
Surr: Dibromofluoromethane	101	77-121		%REC	378372	1	06/23/2024 22:04	AV
Surr: Dibromofluoromethane	100	77-121		%REC	378451	10	06/25/2024 14:16	AV
Surr: Toluene-d8	98.6	78.6-119		%REC	378451	10	06/25/2024 14:16	AV
Surr: Toluene-d8	102	78.6-119		%REC	378372	1	06/23/2024 22:04	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-TRIP BLANK
Project Name: Ascend Greenwood	Collection Date: 6/18/2024
Lab ID: 2406L66-037	Matrix: Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D		(SW5030B)						
1,1,1-Trichloroethane	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
1,1,2,2-Tetrachloroethane	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
1,1,2-Trichloroethane	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
1,1-Dichloroethane	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
1,1-Dichloroethene	BRL	2.0		ug/L	378372	1	06/23/2024 21:40	AV
1,2,4-Trichlorobenzene	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
1,2-Dibromo-3-chloropropane	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
1,2-Dibromoethane	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
1,2-Dichlorobenzene	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
1,2-Dichloroethane	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
1,2-Dichloropropane	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
1,3-Dichlorobenzene	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
1,4-Dichlorobenzene	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
2-Butanone	BRL	10		ug/L	378372	1	06/23/2024 21:40	AV
2-Hexanone	BRL	10		ug/L	378372	1	06/23/2024 21:40	AV
4-Methyl-2-pentanone	BRL	10		ug/L	378372	1	06/23/2024 21:40	AV
Acetone	BRL	20		ug/L	378372	1	06/23/2024 21:40	AV
Benzene	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
Bromodichloromethane	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
Bromoform	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
Bromomethane	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
Carbon disulfide	BRL	5.0		ug/L	378372	1	06/23/2024 21:40	AV
Carbon tetrachloride	BRL	2.0		ug/L	378372	1	06/23/2024 21:40	AV
Chlorobenzene	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
Chloroethane	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
Chloroform	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
Chloromethane	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
cis-1,2-Dichloroethene	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
cis-1,3-Dichloropropene	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
Cyclohexane	BRL	2.0		ug/L	378372	1	06/23/2024 21:40	AV
Dibromochloromethane	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
Dichlorodifluoromethane	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
Ethylbenzene	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
Freon-113	BRL	5.0		ug/L	378372	1	06/23/2024 21:40	AV
Isopropylbenzene	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
m,p-Xylene	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
Methyl acetate	BRL	2.0		ug/L	378372	1	06/23/2024 21:40	AV
Methyl tert-butyl ether	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
Methylcyclohexane	BRL	2.0		ug/L	378372	1	06/23/2024 21:40	AV
Methylene chloride	BRL	5.0		ug/L	378372	1	06/23/2024 21:40	AV
o-Xylene	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
Styrene	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
Tetrachloroethene	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
Toluene	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

Client: Montrose Environmental	Client Sample ID: 24170-TRIP BLANK
Project Name: Ascend Greenwood	Collection Date: 6/18/2024
Lab ID: 2406L66-037	Matrix: Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,2-Dichloroethene	BRL	2.0		ug/L	378372	1	06/23/2024 21:40	AV
trans-1,3-Dichloropropene	BRL	2.0		ug/L	378372	1	06/23/2024 21:40	AV
Trichloroethene	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
Trichlorofluoromethane	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
Vinyl chloride	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
1,2-Dichloroethene, Total	BRL	3.0		ug/L	378372	1	06/23/2024 21:40	AV
Xylenes, Total	BRL	1.0		ug/L	378372	1	06/23/2024 21:40	AV
Surr: 4-Bromofluorobenzene	95.5	70-126		%REC	378372	1	06/23/2024 21:40	AV
Surr: Dibromofluoromethane	100	77-121		%REC	378372	1	06/23/2024 21:40	AV
Surr: Toluene-d8	99.2	78.6-119		%REC	378372	1	06/23/2024 21:40	AV

Qualifiers:	* Value exceeds maximum contaminant level	E Estimated (value above quantitation range)
	BRL Below reporting limit	S Spike Recovery outside limits due to matrix
	H Holding times for preparation or analysis exceeded	Narr See case narrative
	N Analyte not NELAC certified	F Analyzed in the lab which is a deviation from the method
	B Analyte detected in the associated method blank	< Less than Result value
	> Greater than Result value	J Estimated value detected below Reporting Limit

SAMPLE/COOLER RECEIPT CHECKLIST

1. Client Name: **Environmental Planning Specialists, Inc.**

AES Work Order Number: **2406L66**

2. Carrier: FedEx UPS USPS Client Courier Other

	Yes	No	N/A	Details	Comments
3. Shipping container/cooler received in good condition?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	damaged <input type="checkbox"/> leaking <input type="checkbox"/> other <input type="checkbox"/>	
4. Custody seals present on shipping container?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		
5. Custody seals intact on shipping container?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		
6. Cooler temperature(s) within limits of 0-6°C? [See item 12 for temperature recordings.]	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		
7. Chain of Custody (COC) present?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		
8. Chain of Custody signed, dated, and timed when relinquished and received?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		
9. Sampler name and/or signature on COC?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		
10. Were all samples received within holding time?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		
11. TAT marked on the COC?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	If no TAT indicated, proceeded with standard TAT per Terms & Conditions.	

12. Cooler 1 Temperature 1.4 °C Cooler 2 Temperature _____ °C Cooler 3 Temperature _____ °C Cooler 4 Temperature _____ °C
 Cooler 5 Temperature _____ °C Cooler 6 Temperature _____ °C Cooler 7 Temperature _____ °C Cooler 8 Temperature _____ °C

13. Comments: _____

I certify that I have completed sections 1-13 (dated initials). DE 06/20/24

	Yes	No	N/A	Details	Comments
14. Temperature blanks present?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		
15. Were sample containers intact upon receipt?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		
16. Custody seals present on sample containers?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		
17. Custody seals intact on sample containers?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		
18. Do sample container labels match the COC?	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	incomplete info <input type="checkbox"/> illegible <input type="checkbox"/> no label <input type="checkbox"/> other <input checked="" type="checkbox"/>	
19. Are analyses requested indicated on the COC?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		
20. Were all of the samples listed on the COC received?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	samples received but not listed on COC <input type="checkbox"/> samples listed on COC not received <input type="checkbox"/>	
21. Was the sample collection date/time noted?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		
22. Did we receive sufficient sample volume for indicated analyses?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		
23. Were samples received in appropriate containers?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		
24. Were VOA samples received without headspace (< 1/4" bubble)?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		
25. Were trip blanks submitted?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	listed on COC <input checked="" type="checkbox"/> not listed on COC <input type="checkbox"/>	

26. Comments: _____

I certify that I have completed sections 14-26 (dated initials). DE 06/20/24

This section only applies to samples where pH can be checked at Sample Receipt.

	Yes	No	N/A	Details	Comments
27. Have containers needing chemical preservation been checked?*	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>		
28. Containers meet preservation guidelines?	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>		
29. Was pH adjusted at Sample Receipt?	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>		

*Note: Certain analyses require chemical preservation but must be checked in the laboratory and not upon Sample Receipt such as Coliforms, VOCs and Oil & Grease/TPH. This also excludes metals by EPA 200.7, 200.8 and 245.1 which will be verified between 16 and 24 hours after preservation.

I certify that I have completed sections 27-29(dated initials). DE 06/20/24

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378238

Sample ID: MB-378238	Client ID:	Units: ug/L	Prep Date: 06/21/2024	Run No: 548040							
Sample Type: MBLK	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378238	Analysis Date: 06/21/2024	Seq No: 13096528							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1,1-Trichloroethane	BRL	1.0									
1,1,2,2-Tetrachloroethane	BRL	1.0									
1,1,2-Trichloroethane	BRL	1.0									
1,1-Dichloroethane	BRL	1.0									
1,1-Dichloroethene	BRL	2.0									
1,2,4-Trichlorobenzene	BRL	1.0									
1,2-Dibromo-3-chloropropane	BRL	1.0									
1,2-Dibromoethane	BRL	1.0									
1,2-Dichlorobenzene	BRL	1.0									
1,2-Dichloroethane	BRL	1.0									
1,2-Dichloroethene, Total	BRL	3.0									
1,2-Dichloropropane	BRL	1.0									
1,3-Dichlorobenzene	BRL	1.0									
1,4-Dichlorobenzene	BRL	1.0									
2-Butanone	BRL	10									
2-Hexanone	BRL	10									
4-Methyl-2-pentanone	BRL	10									
Acetone	BRL	20									
Benzene	BRL	1.0									
Bromodichloromethane	BRL	1.0									
Bromoform	BRL	1.0									
Bromomethane	BRL	1.0									
Carbon disulfide	BRL	5.0									
Carbon tetrachloride	BRL	2.0									
Chlorobenzene	BRL	1.0									
Chloroethane	BRL	1.0									
Chloroform	BRL	1.0									

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378238

Sample ID: MB-378238	Client ID:	Units: ug/L	Prep Date: 06/21/2024	Run No: 548040
SampleType: MBLK	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378238	Analysis Date: 06/21/2024	Seq No: 13096528

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Chloromethane	BRL	1.0									
cis-1,2-Dichloroethene	BRL	1.0									
cis-1,3-Dichloropropene	BRL	1.0									
Cyclohexane	BRL	2.0									
Dibromochloromethane	BRL	1.0									
Dichlorodifluoromethane	BRL	1.0									
Ethylbenzene	BRL	1.0									
Freon-113	BRL	5.0									
Isopropylbenzene	BRL	1.0									
m,p-Xylene	BRL	1.0									
Methyl acetate	BRL	2.0									
Methyl tert-butyl ether	BRL	1.0									
Methylcyclohexane	BRL	2.0									
Methylene chloride	BRL	5.0									
o-Xylene	BRL	1.0									
Styrene	BRL	1.0									
Tetrachloroethene	BRL	1.0									
Toluene	BRL	1.0									
trans-1,2-Dichloroethene	BRL	2.0									
trans-1,3-Dichloropropene	BRL	2.0									
Trichloroethene	BRL	1.0									
Trichlorofluoromethane	BRL	1.0									
Vinyl chloride	BRL	1.0									
Xylenes, Total	BRL	1.0									
Surr: 4-Bromofluorobenzene	48.39	0	50.00		96.8	70	130				
Surr: Dibromofluoromethane	49.74	0	50.00		99.5	70	130				
Surr: Toluene-d8	49.59	0	50.00		99.2	70	130				

Qualifiers:	> Greater than Result value	< Less than Result value	B Analyte detected in the associated method blank
	BRL Below reporting limit	E Estimated (value above quantitation range)	H Holding times for preparation or analysis exceeded
	J Estimated value detected below Reporting Limit	N Analyte not NELAC certified	R RPD outside limits due to matrix
	Rpt Lim Reporting Limit	S Spike Recovery outside limits due to matrix	

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378238

Sample ID: LCS-378238	Client ID:	Units: ug/L	Prep Date: 06/21/2024	Run No: 548040							
SampleType: LCS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378238	Analysis Date: 06/21/2024	Seq No: 13096529							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	21.35	1.0	20.00		107	70	130				
1,1,2,2-Tetrachloroethane	19.27	1.0	20.00		96.4	70	130				
1,1,2-Trichloroethane	20.67	1.0	20.00		103	70	130				
1,1-Dichloroethane	20.71	1.0	20.00		104	70	130				
1,1-Dichloroethene	21.33	2.0	20.00		107	60	140				
1,2,4-Trichlorobenzene	19.27	1.0	20.00		96.4	70	130				
1,2-Dibromo-3-chloropropane	17.10	1.0	20.00		85.5	70	130				
1,2-Dibromoethane	20.06	1.0	20.00		100	70	130				
1,2-Dichlorobenzene	20.21	1.0	20.00		101	70	130				
1,2-Dichloroethane	21.38	1.0	20.00		107	70	130				
1,2-Dichloroethene, Total	40.62	3.0	40.00		102	70	130				
1,2-Dichloropropane	20.17	1.0	20.00		101	70	130				
1,3-Dichlorobenzene	20.32	1.0	20.00		102	70	130				
1,4-Dichlorobenzene	19.93	1.0	20.00		99.6	70	130				
Benzene	21.77	1.0	20.00		109	70	130				
Bromodichloromethane	20.50	1.0	20.00		102	70	130				
Bromoform	21.16	1.0	20.00		106	70	130				
Carbon tetrachloride	22.65	2.0	20.00		113	70	130				
Chlorobenzene	20.83	1.0	20.00		104	70	130				
Chloroform	21.15	1.0	20.00		106	70	130				
cis-1,2-Dichloroethene	19.88	1.0	20.00		99.4	70	130				
cis-1,3-Dichloropropene	20.22	1.0	20.00		101	70	130				
Dibromochloromethane	20.54	1.0	20.00		103	70	130				
Ethylbenzene	21.48	1.0	20.00		107	70	130				
Isopropylbenzene	20.34	1.0	20.00		102	70	130				
m,p-Xylene	43.24	1.0	40.00		108	70	130				
Methylene chloride	19.13	5.0	20.00		95.6	70	130				

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378238

Sample ID: LCS-378238	Client ID:	Units: ug/L	Prep Date: 06/21/2024	Run No: 548040							
SampleType: LCS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378238	Analysis Date: 06/21/2024	Seq No: 13096529							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

o-Xylene	21.35	1.0	20.00		107	70	130				
Styrene	20.61	1.0	20.00		103	70	130				
Tetrachloroethene	21.05	1.0	20.00		105	70	130				
Toluene	21.49	1.0	20.00		107	70	130				
trans-1,2-Dichloroethene	20.74	2.0	20.00		104	70	130				
trans-1,3-Dichloropropene	20.53	2.0	20.00		103	70	130				
Trichloroethene	21.88	1.0	20.00		109	70	130				
Vinyl chloride	19.99	1.0	20.00		100.0	70	130				
Xylenes, Total	64.59	1.0	60.00		108	70	130				
Surr: 4-Bromofluorobenzene	51.06	0	50.00		102	70	130				
Surr: Dibromofluoromethane	48.80	0	50.00		97.6	70	130				
Surr: Toluene-d8	49.74	0	50.00		99.5	70	130				

Sample ID: 2406K89-006AMS	Client ID:	Units: ug/L	Prep Date: 06/21/2024	Run No: 548040							
SampleType: MS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378238	Analysis Date: 06/21/2024	Seq No: 13096546							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1,1-Trichloroethane	211.9	10	200.0		106	69.2	135				
1,1,2,2-Tetrachloroethane	190.0	10	200.0		95.0	67.9	132				
1,1,2-Trichloroethane	203.8	10	200.0		102	71	133				
1,1-Dichloroethane	201.3	10	200.0		101	69.9	133				
1,1-Dichloroethene	202.6	20	200.0		101	69	139				
1,2,4-Trichlorobenzene	194.5	10	200.0		97.2	61	135				
1,2-Dibromo-3-chloropropane	178.8	10	200.0		89.4	62.5	127				
1,2-Dibromoethane	211.6	10	200.0		106	76	129				
1,2-Dichlorobenzene	206.4	10	200.0		103	76	125				
1,2-Dichloroethane	216.9	10	200.0		108	70.5	133				
1,2-Dichloroethene, Total	412.7	30	400.0		103	69.5	138				

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378238

Sample ID: 2406K89-006AMS	Client ID:	Units: ug/L	Prep Date: 06/21/2024	Run No: 548040							
SampleType: MS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378238	Analysis Date: 06/21/2024	Seq No: 13096546							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,2-Dichloropropane	209.4	10	200.0		105	69.4	132				
1,3-Dichlorobenzene	201.0	10	200.0		100	76	126				
1,4-Dichlorobenzene	209.3	10	200.0	12.40	98.4	75.9	124				
Benzene	213.2	10	200.0	3.700	105	71.3	133				
Bromodichloromethane	198.3	10	200.0		99.2	67.6	133				
Bromoform	189.0	10	200.0		94.5	58.5	130				
Carbon tetrachloride	230.2	20	200.0		115	70.4	139				
Chlorobenzene	211.4	10	200.0		106	77.6	128				
Chloroform	213.0	10	200.0		106	69.7	132				
cis-1,2-Dichloroethene	203.1	10	200.0	7.700	97.7	72	133				
cis-1,3-Dichloropropene	192.1	10	200.0		96.0	69.5	128				
Dibromochloromethane	201.4	10	200.0		101	68.5	130				
Ethylbenzene	262.3	10	200.0	47.40	107	74.6	131				
Isopropylbenzene	213.0	10	200.0		106	72.5	135				
m,p-Xylene	575.8	10	400.0	130.4	111	72.7	133				
Methylene chloride	195.3	50	200.0		97.6	66	132				
o-Xylene	248.4	10	200.0	33.00	108	72.6	132				
Styrene	214.5	10	200.0		107	73.4	133				
Tetrachloroethene	222.8	10	200.0		111	74	135				
Toluene	273.0	10	200.0	55.00	109	72	134				
trans-1,2-Dichloroethene	209.6	20	200.0		105	70.8	132				
trans-1,3-Dichloropropene	183.4	20	200.0		91.7	60	125				
Trichloroethene	219.0	10	200.0		110	76.8	136				
Vinyl chloride	213.0	10	200.0		106	65.6	138				
Xylenes, Total	824.2	10	600.0	163.4	110	73.8	131				
Surr: 4-Bromofluorobenzene	519.2	0	500.0		104	70	126				
Surr: Dibromofluoromethane	492.5	0	500.0		98.5	77	121				

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378238

Sample ID: 2406K89-006AMS	Client ID:	Units: ug/L	Prep Date: 06/21/2024	Run No: 548040							
SampleType: MS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378238	Analysis Date: 06/21/2024	Seq No: 13096546							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Surr: Toluene-d8	508.3	0	500.0		102	78.6	119				
------------------	-------	---	-------	--	-----	------	-----	--	--	--	--

Sample ID: 2406K89-006AMSD	Client ID:	Units: ug/L	Prep Date: 06/21/2024	Run No: 548040							
SampleType: MSD	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378238	Analysis Date: 06/21/2024	Seq No: 13096547							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1,1-Trichloroethane	202.8	10	200.0		101	69.2	135	211.9	4.39	20	
1,1,2,2-Tetrachloroethane	187.8	10	200.0		93.9	67.9	132	190.0	1.16	19.2	
1,1,2-Trichloroethane	197.2	10	200.0		98.6	71	133	203.8	3.29	20	
1,1-Dichloroethane	198.1	10	200.0		99.0	69.9	133	201.3	1.60	22.5	
1,1-Dichloroethene	196.8	20	200.0		98.4	69	139	202.6	2.90	56.1	
1,2,4-Trichlorobenzene	193.6	10	200.0		96.8	61	135	194.5	0.464	26.4	
1,2-Dibromo-3-chloropropane	175.7	10	200.0		87.8	62.5	127	178.8	1.75	19.9	
1,2-Dibromoethane	196.1	10	200.0		98.0	76	129	211.6	7.60	20	
1,2-Dichlorobenzene	201.9	10	200.0		101	76	125	206.4	2.20	20	
1,2-Dichloroethane	215.4	10	200.0		108	70.5	133	216.9	0.694	41.4	
1,2-Dichloroethene, Total	403.6	30	400.0		101	69.5	138	412.7	2.23	20	
1,2-Dichloropropane	205.6	10	200.0		103	69.4	132	209.4	1.83	20	
1,3-Dichlorobenzene	192.0	10	200.0		96.0	76	126	201.0	4.58	20	
1,4-Dichlorobenzene	207.4	10	200.0	12.40	97.5	75.9	124	209.3	0.912	20	
Benzene	212.9	10	200.0	3.700	105	71.3	133	213.2	0.141	42.4	
Bromodichloromethane	195.3	10	200.0		97.6	67.6	133	198.3	1.52	20	
Bromoform	180.2	10	200.0		90.1	58.5	130	189.0	4.77	20	
Carbon tetrachloride	220.7	20	200.0		110	70.4	139	230.2	4.21	21.6	
Chlorobenzene	207.7	10	200.0		104	77.6	128	211.4	1.77	49.9	
Chloroform	201.6	10	200.0		101	69.7	132	213.0	5.50	20	
cis-1,2-Dichloroethene	201.9	10	200.0	7.700	97.1	72	133	203.1	0.593	14.5	
cis-1,3-Dichloropropene	190.0	10	200.0		95.0	69.5	128	192.1	1.10	14	

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378238

Sample ID: 2406K89-006AMSD	Client ID:	Units: ug/L	Prep Date: 06/21/2024	Run No: 548040
SampleType: MSD	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378238	Analysis Date: 06/21/2024	Seq No: 13096547

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Dibromochloromethane	198.9	10	200.0		99.4	68.5	130	201.4	1.25	20	
Ethylbenzene	246.7	10	200.0	47.40	99.6	74.6	131	262.3	6.13	27.7	
Isopropylbenzene	199.5	10	200.0		99.8	72.5	135	213.0	6.55	20	
m,p-Xylene	539.2	10	400.0	130.4	102	72.7	133	575.8	6.57	28	
Methylene chloride	197.8	50	200.0		98.9	66	132	195.3	1.27	20	
o-Xylene	233.3	10	200.0	33.00	100	72.6	132	248.4	6.27	27.9	
Styrene	207.5	10	200.0		104	73.4	133	214.5	3.32	20	
Tetrachloroethene	204.6	10	200.0		102	74	135	222.8	8.52	20	
Toluene	259.4	10	200.0	55.00	102	72	134	273.0	5.11	42.5	
trans-1,2-Dichloroethene	201.7	20	200.0		101	70.8	132	209.6	3.84	20	
trans-1,3-Dichloropropene	187.1	20	200.0		93.6	60	125	183.4	2.00	20	
Trichloroethene	214.1	10	200.0		107	76.8	136	219.0	2.26	51.1	
Vinyl chloride	220.1	10	200.0		110	65.6	138	213.0	3.28	22.9	
Xylenes, Total	772.5	10	600.0	163.4	102	73.8	131	824.2	6.48	28.2	
Surr: 4-Bromofluorobenzene	500.3	0	500.0		100	70	126	519.2	0	0	
Surr: Dibromofluoromethane	496.7	0	500.0		99.3	77	121	492.5	0	0	
Surr: Toluene-d8	507.1	0	500.0		101	78.6	119	508.3	0	0	

Qualifiers:	> Greater than Result value	< Less than Result value	B Analyte detected in the associated method blank
	BRL Below reporting limit	E Estimated (value above quantitation range)	H Holding times for preparation or analysis exceeded
	J Estimated value detected below Reporting Limit	N Analyte not NELAC certified	R RPD outside limits due to matrix
	Rpt Lim Reporting Limit	S Spike Recovery outside limits due to matrix	

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378361

Sample ID: MB-378361	Client ID:	Units: ug/L	Prep Date: 06/21/2024	Run No: 548204							
SampleType: MBLK	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378361	Analysis Date: 06/21/2024	Seq No: 13101807							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1,1-Trichloroethane	BRL	1.0									
1,1,2,2-Tetrachloroethane	BRL	1.0									
1,1,2-Trichloroethane	BRL	1.0									
1,1-Dichloroethane	BRL	1.0									
1,1-Dichloroethene	BRL	2.0									
1,2,4-Trichlorobenzene	BRL	1.0									
1,2-Dibromo-3-chloropropane	BRL	1.0									
1,2-Dibromoethane	BRL	1.0									
1,2-Dichlorobenzene	BRL	1.0									
1,2-Dichloroethane	BRL	1.0									
1,2-Dichloroethene, Total	BRL	3.0									
1,2-Dichloropropane	BRL	1.0									
1,3-Dichlorobenzene	BRL	1.0									
1,4-Dichlorobenzene	BRL	1.0									
2-Butanone	BRL	10									
2-Hexanone	BRL	10									
4-Methyl-2-pentanone	BRL	10									
Acetone	BRL	20									
Benzene	BRL	1.0									
Bromodichloromethane	BRL	1.0									
Bromoform	BRL	1.0									
Bromomethane	BRL	1.0									
Carbon disulfide	BRL	5.0									
Carbon tetrachloride	BRL	2.0									
Chlorobenzene	BRL	1.0									
Chloroethane	BRL	1.0									
Chloroform	BRL	1.0									

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378361

Sample ID: MB-378361	Client ID:	Units: ug/L	Prep Date: 06/21/2024	Run No: 548204							
SampleType: MBLK	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378361	Analysis Date: 06/21/2024	Seq No: 13101807							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Chloromethane	BRL	1.0									
cis-1,2-Dichloroethene	BRL	1.0									
cis-1,3-Dichloropropene	BRL	1.0									
Cyclohexane	BRL	2.0									
Dibromochloromethane	BRL	1.0									
Dichlorodifluoromethane	BRL	1.0									
Ethylbenzene	BRL	1.0									
Freon-113	BRL	5.0									
Isopropylbenzene	BRL	1.0									
m,p-Xylene	BRL	1.0									
Methyl acetate	BRL	2.0									
Methyl tert-butyl ether	BRL	1.0									
Methylcyclohexane	BRL	2.0									
Methylene chloride	BRL	5.0									
o-Xylene	BRL	1.0									
Styrene	BRL	1.0									
Tetrachloroethene	BRL	1.0									
Toluene	BRL	1.0									
trans-1,2-Dichloroethene	BRL	2.0									
trans-1,3-Dichloropropene	BRL	2.0									
Trichloroethene	BRL	1.0									
Trichlorofluoromethane	BRL	1.0									
Vinyl chloride	BRL	1.0									
Xylenes, Total	BRL	1.0									
Surr: 4-Bromofluorobenzene	49.19	0	50.00		98.4	70	130				
Surr: Dibromofluoromethane	49.43	0	50.00		98.9	70	130				
Surr: Toluene-d8	49.68	0	50.00		99.4	70	130				

Qualifiers:	> Greater than Result value	< Less than Result value	B Analyte detected in the associated method blank
	BRL Below reporting limit	E Estimated (value above quantitation range)	H Holding times for preparation or analysis exceeded
	J Estimated value detected below Reporting Limit	N Analyte not NELAC certified	R RPD outside limits due to matrix
	Rpt Lim Reporting Limit	S Spike Recovery outside limits due to matrix	

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378361

Sample ID: LCS-378361	Client ID:	Units: ug/L	Prep Date: 06/21/2024	Run No: 548204							
SampleType: LCS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378361	Analysis Date: 06/21/2024	Seq No: 13101808							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1,1-Trichloroethane	19.83	1.0	20.00		99.2	70	130				
1,1,2,2-Tetrachloroethane	19.86	1.0	20.00		99.3	70	130				
1,1,2-Trichloroethane	20.81	1.0	20.00		104	70	130				
1,1-Dichloroethane	20.87	1.0	20.00		104	70	130				
1,1-Dichloroethene	21.12	2.0	20.00		106	60	140				
1,2,4-Trichlorobenzene	19.66	1.0	20.00		98.3	70	130				
1,2-Dibromo-3-chloropropane	16.90	1.0	20.00		84.5	70	130				
1,2-Dibromoethane	20.79	1.0	20.00		104	70	130				
1,2-Dichlorobenzene	21.46	1.0	20.00		107	70	130				
1,2-Dichloroethane	19.54	1.0	20.00		97.7	70	130				
1,2-Dichloroethene, Total	41.91	3.0	40.00		105	70	130				
1,2-Dichloropropane	21.18	1.0	20.00		106	70	130				
1,3-Dichlorobenzene	20.42	1.0	20.00		102	70	130				
1,4-Dichlorobenzene	20.52	1.0	20.00		103	70	130				
Benzene	21.90	1.0	20.00		110	70	130				
Bromodichloromethane	19.22	1.0	20.00		96.1	70	130				
Bromoform	18.13	1.0	20.00		90.6	70	130				
Carbon tetrachloride	20.98	2.0	20.00		105	70	130				
Chlorobenzene	20.61	1.0	20.00		103	70	130				
Chloroform	19.87	1.0	20.00		99.4	70	130				
cis-1,2-Dichloroethene	20.64	1.0	20.00		103	70	130				
cis-1,3-Dichloropropene	19.63	1.0	20.00		98.2	70	130				
Dibromochloromethane	19.53	1.0	20.00		97.6	70	130				
Ethylbenzene	21.02	1.0	20.00		105	70	130				
Isopropylbenzene	21.39	1.0	20.00		107	70	130				
m,p-Xylene	42.94	1.0	40.00		107	70	130				
Methylene chloride	19.52	5.0	20.00		97.6	70	130				

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378361

Sample ID: LCS-378361	Client ID:	Units: ug/L	Prep Date: 06/21/2024	Run No: 548204							
SampleType: LCS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378361	Analysis Date: 06/21/2024	Seq No: 13101808							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

o-Xylene	21.41	1.0	20.00		107	70	130				
Styrene	21.07	1.0	20.00		105	70	130				
Tetrachloroethene	21.08	1.0	20.00		105	70	130				
Toluene	21.30	1.0	20.00		106	70	130				
trans-1,2-Dichloroethene	21.27	2.0	20.00		106	70	130				
trans-1,3-Dichloropropene	18.84	2.0	20.00		94.2	70	130				
Trichloroethene	21.55	1.0	20.00		108	70	130				
Vinyl chloride	20.98	1.0	20.00		105	70	130				
Xylenes, Total	64.35	1.0	60.00		107	70	130				
Surr: 4-Bromofluorobenzene	50.31	0	50.00		101	70	130				
Surr: Dibromofluoromethane	48.47	0	50.00		96.9	70	130				
Surr: Toluene-d8	48.83	0	50.00		97.7	70	130				

Sample ID: 2406L66-019AMS	Client ID: 24170-NC DOWN	Units: ug/L	Prep Date: 06/21/2024	Run No: 548204							
SampleType: MS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378361	Analysis Date: 06/23/2024	Seq No: 13102012							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1,1-Trichloroethane	19.24	1.0	20.00		96.2	69.2	135				
1,1,2,2-Tetrachloroethane	17.43	1.0	20.00		87.2	67.9	132				
1,1,2-Trichloroethane	19.13	1.0	20.00		95.6	71	133				
1,1-Dichloroethane	19.32	1.0	20.00		96.6	69.9	133				
1,1-Dichloroethene	19.77	2.0	20.00		98.8	69	139				
1,2,4-Trichlorobenzene	16.51	1.0	20.00		82.6	61	135				
1,2-Dibromo-3-chloropropane	15.35	1.0	20.00		76.8	62.5	127				
1,2-Dibromoethane	18.87	1.0	20.00		94.4	76	129				
1,2-Dichlorobenzene	17.93	1.0	20.00		89.6	76	125				
1,2-Dichloroethane	20.40	1.0	20.00		102	70.5	133				
1,2-Dichloroethene, Total	36.90	3.0	40.00		92.2	69.5	138				

Qualifiers:

>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378361

Sample ID: 2406L66-019AMS	Client ID: 24170-NC DOWN	Units: ug/L	Prep Date: 06/21/2024	Run No: 548204							
SampleType: MS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378361	Analysis Date: 06/23/2024	Seq No: 13102012							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,2-Dichloropropane	18.39	1.0	20.00		92.0	69.4	132				
1,3-Dichlorobenzene	18.23	1.0	20.00		91.2	76	126				
1,4-Dichlorobenzene	17.89	1.0	20.00		89.4	75.9	124				
Benzene	19.33	1.0	20.00		96.6	71.3	133				
Bromodichloromethane	18.16	1.0	20.00		90.8	67.6	133				
Bromoform	16.70	1.0	20.00		83.5	58.5	130				
Carbon tetrachloride	19.84	2.0	20.00		99.2	70.4	139				
Chlorobenzene	18.61	1.0	20.00		93.0	77.6	128				
Chloroform	19.08	1.0	20.00		95.4	69.7	132				
cis-1,2-Dichloroethene	18.06	1.0	20.00		90.3	72	133				
cis-1,3-Dichloropropene	17.28	1.0	20.00		86.4	69.5	128				
Dibromochloromethane	18.18	1.0	20.00		90.9	68.5	130				
Ethylbenzene	18.48	1.0	20.00		92.4	74.6	131				
Isopropylbenzene	17.98	1.0	20.00		89.9	72.5	135				
m,p-Xylene	37.82	1.0	40.00		94.6	72.7	133				
Methylene chloride	18.21	5.0	20.00		91.0	66	132				
o-Xylene	18.50	1.0	20.00		92.5	72.6	132				
Styrene	18.63	1.0	20.00		93.2	73.4	133				
Tetrachloroethene	18.47	1.0	20.00		92.4	74	135				
Toluene	18.92	1.0	20.00		94.6	72	134				
trans-1,2-Dichloroethene	18.84	2.0	20.00		94.2	70.8	132				
trans-1,3-Dichloropropene	17.21	2.0	20.00		86.0	60	125				
Trichloroethene	19.07	1.0	20.00	0.3600	93.6	76.8	136				
Vinyl chloride	20.92	1.0	20.00		105	65.6	138				
Xylenes, Total	56.32	1.0	60.00		93.9	73.8	131				
Surr: 4-Bromofluorobenzene	50.13	0	50.00		100	70	126				
Surr: Dibromofluoromethane	48.89	0	50.00		97.8	77	121				

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378361

Sample ID: 2406L66-019AMS	Client ID: 24170-NC DOWN	Units: ug/L	Prep Date: 06/21/2024	Run No: 548204							
SampleType: MS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378361	Analysis Date: 06/23/2024	Seq No: 13102012							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Surr: Toluene-d8	50.01	0	50.00		100	78.6	119				
------------------	-------	---	-------	--	-----	------	-----	--	--	--	--

Sample ID: 2406L66-018ADUP	Client ID: 24170-NC UP	Units: ug/L	Prep Date: 06/21/2024	Run No: 548204							
SampleType: DUP	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378361	Analysis Date: 06/23/2024	Seq No: 13102010							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1,1-Trichloroethane	BRL	1.0						0	0	30	
1,1,2,2-Tetrachloroethane	BRL	1.0						0	0	30	
1,1,2-Trichloroethane	BRL	1.0						0	0	30	
1,1-Dichloroethane	BRL	1.0						0	0	30	
1,1-Dichloroethene	BRL	2.0						0.9000	0	30	
1,2,4-Trichlorobenzene	BRL	1.0						0	0	30	
1,2-Dibromo-3-chloropropane	BRL	1.0						0	0	30	
1,2-Dibromoethane	BRL	1.0						0	0	30	
1,2-Dichlorobenzene	BRL	1.0						0	0	30	
1,2-Dichloroethane	BRL	1.0						0	0	30	
1,2-Dichloroethene, Total	BRL	3.0						0	0	30	
1,2-Dichloropropane	BRL	1.0						0	0	30	
1,3-Dichlorobenzene	BRL	1.0						0	0	30	
1,4-Dichlorobenzene	BRL	1.0						0	0	30	
2-Butanone	BRL	10						0	0	30	
2-Hexanone	BRL	10						0	0	30	
4-Methyl-2-pentanone	BRL	10						0	0	30	
Acetone	BRL	20						0	0	30	
Benzene	BRL	1.0						0	0	30	
Bromodichloromethane	BRL	1.0						0	0	30	
Bromoform	BRL	1.0						0	0	30	
Bromomethane	BRL	1.0						0	0	30	

Qualifiers:	> Greater than Result value	< Less than Result value	B Analyte detected in the associated method blank
BRL	Below reporting limit	E Estimated (value above quantitation range)	H Holding times for preparation or analysis exceeded
J	Estimated value detected below Reporting Limit	N Analyte not NELAC certified	R RPD outside limits due to matrix
Rpt Lim	Reporting Limit	S Spike Recovery outside limits due to matrix	

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378361

Sample ID: 2406L66-018ADUP	Client ID: 24170-NC UP	Units: ug/L	Prep Date: 06/21/2024	Run No: 548204
SampleType: DUP	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378361	Analysis Date: 06/23/2024	Seq No: 13102010

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Carbon disulfide	BRL	5.0						0	0	30	
Carbon tetrachloride	BRL	2.0						0	0	30	
Chlorobenzene	BRL	1.0						0	0	30	
Chloroethane	BRL	1.0						0	0	30	
Chloroform	BRL	1.0						0	0	30	
Chloromethane	BRL	1.0						0	0	30	
cis-1,2-Dichloroethene	BRL	1.0						0	0	30	
cis-1,3-Dichloropropene	BRL	1.0						0	0	30	
Cyclohexane	BRL	2.0						0	0	30	
Dibromochloromethane	BRL	1.0						0	0	30	
Dichlorodifluoromethane	BRL	1.0						0	0	30	
Ethylbenzene	BRL	1.0						0	0	30	
Freon-113	BRL	5.0						0	0	30	
Isopropylbenzene	BRL	1.0						0	0	30	
m,p-Xylene	BRL	1.0						0	0	30	
Methyl acetate	BRL	2.0						0	0	30	
Methyl tert-butyl ether	BRL	1.0						0	0	30	
Methylcyclohexane	BRL	2.0						0	0	30	
Methylene chloride	BRL	5.0						0	0	30	
o-Xylene	BRL	1.0						0	0	30	
Styrene	BRL	1.0						0	0	30	
Tetrachloroethene	BRL	1.0						0	0	30	
Toluene	BRL	1.0						0	0	30	
trans-1,2-Dichloroethene	BRL	2.0						0	0	30	
trans-1,3-Dichloropropene	BRL	2.0						0	0	30	
Trichloroethene	BRL	1.0						0	0	30	
Trichlorofluoromethane	BRL	1.0						0	0	30	

Qualifiers:	> Greater than Result value	< Less than Result value	B Analyte detected in the associated method blank
	BRL Below reporting limit	E Estimated (value above quantitation range)	H Holding times for preparation or analysis exceeded
	J Estimated value detected below Reporting Limit	N Analyte not NELAC certified	R RPD outside limits due to matrix
	Rpt Lim Reporting Limit	S Spike Recovery outside limits due to matrix	

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378361

Sample ID: 2406L66-018ADUP	Client ID: 24170-NC UP	Units: ug/L	Prep Date: 06/21/2024	Run No: 548204
SampleType: DUP	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378361	Analysis Date: 06/23/2024	Seq No: 13102010

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Vinyl chloride	BRL	1.0						0	0	30	
Xylenes, Total	BRL	1.0						0	0	30	
Surr: 4-Bromofluorobenzene	47.33	0	50.00		94.7	70	126	49.08	0	0	
Surr: Dibromofluoromethane	50.55	0	50.00		101	77	121	49.97	0	0	
Surr: Toluene-d8	49.50	0	50.00		99.0	78.6	119	49.04	0	0	

<p>Qualifiers:</p> <p>> Greater than Result value</p> <p>BRL Below reporting limit</p> <p>J Estimated value detected below Reporting Limit</p> <p>Rpt Lim Reporting Limit</p>	<p>< Less than Result value</p> <p>E Estimated (value above quantitation range)</p> <p>N Analyte not NELAC certified</p> <p>S Spike Recovery outside limits due to matrix</p>	<p>B Analyte detected in the associated method blank</p> <p>H Holding times for preparation or analysis exceeded</p> <p>R RPD outside limits due to matrix</p>
---	--	--

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378367

Sample ID: MB-378367	Client ID:	Units: ug/L	Prep Date: 06/22/2024	Run No: 548211
SampleType: MBLK	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378367	Analysis Date: 06/22/2024	Seq No: 13102121

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	BRL	1.0									
1,1,2,2-Tetrachloroethane	BRL	1.0									
1,1,2-Trichloroethane	BRL	1.0									
1,1-Dichloroethane	BRL	1.0									
1,1-Dichloroethene	BRL	2.0									
1,2,4-Trichlorobenzene	BRL	1.0									
1,2-Dibromo-3-chloropropane	BRL	1.0									
1,2-Dibromoethane	BRL	1.0									
1,2-Dichlorobenzene	BRL	1.0									
1,2-Dichloroethane	BRL	1.0									
1,2-Dichloroethene, Total	BRL	3.0									
1,2-Dichloropropane	BRL	1.0									
1,3-Dichlorobenzene	BRL	1.0									
1,4-Dichlorobenzene	BRL	1.0									
2-Butanone	BRL	10									
2-Hexanone	BRL	10									
4-Methyl-2-pentanone	BRL	10									
Acetone	BRL	20									
Benzene	BRL	1.0									
Bromodichloromethane	BRL	1.0									
Bromoform	BRL	1.0									
Bromomethane	BRL	1.0									
Carbon disulfide	BRL	5.0									
Carbon tetrachloride	BRL	2.0									
Chlorobenzene	BRL	1.0									
Chloroethane	BRL	1.0									
Chloroform	BRL	1.0									

Qualifiers:	> Greater than Result value	< Less than Result value	B Analyte detected in the associated method blank
	BRL Below reporting limit	E Estimated (value above quantitation range)	H Holding times for preparation or analysis exceeded
	J Estimated value detected below Reporting Limit	N Analyte not NELAC certified	R RPD outside limits due to matrix
	Rpt Lim Reporting Limit	S Spike Recovery outside limits due to matrix	

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378367

Sample ID: MB-378367	Client ID:	Units: ug/L	Prep Date: 06/22/2024	Run No: 548211							
SampleType: MBLK	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378367	Analysis Date: 06/22/2024	Seq No: 13102121							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Chloromethane	BRL	1.0									
cis-1,2-Dichloroethene	BRL	1.0									
cis-1,3-Dichloropropene	BRL	1.0									
Cyclohexane	BRL	2.0									
Dibromochloromethane	BRL	1.0									
Dichlorodifluoromethane	BRL	1.0									
Ethylbenzene	BRL	1.0									
Freon-113	BRL	5.0									
Isopropylbenzene	BRL	1.0									
m,p-Xylene	BRL	1.0									
Methyl acetate	BRL	2.0									
Methyl tert-butyl ether	BRL	1.0									
Methylcyclohexane	BRL	2.0									
Methylene chloride	BRL	5.0									
o-Xylene	BRL	1.0									
Styrene	BRL	1.0									
Tetrachloroethene	BRL	1.0									
Toluene	BRL	1.0									
trans-1,2-Dichloroethene	BRL	2.0									
trans-1,3-Dichloropropene	BRL	2.0									
Trichloroethene	BRL	1.0									
Trichlorofluoromethane	BRL	1.0									
Vinyl chloride	BRL	1.0									
Xylenes, Total	BRL	1.0									
Surr: 4-Bromofluorobenzene	47.79	0	50.00		95.6	70	130				
Surr: Dibromofluoromethane	50.47	0	50.00		101	70	130				
Surr: Toluene-d8	51.46	0	50.00		103	70	130				

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378367

Sample ID: LCS-378367	Client ID:	Units: ug/L	Prep Date: 06/22/2024	Run No: 548211							
SampleType: LCS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378367	Analysis Date: 06/22/2024	Seq No: 13102122							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	21.03	1.0	20.00		105	70	130				
1,1,2,2-Tetrachloroethane	20.12	1.0	20.00		101	70	130				
1,1,2-Trichloroethane	20.58	1.0	20.00		103	70	130				
1,1-Dichloroethane	19.97	1.0	20.00		99.8	70	130				
1,1-Dichloroethene	20.28	2.0	20.00		101	60	140				
1,2,4-Trichlorobenzene	17.97	1.0	20.00		89.8	70	130				
1,2-Dibromo-3-chloropropane	17.30	1.0	20.00		86.5	70	130				
1,2-Dibromoethane	21.06	1.0	20.00		105	70	130				
1,2-Dichlorobenzene	19.72	1.0	20.00		98.6	70	130				
1,2-Dichloroethane	21.51	1.0	20.00		108	70	130				
1,2-Dichloroethene, Total	41.81	3.0	40.00		105	70	130				
1,2-Dichloropropane	20.89	1.0	20.00		104	70	130				
1,3-Dichlorobenzene	20.03	1.0	20.00		100	70	130				
1,4-Dichlorobenzene	20.10	1.0	20.00		100	70	130				
Benzene	21.11	1.0	20.00		106	70	130				
Bromodichloromethane	19.71	1.0	20.00		98.6	70	130				
Bromoform	20.30	1.0	20.00		102	70	130				
Carbon tetrachloride	21.78	2.0	20.00		109	70	130				
Chlorobenzene	20.27	1.0	20.00		101	70	130				
Chloroform	20.58	1.0	20.00		103	70	130				
cis-1,2-Dichloroethene	21.07	1.0	20.00		105	70	130				
cis-1,3-Dichloropropene	19.97	1.0	20.00		99.8	70	130				
Dibromochloromethane	20.02	1.0	20.00		100	70	130				
Ethylbenzene	21.24	1.0	20.00		106	70	130				
Isopropylbenzene	19.94	1.0	20.00		99.7	70	130				
m,p-Xylene	42.19	1.0	40.00		105	70	130				
Methylene chloride	19.15	5.0	20.00		95.8	70	130				

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378367

Sample ID: LCS-378367	Client ID:	Units: ug/L	Prep Date: 06/22/2024	Run No: 548211							
SampleType: LCS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378367	Analysis Date: 06/22/2024	Seq No: 13102122							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

o-Xylene	21.24	1.0	20.00		106	70	130				
Styrene	20.91	1.0	20.00		105	70	130				
Tetrachloroethene	21.00	1.0	20.00		105	70	130				
Toluene	21.23	1.0	20.00		106	70	130				
trans-1,2-Dichloroethene	20.74	2.0	20.00		104	70	130				
trans-1,3-Dichloropropene	20.28	2.0	20.00		101	70	130				
Trichloroethene	21.66	1.0	20.00		108	70	130				
Vinyl chloride	20.52	1.0	20.00		103	70	130				
Xylenes, Total	63.43	1.0	60.00		106	70	130				
Surr: 4-Bromofluorobenzene	51.34	0	50.00		103	70	130				
Surr: Dibromofluoromethane	48.49	0	50.00		97.0	70	130				
Surr: Toluene-d8	50.04	0	50.00		100	70	130				

Sample ID: 2406L66-028AMS	Client ID: 24170-EW01C	Units: ug/L	Prep Date: 06/22/2024	Run No: 548211							
SampleType: MS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378367	Analysis Date: 06/22/2024	Seq No: 13102211							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1,1-Trichloroethane	376.9	10	200.0	170.8	103	69.2	135				
1,1,2,2-Tetrachloroethane	178.9	10	200.0		89.4	67.9	132				
1,1,2-Trichloroethane	201.8	10	200.0		101	71	133				
1,1-Dichloroethane	366.2	10	200.0	153.7	106	69.9	133				
1,1-Dichloroethene	443.7	20	200.0	222.8	110	69	139				
1,2,4-Trichlorobenzene	181.4	10	200.0		90.7	61	135				
1,2-Dibromo-3-chloropropane	166.2	10	200.0		83.1	62.5	127				
1,2-Dibromoethane	201.8	10	200.0		101	76	129				
1,2-Dichlorobenzene	191.4	10	200.0		95.7	76	125				
1,2-Dichloroethane	214.6	10	200.0		107	70.5	133				
1,2-Dichloroethene, Total	591.3	30	400.0	166.9	106	69.5	138				

Qualifiers:

>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378367

Sample ID: 2406L66-028AMS	Client ID: 24170-EW01C	Units: ug/L	Prep Date: 06/22/2024	Run No: 548211
SampleType: MS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378367	Analysis Date: 06/22/2024	Seq No: 13102211

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,2-Dichloropropane	202.1	10	200.0		101	69.4	132				
1,3-Dichlorobenzene	195.9	10	200.0		98.0	76	126				
1,4-Dichlorobenzene	188.4	10	200.0		94.2	75.9	124				
Benzene	218.3	10	200.0		109	71.3	133				
Bromodichloromethane	202.9	10	200.0		101	67.6	133				
Bromoform	171.2	10	200.0		85.6	58.5	130				
Carbon tetrachloride	228.5	20	200.0		114	70.4	139				
Chlorobenzene	198.0	10	200.0		99.0	77.6	128				
Chloroform	210.2	10	200.0	2.300	104	69.7	132				
cis-1,2-Dichloroethene	381.5	10	200.0	166.9	107	72	133				
cis-1,3-Dichloropropene	190.6	10	200.0		95.3	69.5	128				
Dibromochloromethane	192.9	10	200.0		96.4	68.5	130				
Ethylbenzene	205.2	10	200.0		103	74.6	131				
Isopropylbenzene	199.7	10	200.0		99.8	72.5	135				
m,p-Xylene	416.1	10	400.0		104	72.7	133				
Methylene chloride	195.3	50	200.0		97.6	66	132				
o-Xylene	199.1	10	200.0		99.6	72.6	132				
Styrene	199.0	10	200.0		99.5	73.4	133				
Tetrachloroethene	214.0	10	200.0		107	74	135				
Toluene	207.9	10	200.0	2.500	103	72	134				
trans-1,2-Dichloroethene	209.8	20	200.0		105	70.8	132				
trans-1,3-Dichloropropene	185.3	20	200.0		92.6	60	125				
Trichloroethene	294.8	10	200.0	85.00	105	76.8	136				
Vinyl chloride	233.5	10	200.0	30.50	102	65.6	138				
Xylenes, Total	615.2	10	600.0		103	73.8	131				
Surr: 4-Bromofluorobenzene	512.3	0	500.0		102	70	126				
Surr: Dibromofluoromethane	507.8	0	500.0		102	77	121				

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378367

Sample ID: 2406L66-028AMS	Client ID: 24170-EW01C	Units: ug/L	Prep Date: 06/22/2024	Run No: 548211							
SampleType: MS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378367	Analysis Date: 06/22/2024	Seq No: 13102211							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Surr: Toluene-d8	502.2	0	500.0		100	78.6	119				
------------------	-------	---	-------	--	-----	------	-----	--	--	--	--

Sample ID: 2406L66-028AMSD	Client ID: 24170-EW01C	Units: ug/L	Prep Date: 06/22/2024	Run No: 548211							
SampleType: MSD	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378367	Analysis Date: 06/23/2024	Seq No: 13102215							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1,1-Trichloroethane	375.9	10	200.0	170.8	103	69.2	135	376.9	0.266	20	
1,1,2,2-Tetrachloroethane	197.4	10	200.0		98.7	67.9	132	178.9	9.83	19.2	
1,1,2-Trichloroethane	206.5	10	200.0		103	71	133	201.8	2.30	20	
1,1-Dichloroethane	368.4	10	200.0	153.7	107	69.9	133	366.2	0.599	22.5	
1,1-Dichloroethene	426.7	20	200.0	222.8	102	69	139	443.7	3.91	56.1	
1,2,4-Trichlorobenzene	192.9	10	200.0		96.4	61	135	181.4	6.14	26.4	
1,2-Dibromo-3-chloropropane	174.0	10	200.0		87.0	62.5	127	166.2	4.59	19.9	
1,2-Dibromoethane	205.0	10	200.0		102	76	129	201.8	1.57	20	
1,2-Dichlorobenzene	207.0	10	200.0		104	76	125	191.4	7.83	20	
1,2-Dichloroethane	223.2	10	200.0		112	70.5	133	214.6	3.93	41.4	
1,2-Dichloroethene, Total	585.0	30	400.0	166.9	105	69.5	138	591.3	1.07	20	
1,2-Dichloropropane	215.2	10	200.0		108	69.4	132	202.1	6.28	20	
1,3-Dichlorobenzene	201.9	10	200.0		101	76	126	195.9	3.02	20	
1,4-Dichlorobenzene	204.4	10	200.0		102	75.9	124	188.4	8.15	20	
Benzene	212.9	10	200.0		106	71.3	133	218.3	2.50	42.4	
Bromodichloromethane	204.3	10	200.0		102	67.6	133	202.9	0.688	20	
Bromoform	188.5	10	200.0		94.2	58.5	130	171.2	9.62	20	
Carbon tetrachloride	227.8	20	200.0		114	70.4	139	228.5	0.307	21.6	
Chlorobenzene	203.3	10	200.0		102	77.6	128	198.0	2.64	49.9	
Chloroform	221.3	10	200.0	2.300	110	69.7	132	210.2	5.14	20	
cis-1,2-Dichloroethene	368.9	10	200.0	166.9	101	72	133	381.5	3.36	14.5	
cis-1,3-Dichloropropene	196.4	10	200.0		98.2	69.5	128	190.6	3.00	14	

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378367

Sample ID: 2406L66-028AMSD	Client ID: 24170-EW01C	Units: ug/L	Prep Date: 06/22/2024	Run No: 548211
SampleType: MSD	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378367	Analysis Date: 06/23/2024	Seq No: 13102215

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Dibromochloromethane	202.7	10	200.0		101	68.5	130	192.9	4.95	20	
Ethylbenzene	210.3	10	200.0		105	74.6	131	205.2	2.45	27.7	
Isopropylbenzene	201.3	10	200.0		101	72.5	135	199.7	0.798	20	
m,p-Xylene	422.7	10	400.0		106	72.7	133	416.1	1.57	28	
Methylene chloride	198.8	50	200.0		99.4	66	132	195.3	1.78	20	
o-Xylene	208.0	10	200.0		104	72.6	132	199.1	4.37	27.9	
Styrene	205.7	10	200.0		103	73.4	133	199.0	3.31	20	
Tetrachloroethene	202.9	10	200.0		101	74	135	214.0	5.33	20	
Toluene	213.0	10	200.0	2.500	105	72	134	207.9	2.42	42.5	
trans-1,2-Dichloroethene	216.1	20	200.0		108	70.8	132	209.8	2.96	20	
trans-1,3-Dichloropropene	191.1	20	200.0		95.6	60	125	185.3	3.08	20	
Trichloroethene	302.7	10	200.0	85.00	109	76.8	136	294.8	2.64	51.1	
Vinyl chloride	244.1	10	200.0	30.50	107	65.6	138	233.5	4.44	22.9	
Xylenes, Total	630.7	10	600.0		105	73.8	131	615.2	2.49	28.2	
Surr: 4-Bromofluorobenzene	492.8	0	500.0		98.6	70	126	512.3	0	0	
Surr: Dibromofluoromethane	490.0	0	500.0		98.0	77	121	507.8	0	0	
Surr: Toluene-d8	492.6	0	500.0		98.5	78.6	119	502.2	0	0	

Qualifiers:	> Greater than Result value	< Less than Result value	B Analyte detected in the associated method blank
	BRL Below reporting limit	E Estimated (value above quantitation range)	H Holding times for preparation or analysis exceeded
	J Estimated value detected below Reporting Limit	N Analyte not NELAC certified	R RPD outside limits due to matrix
	Rpt Lim Reporting Limit	S Spike Recovery outside limits due to matrix	

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378372

Sample ID: MB-378372	Client ID:	Units: ug/L	Prep Date: 06/23/2024	Run No: 548217							
SampleType: MBLK	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378372	Analysis Date: 06/23/2024	Seq No: 13102480							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1,1-Trichloroethane	BRL	1.0									
1,1,2,2-Tetrachloroethane	BRL	1.0									
1,1,2-Trichloroethane	BRL	1.0									
1,1-Dichloroethane	BRL	1.0									
1,1-Dichloroethene	BRL	2.0									
1,2,4-Trichlorobenzene	BRL	1.0									
1,2-Dibromo-3-chloropropane	BRL	1.0									
1,2-Dibromoethane	BRL	1.0									
1,2-Dichlorobenzene	BRL	1.0									
1,2-Dichloroethane	BRL	1.0									
1,2-Dichloroethene, Total	BRL	3.0									
1,2-Dichloropropane	BRL	1.0									
1,3-Dichlorobenzene	BRL	1.0									
1,4-Dichlorobenzene	BRL	1.0									
2-Butanone	BRL	10									
2-Hexanone	BRL	10									
4-Methyl-2-pentanone	BRL	10									
Acetone	BRL	20									
Benzene	BRL	1.0									
Bromodichloromethane	BRL	1.0									
Bromoform	BRL	1.0									
Bromomethane	BRL	1.0									
Carbon disulfide	BRL	5.0									
Carbon tetrachloride	BRL	2.0									
Chlorobenzene	BRL	1.0									
Chloroethane	BRL	1.0									
Chloroform	BRL	1.0									

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378372

Sample ID: MB-378372	Client ID:	Units: ug/L	Prep Date: 06/23/2024	Run No: 548217
SampleType: MBLK	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378372	Analysis Date: 06/23/2024	Seq No: 13102480

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Chloromethane	BRL	1.0									
cis-1,2-Dichloroethene	BRL	1.0									
cis-1,3-Dichloropropene	BRL	1.0									
Cyclohexane	BRL	2.0									
Dibromochloromethane	BRL	1.0									
Dichlorodifluoromethane	BRL	1.0									
Ethylbenzene	BRL	1.0									
Freon-113	BRL	5.0									
Isopropylbenzene	BRL	1.0									
m,p-Xylene	BRL	1.0									
Methyl acetate	BRL	2.0									
Methyl tert-butyl ether	BRL	1.0									
Methylcyclohexane	BRL	2.0									
Methylene chloride	BRL	5.0									
o-Xylene	BRL	1.0									
Styrene	BRL	1.0									
Tetrachloroethene	BRL	1.0									
Toluene	BRL	1.0									
trans-1,2-Dichloroethene	BRL	2.0									
trans-1,3-Dichloropropene	BRL	2.0									
Trichloroethene	BRL	1.0									
Trichlorofluoromethane	BRL	1.0									
Vinyl chloride	BRL	1.0									
Xylenes, Total	BRL	1.0									
Surr: 4-Bromofluorobenzene	48.85	0	50.00		97.7	70	130				
Surr: Dibromofluoromethane	49.94	0	50.00		99.9	70	130				
Surr: Toluene-d8	48.53	0	50.00		97.1	70	130				

Qualifiers:	> Greater than Result value	< Less than Result value	B Analyte detected in the associated method blank
	BRL Below reporting limit	E Estimated (value above quantitation range)	H Holding times for preparation or analysis exceeded
	J Estimated value detected below Reporting Limit	N Analyte not NELAC certified	R RPD outside limits due to matrix
	Rpt Lim Reporting Limit	S Spike Recovery outside limits due to matrix	

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378372

Sample ID: LCS-378372	Client ID:	Units: ug/L	Prep Date: 06/23/2024	Run No: 548217							
SampleType: LCS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378372	Analysis Date: 06/23/2024	Seq No: 13102481							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	20.61	1.0	20.00		103	70	130				
1,1,2,2-Tetrachloroethane	18.86	1.0	20.00		94.3	70	130				
1,1,2-Trichloroethane	20.22	1.0	20.00		101	70	130				
1,1-Dichloroethane	20.56	1.0	20.00		103	70	130				
1,1-Dichloroethene	20.54	2.0	20.00		103	60	140				
1,2,4-Trichlorobenzene	18.59	1.0	20.00		93.0	70	130				
1,2-Dibromo-3-chloropropane	17.56	1.0	20.00		87.8	70	130				
1,2-Dibromoethane	19.98	1.0	20.00		99.9	70	130				
1,2-Dichlorobenzene	19.74	1.0	20.00		98.7	70	130				
1,2-Dichloroethane	21.00	1.0	20.00		105	70	130				
1,2-Dichloroethene, Total	40.81	3.0	40.00		102	70	130				
1,2-Dichloropropane	20.45	1.0	20.00		102	70	130				
1,3-Dichlorobenzene	19.77	1.0	20.00		98.8	70	130				
1,4-Dichlorobenzene	18.93	1.0	20.00		94.6	70	130				
Benzene	21.24	1.0	20.00		106	70	130				
Bromodichloromethane	19.90	1.0	20.00		99.5	70	130				
Bromoform	20.49	1.0	20.00		102	70	130				
Carbon tetrachloride	21.72	2.0	20.00		109	70	130				
Chlorobenzene	19.77	1.0	20.00		98.8	70	130				
Chloroform	21.51	1.0	20.00		108	70	130				
cis-1,2-Dichloroethene	19.93	1.0	20.00		99.6	70	130				
cis-1,3-Dichloropropene	20.18	1.0	20.00		101	70	130				
Dibromochloromethane	19.89	1.0	20.00		99.4	70	130				
Ethylbenzene	20.36	1.0	20.00		102	70	130				
Isopropylbenzene	19.71	1.0	20.00		98.6	70	130				
m,p-Xylene	41.82	1.0	40.00		105	70	130				
Methylene chloride	19.25	5.0	20.00		96.2	70	130				

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378372

Sample ID: LCS-378372	Client ID:	Units: ug/L	Prep Date: 06/23/2024	Run No: 548217							
SampleType: LCS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378372	Analysis Date: 06/23/2024	Seq No: 13102481							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

o-Xylene	20.42	1.0	20.00		102	70	130				
Styrene	19.93	1.0	20.00		99.6	70	130				
Tetrachloroethene	19.00	1.0	20.00		95.0	70	130				
Toluene	20.69	1.0	20.00		103	70	130				
trans-1,2-Dichloroethene	20.88	2.0	20.00		104	70	130				
trans-1,3-Dichloropropene	19.61	2.0	20.00		98.0	70	130				
Trichloroethene	20.83	1.0	20.00		104	70	130				
Vinyl chloride	20.68	1.0	20.00		103	70	130				
Xylenes, Total	62.24	1.0	60.00		104	70	130				
Surr: 4-Bromofluorobenzene	49.79	0	50.00		99.6	70	130				
Surr: Dibromofluoromethane	49.22	0	50.00		98.4	70	130				
Surr: Toluene-d8	49.34	0	50.00		98.7	70	130				

Sample ID: 2406L66-007AMS	Client ID: 24170-0W28D	Units: ug/L	Prep Date: 06/23/2024	Run No: 548217							
SampleType: MS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378372	Analysis Date: 06/23/2024	Seq No: 13102569							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1,1-Trichloroethane	223.1	10	200.0		112	69.2	135				
1,1,2,2-Tetrachloroethane	185.1	10	200.0		92.6	67.9	132				
1,1,2-Trichloroethane	206.5	10	200.0		103	71	133				
1,1-Dichloroethane	216.4	10	200.0		108	69.9	133				
1,1-Dichloroethene	533.6	20	200.0	310.3	112	69	139				
1,2,4-Trichlorobenzene	184.7	10	200.0		92.4	61	135				
1,2-Dibromo-3-chloropropane	148.7	10	200.0		74.4	62.5	127				
1,2-Dibromoethane	196.4	10	200.0		98.2	76	129				
1,2-Dichlorobenzene	198.3	10	200.0		99.2	76	125				
1,2-Dichloroethane	225.7	10	200.0		113	70.5	133				
1,2-Dichloroethene, Total	434.3	30	400.0		109	69.5	138				

Qualifiers:

>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378372

Sample ID: 2406L66-007AMS	Client ID: 24170-0W28D	Units: ug/L	Prep Date: 06/23/2024	Run No: 548217
SampleType: MS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378372	Analysis Date: 06/23/2024	Seq No: 13102569

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,2-Dichloropropane	209.1	10	200.0		105	69.4	132				
1,3-Dichlorobenzene	202.7	10	200.0		101	76	126				
1,4-Dichlorobenzene	197.5	10	200.0		98.8	75.9	124				
Benzene	224.4	10	200.0		112	71.3	133				
Bromodichloromethane	201.6	10	200.0		101	67.6	133				
Bromoform	181.6	10	200.0		90.8	58.5	130				
Carbon tetrachloride	230.9	20	200.0		115	70.4	139				
Chlorobenzene	210.5	10	200.0		105	77.6	128				
Chloroform	399.9	10	200.0	182.5	109	69.7	132				
cis-1,2-Dichloroethene	209.6	10	200.0		105	72	133				
cis-1,3-Dichloropropene	190.9	10	200.0		95.4	69.5	128				
Dibromochloromethane	192.7	10	200.0		96.4	68.5	130				
Ethylbenzene	212.4	10	200.0		106	74.6	131				
Isopropylbenzene	202.3	10	200.0		101	72.5	135				
m,p-Xylene	425.1	10	400.0		106	72.7	133				
Methylene chloride	203.1	50	200.0		102	66	132				
o-Xylene	211.2	10	200.0		106	72.6	132				
Styrene	212.3	10	200.0		106	73.4	133				
Tetrachloroethene	257.5	10	200.0	54.40	102	74	135				
Toluene	217.1	10	200.0		109	72	134				
trans-1,2-Dichloroethene	224.7	20	200.0		112	70.8	132				
trans-1,3-Dichloropropene	187.4	20	200.0		93.7	60	125				
Trichloroethene	639.4	10	200.0	396.8	121	76.8	136				
Vinyl chloride	220.4	10	200.0		110	65.6	138				
Xylenes, Total	636.3	10	600.0		106	73.8	131				
Surr: 4-Bromofluorobenzene	508.1	0	500.0		102	70	126				
Surr: Dibromofluoromethane	498.7	0	500.0		99.7	77	121				

Qualifiers:	> Greater than Result value	< Less than Result value	B Analyte detected in the associated method blank
	BRL Below reporting limit	E Estimated (value above quantitation range)	H Holding times for preparation or analysis exceeded
	J Estimated value detected below Reporting Limit	N Analyte not NELAC certified	R RPD outside limits due to matrix
	Rpt Lim Reporting Limit	S Spike Recovery outside limits due to matrix	

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378372

Sample ID: 2406L66-007AMS	Client ID: 24170-0W28D	Units: ug/L	Prep Date: 06/23/2024	Run No: 548217							
SampleType: MS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378372	Analysis Date: 06/23/2024	Seq No: 13102569							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Surr: Toluene-d8	504.5	0	500.0		101	78.6	119				
------------------	-------	---	-------	--	-----	------	-----	--	--	--	--

Sample ID: 2406L66-007AMSD	Client ID: 24170-0W28D	Units: ug/L	Prep Date: 06/23/2024	Run No: 548217							
SampleType: MSD	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378372	Analysis Date: 06/23/2024	Seq No: 13102570							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1,1-Trichloroethane	222.0	10	200.0		111	69.2	135	223.1	0.494	20	
1,1,2,2-Tetrachloroethane	187.6	10	200.0		93.8	67.9	132	185.1	1.34	19.2	
1,1,2-Trichloroethane	209.4	10	200.0		105	71	133	206.5	1.39	20	
1,1-Dichloroethane	219.7	10	200.0		110	69.9	133	216.4	1.51	22.5	
1,1-Dichloroethene	519.3	20	200.0	310.3	104	69	139	533.6	2.72	56.1	
1,2,4-Trichlorobenzene	183.0	10	200.0		91.5	61	135	184.7	0.925	26.4	
1,2-Dibromo-3-chloropropane	172.5	10	200.0		86.2	62.5	127	148.7	14.8	19.9	
1,2-Dibromoethane	207.8	10	200.0		104	76	129	196.4	5.64	20	
1,2-Dichlorobenzene	197.2	10	200.0		98.6	76	125	198.3	0.556	20	
1,2-Dichloroethane	228.9	10	200.0		114	70.5	133	225.7	1.41	41.4	
1,2-Dichloroethene, Total	426.2	30	400.0		107	69.5	138	434.3	1.88	20	
1,2-Dichloropropane	202.7	10	200.0		101	69.4	132	209.1	3.11	20	
1,3-Dichlorobenzene	196.1	10	200.0		98.0	76	126	202.7	3.31	20	
1,4-Dichlorobenzene	195.9	10	200.0		98.0	75.9	124	197.5	0.813	20	
Benzene	219.7	10	200.0		110	71.3	133	224.4	2.12	42.4	
Bromodichloromethane	204.0	10	200.0		102	67.6	133	201.6	1.18	20	
Bromoform	180.2	10	200.0		90.1	58.5	130	181.6	0.774	20	
Carbon tetrachloride	235.4	20	200.0		118	70.4	139	230.9	1.93	21.6	
Chlorobenzene	211.2	10	200.0		106	77.6	128	210.5	0.332	49.9	
Chloroform	394.2	10	200.0	182.5	106	69.7	132	399.9	1.44	20	
cis-1,2-Dichloroethene	200.9	10	200.0		100	72	133	209.6	4.24	14.5	
cis-1,3-Dichloropropene	195.5	10	200.0		97.8	69.5	128	190.9	2.38	14	

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378372

Sample ID: 2406L66-007AMSD	Client ID: 24170-0W28D	Units: ug/L	Prep Date: 06/23/2024	Run No: 548217
SampleType: MSD	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378372	Analysis Date: 06/23/2024	Seq No: 13102570

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Dibromochloromethane	201.7	10	200.0		101	68.5	130	192.7	4.56	20	
Ethylbenzene	211.3	10	200.0		106	74.6	131	212.4	0.519	27.7	
Isopropylbenzene	197.0	10	200.0		98.5	72.5	135	202.3	2.65	20	
m,p-Xylene	425.1	10	400.0		106	72.7	133	425.1	0	28	
Methylene chloride	197.3	50	200.0		98.6	66	132	203.1	2.90	20	
o-Xylene	215.7	10	200.0		108	72.6	132	211.2	2.11	27.9	
Styrene	212.0	10	200.0		106	73.4	133	212.3	0.141	20	
Tetrachloroethene	260.0	10	200.0	54.40	103	74	135	257.5	0.966	20	
Toluene	216.2	10	200.0		108	72	134	217.1	0.415	42.5	
trans-1,2-Dichloroethene	225.3	20	200.0		113	70.8	132	224.7	0.267	20	
trans-1,3-Dichloropropene	192.2	20	200.0		96.1	60	125	187.4	2.53	20	
Trichloroethene	619.6	10	200.0	396.8	111	76.8	136	639.4	3.15	51.1	
Vinyl chloride	217.2	10	200.0		109	65.6	138	220.4	1.46	22.9	
Xylenes, Total	640.8	10	600.0		107	73.8	131	636.3	0.705	28.2	
Surr: 4-Bromofluorobenzene	504.8	0	500.0		101	70	126	508.1	0	0	
Surr: Dibromofluoromethane	497.6	0	500.0		99.5	77	121	498.7	0	0	
Surr: Toluene-d8	494.8	0	500.0		99.0	78.6	119	504.5	0	0	

Qualifiers:	> Greater than Result value	< Less than Result value	B Analyte detected in the associated method blank
	BRL Below reporting limit	E Estimated (value above quantitation range)	H Holding times for preparation or analysis exceeded
	J Estimated value detected below Reporting Limit	N Analyte not NELAC certified	R RPD outside limits due to matrix
	Rpt Lim Reporting Limit	S Spike Recovery outside limits due to matrix	

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378451

Sample ID: MB-378451	Client ID:	Units: ug/L	Prep Date: 06/25/2024	Run No: 548332							
SampleType: MBLK	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378451	Analysis Date: 06/25/2024	Seq No: 13105942							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1,1-Trichloroethane	BRL	1.0									
1,1,2,2-Tetrachloroethane	BRL	1.0									
1,1,2-Trichloroethane	BRL	1.0									
1,1-Dichloroethane	BRL	1.0									
1,1-Dichloroethene	BRL	2.0									
1,2,4-Trichlorobenzene	BRL	1.0									
1,2-Dibromo-3-chloropropane	BRL	1.0									
1,2-Dibromoethane	BRL	1.0									
1,2-Dichlorobenzene	BRL	1.0									
1,2-Dichloroethane	BRL	1.0									
1,2-Dichloroethene, Total	BRL	3.0									
1,2-Dichloropropane	BRL	1.0									
1,3-Dichlorobenzene	BRL	1.0									
1,4-Dichlorobenzene	BRL	1.0									
2-Butanone	BRL	10									
2-Hexanone	BRL	10									
4-Methyl-2-pentanone	BRL	10									
Acetone	BRL	20									
Benzene	BRL	1.0									
Bromodichloromethane	BRL	1.0									
Bromoform	BRL	1.0									
Bromomethane	BRL	1.0									
Carbon disulfide	BRL	5.0									
Carbon tetrachloride	BRL	2.0									
Chlorobenzene	BRL	1.0									
Chloroethane	BRL	1.0									
Chloroform	BRL	1.0									

Qualifiers:	> Greater than Result value	< Less than Result value	B Analyte detected in the associated method blank
	BRL Below reporting limit	E Estimated (value above quantitation range)	H Holding times for preparation or analysis exceeded
	J Estimated value detected below Reporting Limit	N Analyte not NELAC certified	R RPD outside limits due to matrix
	Rpt Lim Reporting Limit	S Spike Recovery outside limits due to matrix	

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378451

Sample ID: MB-378451	Client ID:	Units: ug/L	Prep Date: 06/25/2024	Run No: 548332
SampleType: MBLK	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378451	Analysis Date: 06/25/2024	Seq No: 13105942

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Chloromethane	BRL	1.0									
cis-1,2-Dichloroethene	BRL	1.0									
cis-1,3-Dichloropropene	BRL	1.0									
Cyclohexane	BRL	2.0									
Dibromochloromethane	BRL	1.0									
Dichlorodifluoromethane	BRL	1.0									
Ethylbenzene	BRL	1.0									
Freon-113	BRL	5.0									
Isopropylbenzene	BRL	1.0									
m,p-Xylene	BRL	1.0									
Methyl acetate	BRL	2.0									
Methyl tert-butyl ether	BRL	1.0									
Methylcyclohexane	BRL	2.0									
Methylene chloride	BRL	5.0									
o-Xylene	BRL	1.0									
Styrene	BRL	1.0									
Tetrachloroethene	BRL	1.0									
Toluene	BRL	1.0									
trans-1,2-Dichloroethene	BRL	2.0									
trans-1,3-Dichloropropene	BRL	2.0									
Trichloroethene	BRL	1.0									
Trichlorofluoromethane	BRL	1.0									
Vinyl chloride	BRL	1.0									
Xylenes, Total	BRL	1.0									
Surr: 4-Bromofluorobenzene	49.15	0	50.00		98.3	70	130				
Surr: Dibromofluoromethane	50.03	0	50.00		100	70	130				
Surr: Toluene-d8	48.70	0	50.00		97.4	70	130				

Qualifiers:	> Greater than Result value	< Less than Result value	B Analyte detected in the associated method blank
	BRL Below reporting limit	E Estimated (value above quantitation range)	H Holding times for preparation or analysis exceeded
	J Estimated value detected below Reporting Limit	N Analyte not NELAC certified	R RPD outside limits due to matrix
	Rpt Lim Reporting Limit	S Spike Recovery outside limits due to matrix	

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378451

Sample ID: LCS-378451	Client ID:	Units: ug/L	Prep Date: 06/25/2024	Run No: 548332							
SampleType: LCS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378451	Analysis Date: 06/25/2024	Seq No: 13105943							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1,1-Trichloroethane	20.00	1.0	20.00		100	70	130				
1,1,2,2-Tetrachloroethane	18.80	1.0	20.00		94.0	70	130				
1,1,2-Trichloroethane	19.53	1.0	20.00		97.6	70	130				
1,1-Dichloroethane	19.59	1.0	20.00		98.0	70	130				
1,1-Dichloroethene	19.91	2.0	20.00		99.6	60	140				
1,2,4-Trichlorobenzene	19.22	1.0	20.00		96.1	70	130				
1,2-Dibromo-3-chloropropane	15.98	1.0	20.00		79.9	70	130				
1,2-Dibromoethane	19.67	1.0	20.00		98.4	70	130				
1,2-Dichlorobenzene	19.49	1.0	20.00		97.4	70	130				
1,2-Dichloroethane	20.50	1.0	20.00		102	70	130				
1,2-Dichloroethene, Total	40.39	3.0	40.00		101	70	130				
1,2-Dichloropropane	19.28	1.0	20.00		96.4	70	130				
1,3-Dichlorobenzene	18.89	1.0	20.00		94.4	70	130				
1,4-Dichlorobenzene	19.04	1.0	20.00		95.2	70	130				
Benzene	21.22	1.0	20.00		106	70	130				
Bromodichloromethane	19.53	1.0	20.00		97.6	70	130				
Bromoform	18.41	1.0	20.00		92.0	70	130				
Carbon tetrachloride	21.15	2.0	20.00		106	70	130				
Chlorobenzene	19.73	1.0	20.00		98.6	70	130				
Chloroform	20.16	1.0	20.00		101	70	130				
cis-1,2-Dichloroethene	19.53	1.0	20.00		97.6	70	130				
cis-1,3-Dichloropropene	19.67	1.0	20.00		98.4	70	130				
Dibromochloromethane	18.65	1.0	20.00		93.2	70	130				
Ethylbenzene	20.32	1.0	20.00		102	70	130				
Isopropylbenzene	19.76	1.0	20.00		98.8	70	130				
m,p-Xylene	40.75	1.0	40.00		102	70	130				
Methylene chloride	18.10	5.0	20.00		90.5	70	130				

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378451

Sample ID: LCS-378451	Client ID:	Units: ug/L	Prep Date: 06/25/2024	Run No: 548332							
SampleType: LCS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378451	Analysis Date: 06/25/2024	Seq No: 13105943							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

o-Xylene	20.95	1.0	20.00		105	70	130				
Styrene	19.80	1.0	20.00		99.0	70	130				
Tetrachloroethene	20.58	1.0	20.00		103	70	130				
Toluene	20.80	1.0	20.00		104	70	130				
trans-1,2-Dichloroethene	20.86	2.0	20.00		104	70	130				
trans-1,3-Dichloropropene	17.92	2.0	20.00		89.6	70	130				
Trichloroethene	20.59	1.0	20.00		103	70	130				
Vinyl chloride	19.50	1.0	20.00		97.5	70	130				
Xylenes, Total	61.70	1.0	60.00		103	70	130				
Surr: 4-Bromofluorobenzene	50.05	0	50.00		100	70	130				
Surr: Dibromofluoromethane	47.75	0	50.00		95.5	70	130				
Surr: Toluene-d8	49.96	0	50.00		99.9	70	130				

Sample ID: 2406L66-036AMS	Client ID: 24170-DUP-GW	Units: ug/L	Prep Date: 06/25/2024	Run No: 548332							
SampleType: MS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378451	Analysis Date: 06/25/2024	Seq No: 13105993							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1,1-Trichloroethane	163.8	10	200.0		81.9	69.2	135				
1,1,2,2-Tetrachloroethane	168.5	10	200.0		84.2	67.9	132				
1,1,2-Trichloroethane	183.3	10	200.0		91.6	71	133				
1,1-Dichloroethane	151.8	10	200.0		75.9	69.9	133				
1,1-Dichloroethene	145.6	20	200.0	11.00	67.3	69	139				S
1,2,4-Trichlorobenzene	158.9	10	200.0		79.4	61	135				
1,2-Dibromo-3-chloropropane	159.1	10	200.0		79.6	62.5	127				
1,2-Dibromoethane	176.7	10	200.0		88.4	76	129				
1,2-Dichlorobenzene	173.2	10	200.0		86.6	76	125				
1,2-Dichloroethane	181.0	10	200.0		90.5	70.5	133				
1,2-Dichloroethene, Total	315.0	30	400.0		78.8	69.5	138				

Qualifiers: > Greater than Result value < Less than Result value B Analyte detected in the associated method blank
 BRL Below reporting limit E Estimated (value above quantitation range) H Holding times for preparation or analysis exceeded
 J Estimated value detected below Reporting Limit N Analyte not NELAC certified R RPD outside limits due to matrix
 Rpt Lim Reporting Limit S Spike Recovery outside limits due to matrix

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378451

Sample ID: 2406L66-036AMS	Client ID: 24170-DUP-GW	Units: ug/L	Prep Date: 06/25/2024	Run No: 548332
SampleType: MS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378451	Analysis Date: 06/25/2024	Seq No: 13105993

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,2-Dichloropropane	159.1	10	200.0		79.6	69.4	132				
1,3-Dichlorobenzene	164.5	10	200.0		82.2	76	126				
1,4-Dichlorobenzene	164.2	10	200.0		82.1	75.9	124				
Benzene	164.5	10	200.0		82.2	71.3	133				
Bromodichloromethane	159.8	10	200.0		79.9	67.6	133				
Bromoform	161.4	10	200.0		80.7	58.5	130				
Carbon tetrachloride	157.6	20	200.0		78.8	70.4	139				
Chlorobenzene	166.3	10	200.0		83.2	77.6	128				
Chloroform	167.8	10	200.0		83.9	69.7	132				
cis-1,2-Dichloroethene	156.9	10	200.0		78.4	72	133				
cis-1,3-Dichloropropene	158.4	10	200.0		79.2	69.5	128				
Dibromochloromethane	171.6	10	200.0		85.8	68.5	130				
Ethylbenzene	156.9	10	200.0		78.4	74.6	131				
Isopropylbenzene	157.6	10	200.0		78.8	72.5	135				
m,p-Xylene	326.0	10	400.0		81.5	72.7	133				
Methylene chloride	151.6	50	200.0		75.8	66	132				
o-Xylene	162.1	10	200.0		81.0	72.6	132				
Styrene	168.8	10	200.0		84.4	73.4	133				
Tetrachloroethene	229.6	10	200.0	72.10	78.8	74	135				
Toluene	157.6	10	200.0		78.8	72	134				
trans-1,2-Dichloroethene	158.1	20	200.0		79.0	70.8	132				
trans-1,3-Dichloropropene	161.8	20	200.0		80.9	60	125				
Trichloroethene	359.7	10	200.0	204.6	77.6	76.8	136				
Vinyl chloride	180.4	10	200.0		90.2	65.6	138				
Xylenes, Total	488.1	10	600.0		81.4	73.8	131				
Surr: 4-Bromofluorobenzene	517.3	0	500.0		103	70	126				
Surr: Dibromofluoromethane	481.5	0	500.0		96.3	77	121				

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378451

Sample ID: 2406L66-036AMS	Client ID: 24170-DUP-GW	Units: ug/L	Prep Date: 06/25/2024	Run No: 548332							
SampleType: MS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378451	Analysis Date: 06/25/2024	Seq No: 13105993							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Surr: Toluene-d8	491.0	0	500.0		98.2	78.6	119				
------------------	-------	---	-------	--	------	------	-----	--	--	--	--

Sample ID: 2406L66-036AMSD	Client ID: 24170-DUP-GW	Units: ug/L	Prep Date: 06/25/2024	Run No: 548332							
SampleType: MSD	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378451	Analysis Date: 06/25/2024	Seq No: 13105996							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1,1-Trichloroethane	148.9	10	200.0		74.4	69.2	135	163.8	9.53	20	
1,1,2,2-Tetrachloroethane	172.5	10	200.0		86.2	67.9	132	168.5	2.35	19.2	
1,1,2-Trichloroethane	173.9	10	200.0		87.0	71	133	183.3	5.26	20	
1,1-Dichloroethane	148.6	10	200.0		74.3	69.9	133	151.8	2.13	22.5	
1,1-Dichloroethene	135.2	20	200.0	11.00	62.1	69	139	145.6	7.41	56.1	S
1,2,4-Trichlorobenzene	162.9	10	200.0		81.4	61	135	158.9	2.49	26.4	
1,2-Dibromo-3-chloropropane	175.7	10	200.0		87.8	62.5	127	159.1	9.92	19.9	
1,2-Dibromoethane	178.0	10	200.0		89.0	76	129	176.7	0.733	20	
1,2-Dichlorobenzene	158.1	10	200.0		79.0	76	125	173.2	9.12	20	
1,2-Dichloroethane	184.7	10	200.0		92.4	70.5	133	181.0	2.02	41.4	
1,2-Dichloroethene, Total	296.4	30	400.0		74.1	69.5	138	315.0	6.08	20	
1,2-Dichloropropane	166.4	10	200.0		83.2	69.4	132	159.1	4.49	20	
1,3-Dichlorobenzene	151.0	10	200.0		75.5	76	126	164.5	8.56	20	S
1,4-Dichlorobenzene	158.3	10	200.0		79.2	75.9	124	164.2	3.66	20	
Benzene	156.7	10	200.0		78.4	71.3	133	164.5	4.86	42.4	
Bromodichloromethane	160.3	10	200.0		80.2	67.6	133	159.8	0.312	20	
Bromoform	165.2	10	200.0		82.6	58.5	130	161.4	2.33	20	
Carbon tetrachloride	155.1	20	200.0		77.6	70.4	139	157.6	1.60	21.6	
Chlorobenzene	160.4	10	200.0		80.2	77.6	128	166.3	3.61	49.9	
Chloroform	160.9	10	200.0		80.4	69.7	132	167.8	4.20	20	
cis-1,2-Dichloroethene	150.9	10	200.0		75.4	72	133	156.9	3.90	14.5	
cis-1,3-Dichloropropene	156.5	10	200.0		78.2	69.5	128	158.4	1.21	14	

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378451

Sample ID: 2406L66-036AMSD	Client ID: 24170-DUP-GW	Units: ug/L	Prep Date: 06/25/2024	Run No: 548332
SampleType: MSD	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378451	Analysis Date: 06/25/2024	Seq No: 13105996

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Dibromochloromethane	161.3	10	200.0		80.6	68.5	130	171.6	6.19	20	
Ethylbenzene	150.9	10	200.0		75.4	74.6	131	156.9	3.90	27.7	
Isopropylbenzene	146.4	10	200.0		73.2	72.5	135	157.6	7.37	20	
m,p-Xylene	302.6	10	400.0		75.6	72.7	133	326.0	7.45	28	
Methylene chloride	146.1	50	200.0		73.0	66	132	151.6	3.69	20	
o-Xylene	159.8	10	200.0		79.9	72.6	132	162.1	1.43	27.9	
Styrene	155.9	10	200.0		78.0	73.4	133	168.8	7.95	20	
Tetrachloroethene	207.3	10	200.0	72.10	67.6	74	135	229.6	10.2	20	S
Toluene	163.5	10	200.0		81.8	72	134	157.6	3.67	42.5	
trans-1,2-Dichloroethene	145.5	20	200.0		72.8	70.8	132	158.1	8.30	20	
trans-1,3-Dichloropropene	165.6	20	200.0		82.8	60	125	161.8	2.32	20	
Trichloroethene	359.0	10	200.0	204.6	77.2	76.8	136	359.7	0.195	51.1	
Vinyl chloride	161.9	10	200.0		81.0	65.6	138	180.4	10.8	22.9	
Xylenes, Total	462.4	10	600.0		77.1	73.8	131	488.1	5.41	28.2	
Surr: 4-Bromofluorobenzene	509.0	0	500.0		102	70	126	517.3	0	0	
Surr: Dibromofluoromethane	506.0	0	500.0		101	77	121	481.5	0	0	
Surr: Toluene-d8	501.5	0	500.0		100	78.6	119	491.0	0	0	

Qualifiers:	> Greater than Result value	< Less than Result value	B Analyte detected in the associated method blank
	BRL Below reporting limit	E Estimated (value above quantitation range)	H Holding times for preparation or analysis exceeded
	J Estimated value detected below Reporting Limit	N Analyte not NELAC certified	R RPD outside limits due to matrix
	Rpt Lim Reporting Limit	S Spike Recovery outside limits due to matrix	

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378493

Sample ID: MB-378493	Client ID:	Units: ug/L	Prep Date: 06/26/2024	Run No: 548411							
SampleType: MBLK	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378493	Analysis Date: 06/26/2024	Seq No: 13108008							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1,1-Trichloroethane	BRL	1.0									
1,1,2,2-Tetrachloroethane	BRL	1.0									
1,1,2-Trichloroethane	BRL	1.0									
1,1-Dichloroethane	BRL	1.0									
1,1-Dichloroethene	BRL	2.0									
1,2,4-Trichlorobenzene	BRL	1.0									
1,2-Dibromo-3-chloropropane	BRL	1.0									
1,2-Dibromoethane	BRL	1.0									
1,2-Dichlorobenzene	BRL	1.0									
1,2-Dichloroethane	BRL	1.0									
1,2-Dichloroethene, Total	BRL	3.0									
1,2-Dichloropropane	BRL	1.0									
1,3-Dichlorobenzene	BRL	1.0									
1,4-Dichlorobenzene	BRL	1.0									
2-Butanone	BRL	10									
2-Hexanone	BRL	10									
4-Methyl-2-pentanone	BRL	10									
Acetone	BRL	20									
Benzene	BRL	1.0									
Bromodichloromethane	BRL	1.0									
Bromoform	BRL	1.0									
Bromomethane	BRL	1.0									
Carbon disulfide	BRL	5.0									
Carbon tetrachloride	BRL	2.0									
Chlorobenzene	BRL	1.0									
Chloroethane	BRL	1.0									
Chloroform	BRL	1.0									

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378493

Sample ID: MB-378493	Client ID:	Units: ug/L	Prep Date: 06/26/2024	Run No: 548411
SampleType: MBLK	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378493	Analysis Date: 06/26/2024	Seq No: 13108008

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Chloromethane	BRL	1.0									
cis-1,2-Dichloroethene	BRL	1.0									
cis-1,3-Dichloropropene	BRL	1.0									
Cyclohexane	BRL	2.0									
Dibromochloromethane	BRL	1.0									
Dichlorodifluoromethane	BRL	1.0									
Ethylbenzene	BRL	1.0									
Freon-113	BRL	5.0									
Isopropylbenzene	BRL	1.0									
m,p-Xylene	BRL	1.0									
Methyl acetate	BRL	2.0									
Methyl tert-butyl ether	BRL	1.0									
Methylcyclohexane	BRL	2.0									
Methylene chloride	BRL	5.0									
o-Xylene	BRL	1.0									
Styrene	BRL	1.0									
Tetrachloroethene	BRL	1.0									
Toluene	BRL	1.0									
trans-1,2-Dichloroethene	BRL	2.0									
trans-1,3-Dichloropropene	BRL	2.0									
Trichloroethene	BRL	1.0									
Trichlorofluoromethane	BRL	1.0									
Vinyl chloride	BRL	1.0									
Xylenes, Total	BRL	1.0									
Surr: 4-Bromofluorobenzene	48.71	0	50.00		97.4	70	130				
Surr: Dibromofluoromethane	48.58	0	50.00		97.2	70	130				
Surr: Toluene-d8	49.27	0	50.00		98.5	70	130				

Qualifiers:	> Greater than Result value	< Less than Result value	B Analyte detected in the associated method blank
	BRL Below reporting limit	E Estimated (value above quantitation range)	H Holding times for preparation or analysis exceeded
	J Estimated value detected below Reporting Limit	N Analyte not NELAC certified	R RPD outside limits due to matrix
	Rpt Lim Reporting Limit	S Spike Recovery outside limits due to matrix	

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378493

Sample ID: LCS-378493	Client ID:	Units: ug/L	Prep Date: 06/26/2024	Run No: 548411							
SampleType: LCS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378493	Analysis Date: 06/26/2024	Seq No: 13108011							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	19.03	1.0	20.00		95.2	70	130				
1,1,2,2-Tetrachloroethane	19.73	1.0	20.00		98.6	70	130				
1,1,2-Trichloroethane	20.25	1.0	20.00		101	70	130				
1,1-Dichloroethane	20.76	1.0	20.00		104	70	130				
1,1-Dichloroethene	21.53	2.0	20.00		108	60	140				
1,2,4-Trichlorobenzene	18.97	1.0	20.00		94.8	70	130				
1,2-Dibromo-3-chloropropane	15.70	1.0	20.00		78.5	70	130				
1,2-Dibromoethane	19.27	1.0	20.00		96.4	70	130				
1,2-Dichlorobenzene	19.67	1.0	20.00		98.4	70	130				
1,2-Dichloroethane	19.45	1.0	20.00		97.2	70	130				
1,2-Dichloroethene, Total	41.66	3.0	40.00		104	70	130				
1,2-Dichloropropane	20.26	1.0	20.00		101	70	130				
1,3-Dichlorobenzene	19.45	1.0	20.00		97.2	70	130				
1,4-Dichlorobenzene	18.70	1.0	20.00		93.5	70	130				
Benzene	21.58	1.0	20.00		108	70	130				
Bromodichloromethane	18.80	1.0	20.00		94.0	70	130				
Bromoform	17.21	1.0	20.00		86.0	70	130				
Carbon tetrachloride	19.69	2.0	20.00		98.4	70	130				
Chlorobenzene	19.90	1.0	20.00		99.5	70	130				
Chloroform	20.40	1.0	20.00		102	70	130				
cis-1,2-Dichloroethene	20.60	1.0	20.00		103	70	130				
cis-1,3-Dichloropropene	18.88	1.0	20.00		94.4	70	130				
Dibromochloromethane	18.73	1.0	20.00		93.6	70	130				
Ethylbenzene	20.13	1.0	20.00		101	70	130				
Isopropylbenzene	19.75	1.0	20.00		98.8	70	130				
m,p-Xylene	40.04	1.0	40.00		100	70	130				
Methylene chloride	19.60	5.0	20.00		98.0	70	130				

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378493

Sample ID: LCS-378493	Client ID:	Units: ug/L	Prep Date: 06/26/2024	Run No: 548411							
SampleType: LCS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378493	Analysis Date: 06/26/2024	Seq No: 13108011							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

o-Xylene	20.67	1.0	20.00		103	70	130				
Styrene	20.97	1.0	20.00		105	70	130				
Tetrachloroethene	19.46	1.0	20.00		97.3	70	130				
Toluene	20.83	1.0	20.00		104	70	130				
trans-1,2-Dichloroethene	21.06	2.0	20.00		105	70	130				
trans-1,3-Dichloropropene	18.68	2.0	20.00		93.4	70	130				
Trichloroethene	20.52	1.0	20.00		103	70	130				
Vinyl chloride	19.80	1.0	20.00		99.0	70	130				
Xylenes, Total	60.71	1.0	60.00		101	70	130				
Surr: 4-Bromofluorobenzene	49.69	0	50.00		99.4	70	130				
Surr: Dibromofluoromethane	48.54	0	50.00		97.1	70	130				
Surr: Toluene-d8	49.88	0	50.00		99.8	70	130				

Sample ID: 2406L66-001AMS	Client ID: 24170-0W05S	Units: ug/L	Prep Date: 06/26/2024	Run No: 548411							
SampleType: MS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378493	Analysis Date: 06/26/2024	Seq No: 13108073							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1,1-Trichloroethane	203.6	10	200.0		102	69.2	135				
1,1,2,2-Tetrachloroethane	183.8	10	200.0		91.9	67.9	132				
1,1,2-Trichloroethane	201.4	10	200.0		101	71	133				
1,1-Dichloroethane	200.2	10	200.0		100	69.9	133				
1,1-Dichloroethene	215.7	20	200.0	10.00	103	69	139				
1,2,4-Trichlorobenzene	184.0	10	200.0		92.0	61	135				
1,2-Dibromo-3-chloropropane	151.8	10	200.0		75.9	62.5	127				
1,2-Dibromoethane	198.7	10	200.0		99.4	76	129				
1,2-Dichlorobenzene	193.6	10	200.0		96.8	76	125				
1,2-Dichloroethane	191.9	10	200.0		96.0	70.5	133				
1,2-Dichloroethene, Total	414.5	30	400.0		104	69.5	138				

Qualifiers:

>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378493

Sample ID: 2406L66-001AMS	Client ID: 24170-0W05S	Units: ug/L	Prep Date: 06/26/2024	Run No: 548411
SampleType: MS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378493	Analysis Date: 06/26/2024	Seq No: 13108073

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,2-Dichloropropane	202.5	10	200.0		101	69.4	132				
1,3-Dichlorobenzene	191.3	10	200.0		95.6	76	126				
1,4-Dichlorobenzene	187.8	10	200.0		93.9	75.9	124				
Benzene	209.8	10	200.0		105	71.3	133				
Bromodichloromethane	187.8	10	200.0		93.9	67.6	133				
Bromoform	162.7	10	200.0		81.4	58.5	130				
Carbon tetrachloride	200.9	20	200.0		100	70.4	139				
Chlorobenzene	199.2	10	200.0		99.6	77.6	128				
Chloroform	198.0	10	200.0		99.0	69.7	132				
cis-1,2-Dichloroethene	207.8	10	200.0		104	72	133				
cis-1,3-Dichloropropene	184.7	10	200.0		92.4	69.5	128				
Dibromochloromethane	180.7	10	200.0		90.4	68.5	130				
Ethylbenzene	205.0	10	200.0		102	74.6	131				
Isopropylbenzene	194.1	10	200.0		97.0	72.5	135				
m,p-Xylene	405.8	10	400.0		101	72.7	133				
Methylene chloride	184.6	50	200.0		92.3	66	132				
o-Xylene	204.9	10	200.0		102	72.6	132				
Styrene	200.6	10	200.0		100	73.4	133				
Tetrachloroethene	269.6	10	200.0	68.20	101	74	135				
Toluene	206.2	10	200.0		103	72	134				
trans-1,2-Dichloroethene	206.7	20	200.0		103	70.8	132				
trans-1,3-Dichloropropene	178.6	20	200.0		89.3	60	125				
Trichloroethene	413.7	10	200.0	206.3	104	76.8	136				
Vinyl chloride	205.5	10	200.0		103	65.6	138				
Xylenes, Total	610.7	10	600.0		102	73.8	131				
Surr: 4-Bromofluorobenzene	506.8	0	500.0		101	70	126				
Surr: Dibromofluoromethane	481.1	0	500.0		96.2	77	121				

Qualifiers:	> Greater than Result value	< Less than Result value	B Analyte detected in the associated method blank
	BRL Below reporting limit	E Estimated (value above quantitation range)	H Holding times for preparation or analysis exceeded
	J Estimated value detected below Reporting Limit	N Analyte not NELAC certified	R RPD outside limits due to matrix
	Rpt Lim Reporting Limit	S Spike Recovery outside limits due to matrix	

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378493

Sample ID: 2406L66-001AMS	Client ID: 24170-0W05S	Units: ug/L	Prep Date: 06/26/2024	Run No: 548411							
SampleType: MS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378493	Analysis Date: 06/26/2024	Seq No: 13108073							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Surr: Toluene-d8	492.4	0	500.0		98.5	78.6	119				
------------------	-------	---	-------	--	------	------	-----	--	--	--	--

Sample ID: 2406L66-001AMSD	Client ID: 24170-0W05S	Units: ug/L	Prep Date: 06/26/2024	Run No: 548411							
SampleType: MSD	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378493	Analysis Date: 06/26/2024	Seq No: 13108078							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1,1-Trichloroethane	193.7	10	200.0		96.8	69.2	135	203.6	4.98	20	
1,1,2,2-Tetrachloroethane	171.2	10	200.0		85.6	67.9	132	183.8	7.10	19.2	
1,1,2-Trichloroethane	187.3	10	200.0		93.6	71	133	201.4	7.25	20	
1,1-Dichloroethane	190.9	10	200.0		95.4	69.9	133	200.2	4.76	22.5	
1,1-Dichloroethene	197.1	20	200.0	10.00	93.6	69	139	215.7	9.01	56.1	
1,2,4-Trichlorobenzene	177.0	10	200.0		88.5	61	135	184.0	3.88	26.4	
1,2-Dibromo-3-chloropropane	153.6	10	200.0		76.8	62.5	127	151.8	1.18	19.9	
1,2-Dibromoethane	180.6	10	200.0		90.3	76	129	198.7	9.54	20	
1,2-Dichlorobenzene	184.0	10	200.0		92.0	76	125	193.6	5.08	20	
1,2-Dichloroethane	182.2	10	200.0		91.1	70.5	133	191.9	5.19	41.4	
1,2-Dichloroethene, Total	387.5	30	400.0		96.9	69.5	138	414.5	6.73	20	
1,2-Dichloropropane	196.0	10	200.0		98.0	69.4	132	202.5	3.26	20	
1,3-Dichlorobenzene	184.7	10	200.0		92.4	76	126	191.3	3.51	20	
1,4-Dichlorobenzene	182.4	10	200.0		91.2	75.9	124	187.8	2.92	20	
Benzene	205.6	10	200.0		103	71.3	133	209.8	2.02	42.4	
Bromodichloromethane	184.2	10	200.0		92.1	67.6	133	187.8	1.94	20	
Bromoform	159.3	10	200.0		79.6	58.5	130	162.7	2.11	20	
Carbon tetrachloride	197.0	20	200.0		98.5	70.4	139	200.9	1.96	21.6	
Chlorobenzene	191.7	10	200.0		95.8	77.6	128	199.2	3.84	49.9	
Chloroform	194.3	10	200.0		97.2	69.7	132	198.0	1.89	20	
cis-1,2-Dichloroethene	193.1	10	200.0		96.6	72	133	207.8	7.33	14.5	
cis-1,3-Dichloropropene	182.4	10	200.0		91.2	69.5	128	184.7	1.25	14	

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Montrose Environmental
Project Name: Ascend Greenwood
Workorder: 2406L66

ANALYTICAL QC SUMMARY REPORT

BatchID: 378493

Sample ID: 2406L66-001AMSD	Client ID: 24170-0W05S	Units: ug/L	Prep Date: 06/26/2024	Run No: 548411
SampleType: MSD	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 378493	Analysis Date: 06/26/2024	Seq No: 13108078


Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Dibromochloromethane	179.6	10	200.0		89.8	68.5	130	180.7	0.611	20	
Ethylbenzene	189.9	10	200.0		95.0	74.6	131	205.0	7.65	27.7	
Isopropylbenzene	188.3	10	200.0		94.2	72.5	135	194.1	3.03	20	
m,p-Xylene	376.2	10	400.0		94.0	72.7	133	405.8	7.57	28	
Methylene chloride	187.6	50	200.0		93.8	66	132	184.6	1.61	20	
o-Xylene	188.0	10	200.0		94.0	72.6	132	204.9	8.60	27.9	
Styrene	191.3	10	200.0		95.6	73.4	133	200.6	4.75	20	
Tetrachloroethene	253.3	10	200.0	68.20	92.6	74	135	269.6	6.23	20	
Toluene	200.8	10	200.0		100	72	134	206.2	2.65	42.5	
trans-1,2-Dichloroethene	194.4	20	200.0		97.2	70.8	132	206.7	6.13	20	
trans-1,3-Dichloropropene	173.5	20	200.0		86.8	60	125	178.6	2.90	20	
Trichloroethene	404.2	10	200.0	206.3	99.0	76.8	136	413.7	2.32	51.1	
Vinyl chloride	192.7	10	200.0		96.4	65.6	138	205.5	6.43	22.9	
Xylenes, Total	564.2	10	600.0		94.0	73.8	131	610.7	7.92	28.2	
Surr: 4-Bromofluorobenzene	509.0	0	500.0		102	70	126	506.8	0	0	
Surr: Dibromofluoromethane	477.8	0	500.0		95.6	77	121	481.1	0	0	
Surr: Toluene-d8	499.0	0	500.0		99.8	78.6	119	492.4	0	0	

Qualifiers:	> Greater than Result value	< Less than Result value	B Analyte detected in the associated method blank
	BRL Below reporting limit	E Estimated (value above quantitation range)	H Holding times for preparation or analysis exceeded
	J Estimated value detected below Reporting Limit	N Analyte not NELAC certified	R RPD outside limits due to matrix
	Rpt Lim Reporting Limit	S Spike Recovery outside limits due to matrix	


End of Report

Appendix C – Electronic Copy of Groundwater Data Trend Viewer
(Excel Pivot)


EW-04D - Tetrachloroethene




EW-04D - Trichloroethene





EW-32S - Tetrachloroethene





EW-32S - Trichloroethene




















OW-25S - Tetrachloroethene




OW-25S - Trichloroethene




OW-26S - Tetrachloroethene





OW-26S - Trichloroethene







OW-27D - Trichloroethene







OW-28D - Trichloroethene














OW-34S - Trichloroethene


















OW-37D - Trichloroethene








PZ-04S - Trichloroethene

































EW-02A - 1,1,1-Trichloroethane












OW-01 - 1,1-Dichloroethane







OW-01 - 1,1,1-Trichloroethane




OW-02D - 1,1-Dichloroethane







OW-02D - 1,1,1-Trichloroethane





OW-13D - 1,1-Dichloroethane




OW-13D - 1,1-Dichloroethene












OW-13S - 1,1,1-Trichloroethane





OW-16 - 1,1-Dichloroethane







OW-16 - 1,1,1-Trichloroethane









OW-17 - 1,1,1-Trichloroethane










OW-21 - 1,1,1-Trichloroethane









OW-38 - 1,1,1-Trichloroethane







OW-39 - 1,1,1-Trichloroethane

