

For the reporting period of July 1, 2026, through July 31, 2026, the Department of Environmental Services issued thirty-eight (38) Consent Orders with total assessed civil penalties in the amount of one hundred fourteen thousand twenty dollars (\$ 114,020.00). Also, sixteen (16) Administrative Orders were reported during this period.

Bureau and Program Area	Administrative Orders	Assessed Penalties	Consent Orders	Assessed Penalties
Land and Waste Management				
UST Program			5	\$15,460
Hazardous Waste			2	\$18,000
Mining			2	
Radiation Protection			1	\$10,000
Infectious Waste			2	\$12,200
Water				
Recreational Water			3	\$1,760
Drinking Water			2	\$4,000
Water Pollution			3	\$34,000
Air Quality				
Air Quality			2	\$18,600
Regional & Laboratory Services				
Onsite Wastewater	16			
TOTAL	16		22	\$114,020

BUREAU OF LAND AND WASTE MANAGEMENT

Underground Storage Tank Enforcement

1. Order Type and Number: Consent Order AF-0001680-UST
Order Date: July 9, 2026
Individual/Entity/Facility: **D. F. Shumpert, III d/b/a Shumpert Oil Company**
County: Lexington
Previous Orders: N/A
Permit/ID Number: 05986

Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB), S.C. Code Ann. §§ 44-2-10 et seq.; and the South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code Ann. Regs. 61-92, 280.20(c)1(ii) (2012 & Supp. 2025).

Summary: The Individual/Entity/Facility owns underground storage tanks in Lexington County, South Carolina. On April 23, 2026, the Department conducted an inspection of the Facility and issued a Notice of Alleged Violation. The Individual/Entity/Facility has violated the SUPERB Act, and the Regulations as follows: failed to equip a pressurized line with an automatic line leak detector to monitor for 3.0 GPH in accordance with R.61-92, Section 280.44(a).

Action: The Individual/Entity/Facility has corrected all violations prior to the issuance of the Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of three thousand, six hundred dollars (\$3,600.00).

2. Order Type and Number: Consent Order AF-0001611-UST
Order Date: July 10, 2026
Individual/Entity/Facility: **V A&D, LLC.**
County: Greenville
Previous Orders: N/A
Permit/ID Number: 10499

Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB Act), S.C. code Ann. §§ 44-2-10 et seq.; and South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code Ann., Regs, 61-92, 280.50; 280.52; & 280.50(a) (2012 & Supp 2025).

Summary: The Individual/Entity/Facility owns underground storage tanks (UST) in Greenville County, South Carolina. On October 28, 2025, the Department conducted a routine compliance inspection of the Facility and issued a Notice of Alleged Violation. V A&D, LLC. has violated the SUPERB Act and the South Carolina Underground Storage Tank Regulations, as follows: failed to report a suspected release; failed to investigate or confirm a suspected release within a reasonable time; and failed to report the discovery of released substances at the UST site or in the surrounding areas.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility paid a civil penalty in the amount of three thousand, one hundred sixty dollars (\$3,160.00).

3. Order Type and Number: Consent Order AF-0001690-UST
Order Date: July 23, 2026
Individual/Entity/Facility: **Sullivans Country Store**
County: Chesterfield
Previous Orders: N/A
Permit/ID Number: 17741

Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB), S.C. Code Ann. §§ 44-2-10 et seq.; and the South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code Ann. Regs. 61-92, 280.20(c)(1)(ii) (2012 & Supp. 2025).

Summary: The Individual/Entity/Facility owns underground storage tanks in Chesterfield County, South Carolina. On May 27, 2026, the Department conducted an inspection of the Facility and issued a Notice of Alleged Violation. The Individual/Entity/Facility has violated the SUPERB Act, and the Regulations as follows: failed to maintain overfill prevention equipment.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of three thousand, six hundred dollars (\$3,600.00).

4. Order Type and Number: Consent Order AF-0001662-UST
Order Date: July 23, 2026
Individual/Entity/Facility: **KUSH 24 LLC**
County: Aiken
Previous Orders: 24-0716-UST
Permit/ID Number: 16491

Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB), S.C. Code Ann. §§ 44-2-10 et seq.; and the South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code Ann. Regs. 61-92, 280.20(c)(1)(ii), (2012 & Supp. 2025).

Summary: The Individual/Entity/Facility owns underground storage tanks in Aiken County, South Carolina. On April 30, 2026, the Department conducted an inspection of the Facility and issued a Notice of Alleged Violation. The Individual/Entity/Facility has violated the SUPERB Act, and the Regulations as follows: failed to maintain overfill prevention equipment.

Action: The Individual/Entity/Facility has corrected all violations prior to the issuance of the order. The Individual/Entity/Facility shall pay a civil penalty in the amount of five thousand, one hundred dollars (\$5,100.00).

5. Order Type and Number: Consent Order AF-0001658-UST
Order Date: July 31, 2026
Individual/Entity/Facility: **JAI VARAHI, LLC**
County: Lee
Previous Orders: N/A
Permit/ID Number: 13241

Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB), S.C. Code Ann. §§ 44-2-10 et seq.; and the South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code Ann. Regs. 61-92, 280.20(a)&(b), 280.21(a)(3), 280.31(a), 280.70(c), (2012 & Supp. 2025).

Summary: The Individual/Entity/Facility owns underground storage tanks in Lee County, South Carolina. On December 29, 2025, the Department conducted an inspection of the Facility and issued a Notice of Alleged Violation. The Individual/Entity/Facility has violated the SUPERB Act, and the Regulations as follows: failed to protect a new UST system from corrosion; failed to permanently close the USTs that do not meet the performance standards; failed to maintain and operate a corrosion protection system; failed to properly abandon a temporarily closed UST system after twelve (12) months.

Action: The Individual/Entity/Facility is required to submit a completed Tank and Sludge Disposal form (D-2233) for the permanent closure of the 15,000-gallon diesel off-road, 15,000-gallon regular, 15,000-gallon premium, and 15,000-gallon diesel USTs at the Facility; within forty-five (45) days of the Department's approval of the Tank and Sludge Disposal Form, permanently close the USTs at the Facility; and within sixty (60) days of the permanent closure of the USTs, submit an UST Closure Assessment Report. The Department has agreed that this civil penalty shall be suspended pending compliance with the Order. Should the Individual/Entity/Facility fail to comply with the requirements of the Order, the suspended amount of forty-four thousand, three hundred and fifty dollars (\$44,350.00) shall be due and payable to the Department, upon written demand.

Mining Enforcement

6. Order Type and Number: Consent Order AF-0001682
Order Date: July 6, 2026
Individual/Entity/Facility: **Wilson Sand Company, LLC**
County: Lexington
Previous Orders: N/A
Permit/ID Number: I-000639

Violations Cited: The South Carolina Mining Act, S.C. Code Ann. §§ 48-20-10 et seq. (2008 & Supp. 2018) and the Mining Regulation, S.C. Code Ann. Regs. 89-20.

Summary: The Individual/Entity/Facility operates a Mine located in Lexington County, South Carolina. On April 22, 2026, the Department issued a Notice of Alleged Violation. The Individual/Entity/Facility has violated the South Carolina Mining Act, and the Mining Regulation as follows: failed to conduct reclamation simultaneously with mining whenever feasible but no later than within 180 days following the termination of mining on any segment of the mine and shall be completed within two (2) years after completion or termination of mining on any segment of the mine; and failed to establish on a continuing basis the vegetative cover and soil stability appropriate to the area with a minimum of seventy-five (75) percent vegetative ground cover with no substantial bare spots.

Action: The Individual/Entity/Facility is required to: notify the Department, in writing, of its intent to complete reclamation in accordance with R.89-330.F or R.89-330.G and complete the applicable reclamation requirements. The Individual/Entity/Facility shall pay a pay a suspended civil penalty in the amount of one thousand dollars (\$1,000.00) should any requirement of the Consent Order not be met.

7. Order Type and Number: Consent Order AF-0001686-MSWM
Order Date: July 9, 2026
Individual/Entity/Facility: **Swamp Fox Utilities, LLC**
County: Berkeley
Permit # GP1-002365

Violations Cited: The South Carolina Mining Act of 1990 (Act), S.C. Code Ann. §§ 48-20-10 et seq. (2008 & Supp. 2025) and the Mining Regulation, S.C. Code Ann. Regs. 89-20.

Summary: The Individual/Entity/Facility operates a Mine located in Berkeley County, South Carolina. On April 14, 2026, the Department issued a Notice of Alleged Violation. The Individual/Entity/Facility has violated the South Carolina Mining Act and the Mining Regulation as follows: failed to grade all excavated slopes no steeper than 3:1(vertical: horizontal); properly remove the solid waste material/refuse from the site; and install and maintain best management practices to control erosion and prevent sediment transportation off site.

Action: The Individual/Entity/Facility is required to grade all excavated slopes no steeper than 3H:1V; properly remove the solid waste material/refuse from the site at a permitted solid waste disposal facility and submit copies of all disposal receipts to the Department; and install and maintain best management practices to control erosion and prevent sediment transportation off site. The Individual/Entity/Facility shall pay a pay a stipulated civil penalty in the amount of one thousand dollars (\$1,000.00) should any requirement of the Order not be met.

Hazardous Waste Enforcement

8. Order Type and Number: Consent Order 26-17-HW
Order Date: July 9, 2026
Individual/Entity/Facility: **Mactac, Inc.**
County: Spartanburg
Previous Orders: 23-10-HW (\$36,500.00)
Permit/ID Number: SCR 000 783 936

Violations Cited: The South Carolina Hazardous Waste Management Act, S.C. Code Ann. §§ 44-56-10 et seq. (2018) and the South Carolina Hazardous Waste Management Regulation, 6 and 7 S.C. Code Ann. Regs. 61-79 (2012 and Supp. 2021).

Summary: The Individual/Entity/Facility is a generator of hazardous waste located in York County, South Carolina. On March 3, 2026, the Department conducted an inspection at the Facility. The Individual/Entity/Facility has violated the South Carolina Hazardous Waste Management Act, and the Hazardous Waste Management Regulations as follows: failed to mark or label containers with the words "Hazardous Waste," an indication of the hazards of the contents, and the date upon which accumulation began; failed to maintain the job title for each position at the facility related to hazardous waste management and the name of the employee filling the job, a written job description for each position listed under paragraph (a)(7)(iv)(A) of this section, and a written description of the type and amount of both introductory and continuing training that will be given to each person filling a position listed under paragraph (a)(7)(iv)(A) at the facility; failed to include in the quarterly report a description, the EPA hazardous waste number, DOT hazardous class, and quantity of each hazardous waste shipped offsite for shipments to a treatment, storage, or disposal facility and the types and quantities of such waste shipped for offsite treatment and disposal; failed to submit a copy of the contingency plan and all revisions to all local emergency responders or the Local Emergency Planning Committee; failed to submit a copy of the quick reference guide to all local emergency responders; failed to container universal waste aerosol cans in a container that is structurally sound, compatible with the contents of the aerosol cans, and lacks evidence of leakage, spillage, or damage; failed to label each universal waste can or a container in which aerosol cans are contained with the words "Universal Waste – Aerosol Can(s)," or "Waste Aerosol Can(s)," or "Used Aerosol Can(s)"; accumulated waste for greater than one year from the date the universal waste was generated; and failed to demonstrate the length of time that the universal waste had been accumulated.

Action: The Individual/Entity/Facility shall submit updated job descriptions for personnel in positions related to management of hazardous waste and updated quarterly reports listed in Findings of Fact 7.c. The Individual/Entity/Facility shall pay a civil penalty in the amount of eight thousand dollars (\$8,000.00).

9. Order Type and Number: Consent Order 26-18-HW
Order Date: July 10, 2026

Individual/Entity/Facility: **BASF Metals, LLC**

County: Oconee

Previous Orders: N/A

Permit/ID Number: SCR 000 791 392

Violations Cited: The South Carolina Hazardous Waste Management Act, S.C. Code Ann. §§ 44-56-10 et seq. (2018) and the South Carolina Hazardous Waste Management Regulation, 6 and 7 S.C. Code Ann. Regs. 61-79 (2012 and Supp. 2021).

Summary: The Individual/Entity/Facility is a generator of hazardous waste located in Oconee County, South Carolina. On April 10 and May 26, 2025, the Department conducted an inspection at the Facility. The Individual/Entity/Facility has violated the South Carolina Hazardous Waste Management Act, and the Hazardous Waste Management Regulations as follows: failed to have financial assurance as required under R.61-79.261 subpart H; failed to ensure satellite accumulation area containers are at or near the point of generation; failed to list names and emergency telephone numbers of all persons qualified to act as emergency coordinator and keep the list up to date; failed to list all emergency equipment at the facility where this equipment is required and include the location and physical descriptions of each item on the list and a brief outline of its capabilities; failed to include in the quick reference guide a street map of the facility in relation to surrounding businesses, schools, and residential areas; and failed to submit the paper manifest to the e-manifest system within thirty days.

Action: The Individual/Entity/Facility corrected all violations prior to the issuance of the Consent Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of ten thousand dollars (\$10,000.00).

Radiation Protection Enforcement

10. Order Type and Number: Consent Order AF-0001722-IW

Order Date: July 23, 2026

Individual/Entity/Facility: **McLeod Regional Medical Center**

County: Florence

Previous Orders: N/A

Permit/ID Number: SC21-0078G

Violations Cited: The South Carolina Infectious Waste Management Act, S.C. Code Ann. §§ 44-93-30 et seq. (2018) and the South Carolina Infectious Waste Management Regulations, S.C. Code Ann Regs. 61-105 (2012 & Supp. 2025).

Summary: The Individual/Entity/Facility is a generator of infectious waste located in Florence County, South Carolina. On April 14, 2026, the Department conducted an inspection at the Facility. The Individual/Entity/Facility has violated the South Carolina Infectious Waste Management Act, and the Infectious Waste Management Regulations as follows: failed to manage infectious waste in a manner which prevents exposure to the public or releases to the environment; failed to ensure containers are sealed and close tightly and securely when full by weight or volume; failed to label containers of infectious waste offered for transport offsite on outside surfaces so that it is readily visible with: the date the container was placed in storage or sent offsite, if not stored; and failed to store infectious waste in a manner to prevent a release or discharge of the contents.

Action: The Individual/Entity/Facility has corrected all violations prior to the issuance of the Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of ten thousand dollars (\$10,000.00).

Infectious Waste Enforcement

11. Order Type and Number: Consent Order AF-0001726-IW

Order Date: July 23, 2026
Individual/Entity/Facility: **Stokes Residential Care**
County: Orangeburg
Previous Orders: N/A
Permit/ID Number: SC38-0039G

Violations Cited: The South Carolina Infectious Waste Management Act, S.C. Code Ann. §§ 44-93-30 et seq. (2018) and the South Carolina Infectious Waste Management Regulations, S.C. Code Ann Regs. 61-105 (2012 & Supp. 2025).

Summary: The Individual/Entity/Facility is a generator of infectious waste located in Orangeburg County, South Carolina. On March 17, 2026, the Department conducted an inspection at the Facility. The Individual/Entity/Facility has violated the South Carolina Infectious Waste Management Act, and the Infectious Waste Management Regulations as follows: failed to segregate infectious waste from other waste; failed to manage infectious waste in a manner which prevents exposure to the public or releases to the environment; failed to treat infectious waste onsite or transport offsite for treatment; failed to assure that infectious waste is packaged to prevent any release of infectious waste; failed to assure all sharps are placed and maintained in rigid, leak resistant, and puncture resistant containers which are secured tightly to preclude loss of the contents, and which are designed for the safe containments of sharps; failed to assure that the sharps containers have sufficient strength to prevent bursting and tearing; failed to contain infectious waste in containers that are appropriate for the type and quantity of waste; failed to assure that containers of infectious waste are labeled on outside surfaces; failed to label containers of infectious waste on outside surfaces so that it is readily visible with the date the container was placed in storage or sent offsite, if not stored; failed to store infectious waste in a manner and location which affords protection from animals, vectors, weather conditions, theft, vandalism and which minimizes exposure to the public; failed to store infectious waste in a manner to prevent a release or discharge of the contents; failed to assure storage areas allow access to authorized personnel only; failed to label storage areas with the universal biohazard symbol; failed to disinfect any material or surface which comes in contact with infectious waste; failed to assure generators who transport their own infectious waste offsite, comply with all applicable transporter requirements; and failed to maintain all records and manifest copies for a minimum of two (2) years.

Action: The Individual/Entity/Facility has corrected all violations prior to the issuance of the Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of four thousand, five hundred dollars (\$4,500.00).

12. Order Type and Number: Consent Order AF-0001718-IW
Order Date: July 31, 2026
Individual/Entity/Facility: **Taylor Wellness, LLC**
County: Horry
Previous Orders: N/A
Permit/ID Number: IGW001998

Violations Cited: The South Carolina Infectious Waste Management Act, S.C. Code Ann. §§ 44-93-30 et seq. (2018) and the South Carolina Infectious Waste Management Regulations, S.C. Code Ann Regs. 61-105 (2012 & Supp. 2025).

Summary: The Individual/Entity/Facility is a generator of infectious waste located in Horry County, South Carolina. On March 17, 2026, the Department conducted an inspection at the Facility. The Individual/Entity/Facility has violated the South Carolina Infectious Waste Management Act, and the Infectious Waste Management Regulations as follows: failed to manage infectious waste in a manner which prevents exposure to the public or release to the environment; failed to segregate infectious waste from solid waste as close to the point of generation as practical to avoid comingling of the waste; failed to ensure waste is packaged to prevent any release of infectious waste from its packaging before storing, transporting, or offering for transport offsite; failed to ensure all sharps shall be placed and maintained in rigid, leak resistant, and puncture resistant containers which are secured tightly; failed to ensure

containers storing infectious waste onsite were sealed and closed tightly and securely when full by weight or volume, or when putrescent, to prevent any discharge of the contents at any time until the container enters the treatment system; failed to ensure waste must be protected to maintain the integrity of the packaging and provide protection from the waste providing a food source or breeding place for insects or rodents; failed to ensure waste must be protected to maintain the integrity of the packaging and provide protection from weather conditions such as water, rain, and wind; failed to ensure Infectious Waste was stored in a manner and location which affords protection from animals, vectors, weather conditions, theft, vandalism and which minimizes exposure to the public; and failed to ensure the storage areas were labeled with the universal biohazard symbol sign.

Action: The Individual/Entity/Facility has corrected all violations prior to the issuance of the Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of seven thousand, seven hundred dollars (\$7,700.00).

BUREAU OF WATER

Recreational Waters Enforcement

13. Order Type and Number: Consent Order 26-008-RW
Order Date: July 6, 2026
Individual/Entity/Facility: **DiamondRock Charleston Owner, LLC**
County: Charleston
Previous Orders: None
Permit/ID Number: 10-1001B

Violation Cited: S.C. Code Ann. Regs. 61-51(I), Public Swimming Pools Regulation

Summary: DiamondRock Charleston Owner, LLC owns and is responsible for the proper operation and maintenance of a pool located at The Lindy Renaissance Hotel in Charleston County, South Carolina. The Department issued a Notice of Alleged Violation on June 9, 2026, as a result of a review of Department records. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: failed to submit a Swimming Pool Change Order Request Form to the Department for approval prior to modifying the pool.

Action: The Individual/Entity/Facility is required to: submit a corrective action plan with a schedule to address the unapproved modifications to the Pool. The Individual/Entity/Facility shall pay a civil penalty in the amount of four hundred dollars (\$400.00).

14. Order Type and Number: Consent Order 26-009-RW
Order Date: July 17, 2026
Individual/Entity/Facility: **Sea Villas III Homeowners' Association, Inc.**
County: Horry
Previous Orders: None
Permit/ID Number: 26-204-1

Violations Cited: S.C. Code Ann. Regs. 61-51.J, Public Swimming Pools Regulation

Summary: Sea Villas III Homeowners' Association, Inc. owns and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on May 28, 2026, and June 30, 2026, and violations were issued for failure to properly operate and maintain. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: the chlorine and pH levels were not within the acceptable range of water quality standards; the life ring rope was deteriorated; and the bound and numbered log book was not available for review.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of six hundred eighty dollars (\$680.00).

15. Order Type and Number: Consent Order 26-010-RW
Order Date: July 27, 2026
Individual/Entity/Facility: **Retro Hotel Waikiki 1, LLC/Waikiki Village Retro Hotel**
County: Horry
Previous Orders: None
Permit/ID Number: 26-109-1

Violations Cited: S.C. Code Ann. Regs. 61-51.J, Public Swimming Pools Regulation

Summary: Retro Hotel Waikiki 1, LLC owns and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on May 27, 2026, and June 25, 2026, and violations were issued for failure to properly operate and maintain. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: the lifeline floats were not properly spaced; a ladder was not tight and secure; there was debris in the skimmer baskets; the life ring was not United States Coast Guard approved; and there were no "No Lifeguard On Duty – Swim At Your Own Risk" signs posted.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of six hundred eighty dollars (\$680.00).

Drinking Water Enforcement

16. Order Type and Number: Consent Order 26-013-DW
Order Date: July 6, 2026
Individual/Entity/Facility: **Town of Williamston**
County: Anderson
Previous Orders: None
Permit/ID Number: 0410010

Violations Cited: S.C. Code Ann. Regs. 61-58.11, State Primary Drinking Water Regulation

Summary: The Town of Williamston owns and is responsible for the proper operation and maintenance of a public water system (PWS) located in Anderson County, South Carolina. On December 15, 2025, a violation was issued for failure to provide initial notification to all persons served by the PWS at the service connection with a lead, galvanized requiring replacement, or lead status unknown within thirty (30) days of completion of the Lead Service Line Inventory (Inventory). The Individual/Entity/Facility has violated the State Primary Drinking Water Regulation as follows: failure to provide initial notification to all persons served by the PWS at the service connection with a lead, galvanized requiring replacement, or lead status unknown within thirty (30) days of completion of the Inventory.

Action: The Individual/Entity/Facility is required to: complete the notifications to all one thousand one hundred seventeen (1,117) addresses identified on the Inventory as served by the PWS at a service connection with lead status of galvanized requiring replacement and all fifty (50) addresses identified on the Inventory as served by the PWS at a service connection with lead status unknown; and submit a copy of the notification document and a certification memo to the Department certifying the Owner has completed all notifications. The Individual/Entity/Facility shall pay a civil penalty in the amount of four thousand dollars (\$4,000.00).

17. Order Type and Number: Consent Order 26-014-DW

Order Date: July 28, 2026

Individual/Entity/Facility: **Robert Steve Coleman, Renita Coleman, and Laurie Runyans, Individually and d.b.a. Pope Property Well**

County: Greenwood

Previous Orders: None

Permit/ID Number: 2450063

Violations Cited: S.C. Code Ann. Regs. 61-58.17K(1)(b), State Primary Drinking Water Regulation

Summary: Robert Steve Coleman, Renita Coleman, and Laurie Runyans, Individually and d.b.a Pope Property Well owns and is responsible for the proper operation and maintenance of a public water system (PWS) located in Greenwood County, South Carolina. On April 24, 2026, a violation was issued as a result of review of monitoring records. The Individual/Entity/Facility has violated the State Primary Drinking Water Regulation as follows: the PWS tested present for total coliform and E. coli, which resulted in a violation of the maximum contaminant level for E. coli.

Action: The Individual/Entity/Facility is required to: submit an investigative report and a corrective action plan with a schedule to address the causes of total coliform and E. coli present results at the PWS by August 27, 2026. The Individual/Entity/Facility shall pay a stipulated penalty in the amount of four thousand dollars (\$4,000.00) should any requirement of the Order not be met.

Water Pollution Enforcement

18. Order Type and Number: Consent Order 26-028-W

Order Date: July 10, 2026

Individual/Entity/Facility: **Two Pop, LLC**

Previous Orders: N/A

Permit/ID Number: SCG250316

Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110(d) and the Water Pollution Control Permits and S.C. Code Ann Regs. 61-9.122.21(d) and 6-19.122.41(a).

Summary: Two Pop, LLC owns and is responsible for the proper operation and maintenance of a utility discharge unit located in Greenville County, South Carolina. On April 9, 2026, a Notice of Violation was issued for failure to submit a timely permit renewal application. The Individual/Entity/Facility has violated the Pollution Control Act, and the Water Pollution Control Permits Regulation as follows: failed to submit a timely permit renewal application.

Action: The Individual/Entity/Facility submitted an administratively complete permit renewal application prior to the issuance of the Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of three thousand dollars (\$3,000.00).

19. Order Type and Number: Consent Order 26-029-W

Order Date: July 10, 2026

Individual/Entity/Facility: **Town of Pamplico / Pee Dee River WWTP**

Previous Orders: CO 22-066-W (\$5,100.00)

Permit/ID Number: SC0021351

Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110(d) and the Water Pollution Control Permits and S.C. Code Ann Regs. 61-9.122.41(a).

Summary: Town of Pamplico owns and is responsible for the proper operation and maintenance of Pee Dee River wastewater treatment plant (WWTP) located in Florence County, South Carolina. On November 25, 2025, a Notice of Violation was issued for exceedance of the permitted discharge limits for E. coli and ultimate oxygen demand (UOD) as reported on the discharge monitoring reports submitted to the Department. The Individual/Entity/Facility has violated the Pollution Control Act, and the Water Pollution Control Permits Regulation as follows: failed to comply with the permitted effluent limitations for E. coli and UOD.

Action: The Individual/Entity/Facility is required to: submit written notification of the planned completion date for all corrective actions necessary to resolve the effluent violations for E. coli and UOD; conduct a three (3) month monitoring compliance confirmation period upon completion of corrective actions; and implement engineered upgrades to the WWTP should additional violations be observed during the compliance confirmation period. The Individual/Entity/Facility shall pay a civil penalty in the amount of ten thousand dollars (\$10,000.00).

20. Order Type and Number: Consent Order 26-030-W

Order Date: July 10, 2026

Individual/Entity/Facility: **Town of Winnsboro Jackson Creek WWTF**

County: Fairfield

Previous Orders: 22-059-W (\$3,000.00), 24-044-W (\$14,000.00), 25-010-W (\$4,800.00)

Permit/ID Number: SC0020125

Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110(d), and the Water Pollution Control Permits Regulation S.C. Code Ann. Regs. 61-9.122.41(a).

Summary: The Town of Winnsboro (Individual/Entity/Facility) owns and is responsible for the proper operation and maintenance of the Jackson Creek Wastewater Treatment Facility located at the end of an access road off Highway 321 Bypass about 0.7 miles South of JCT Highway 200 in Winnsboro, Fairfield County, South Carolina. On February 18, 2026, a Notice of Alleged Violation and Notice of Enforcement Conference was issued for exceedance of the permitted discharge limits reported on the discharge monitoring reports submitted to the Department. The Individual/Entity/Facility reported violations of permitted effluent limits for biochemical oxygen demand (BOD), total suspended solids (TSS) and Escherichia coli (E.coli). The Individual/Entity/Facility has violated the Pollution Control Act and the Water Pollution Control Permits Regulation as follows: failed to comply with the permitted effluent limits for BOD, TSS and E.coli.

Action: The Individual/Entity/Facility is required to: submit to the Department written notification of the planned completion date for all corrective actions necessary to resolve the effluent violations for BOD, TSS and E.coli.; conduct a three (3) month monitoring compliance confirmation period upon completion of corrective actions; and implement engineered upgrades to the WWTP should additional violations be observed during the compliance confirmation period. The Individual/Entity/Facility shall pay a civil penalty in the amount of twenty-one thousand dollars (\$21,000.00).

BUREAU OF AIR QUALITY

21. Order Type/Order Number: CO 26-013-A

Order Date: 7/07/2026

Individual/Entity/Facility: **Effingham Pellets, LLC**

County: Florence

Previous Orders: N/A

Permit/ID Number: 1040-0165

Violations Cited: U.S. EPA 40 CFR 70.1(b), 70.5(a)(1)(i), and 70.7(b); S.C. Code Ann. Regs. 61-62.70.1(b), 61-62.70.5(a)(1)(i), and 61-62.70.7(b); and, S.C. Code Ann. Regs. 61-62.5, Standard No. 7, (A)(2)(c).

Summary: Effingham Pellets, LLC ("Individual/Entity/Facility") operates a wood pellet manufacturing facility located at its facility in Florence County, South Carolina. On July 2, 2024, the Department received the results of a Department-approved source test. The Individual/Entity has violated U.S. EPA and South Carolina Air Pollution Control Regulations, as follows: Operated a major source as defined by Title V without having timely applied for a Title V permit and it failed to obtain a PSD construction permit prior to constructing and operating a major source under PSD regulations and apply best available control technology or obtain a permit containing major source avoidance limit.

Action: By August 7, 2026, pay to the Department emission inventory fees in the amount of thirty-five thousand six hundred eighty-two dollars (\$35,682.00) calculated for Title V source operation for fiscal years 2022, 2023, 2024, and 2025. Individual/Entity/Facility shall pay a civil penalty in the amount of seventeen thousand six hundred dollars (\$17,600.00) by August 7, 2026.

22. Order Type/Order Number: CO 26-015-A
Order Date: 7/23/2026
Individual/Entity/Facility: **Vanguard Metal Coating, LLC**
County: Anderson
Previous Orders: N/A
Permit/ID Number: 0200-0049

Violations Cited: S.C. Code Ann. Regs. 61-62.1, Section II, *Permit Requirements*

Summary: Vanguard Metal Coating LLC ("Individual/Entity/Facility") operates a sandblasting and surface coating facility in Anderson County, South Carolina. On February 27, 2025, the Department conducted a comprehensive inspection at the Individual/Entity/Facility. The Individual/Entity/Facility has violated South Carolina Air Pollution Control Regulations, as follows: failed to document the cause and corrective action for daily pressure readings for readings exceeding the established operational range on Baghouse BH-1 for 372 (three hundred seventy-two) days and on Baghouse BH-2 for 563 (five hundred sixty-three) days.

Action: Upon execution of this order, henceforth document cause and corrective action for daily pressure readings exceeding the established operating range for Baghouse BH-1 and Baghouse BH-2. A civil penalty in the amount of four thousand dollars (\$4,000.00) has been assessed by the Department. The Individual/Entity/Facility shall pay \$1000.00 of the assessed penalty and the Department has elected to suspend three (\$3,000.00) thousand dollars of the assessed penalty so long as Individual/Entity/Facility stays in compliance with this consent order.

BUREAU OF REGIONAL AND LABORATORY SERVICES

On-Site Wastewater Enforcement

23. Order Type and Number: Administrative Order AF-0001670
Order Date: July 9, 2026
Individual/Entity/Facility: **Arthur Gewayne Bellamy**
County: Horry
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Arthur Gewayne Bellamy owns property located in Horry County, South Carolina. The Department conducted an investigation on May 1, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

24. Order Type and Number: Administrative Order AF-0001677

Order Date: July 9, 2026

Individual/Entity/Facility: **Theresa Ramirez Hernandez**

County: Dorchester

Previous Orders: None

Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Theresa Ramirez Hernandez owns property located in Dorchester County, South Carolina. The Department conducted an investigation on May 6, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

25. Order Type and Number: Administrative Order AF-0001678

Order Date: July 9, 2026

Individual/Entity/Facility: **Michael Dennis Forrester**

County: Greenville

Previous Orders: None

Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Michael Dennis Forrester owns property located in Greenville County, South Carolina. The Department conducted an investigation on April 24, 2026, and observed a camper being occupied for more than two (2) hours per day without being connected to an approved means of domestic wastewater treatment and disposal. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that a building or dwelling that is occupied for more than two (2) hours per day is connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity/Facility is required to apply for a permit to construct an OSWW system within five (5) days and install the OSWW system within ten (10) days of the issuance of the permit to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate or remove the camper. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

26. Order Type and Number: Administrative Order AF-0001693

Order Date: July 9, 2026

Individual/Entity/Facility: **Charles Timothy Smith**

County: Anderson

Previous Orders: None

Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Charles Timothy Smith owns property located in Anderson County, South Carolina. The Department conducted an investigation on January 20, 2026, and observed a camper being occupied for more than two (2) hours per day without being connected to an approved means of domestic wastewater treatment and disposal. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that a building or dwelling that is occupied for more than two (2) hours per day is connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity/Facility is required to apply for a permit to construct an OSWW system within five (5) days and install the OSWW system within ten (10) days of the issuance of the permit to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate or remove the camper. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

27. Order Type and Number: Administrative Order AF-0001702

Order Date: July 9, 2026

Individual/Entity/Facility: **Susan Benton**

County: Florence

Previous Orders: None

Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Susan Benton owns property located in Florence County, South Carolina. The Department conducted an investigation on May 27, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

28. Order Type and Number: Administrative Order AF-0001703

Order Date: July 9, 2026
Individual/Entity/Facility: **Candy Blohm McKinney**
County: Pickens
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Candy Blohm McKinney owns property located in Pickens County, South Carolina. The Department conducted an investigation on May 4, 2026, and observed a camper being occupied for more than two (2) hours per day without being connected to an approved means of domestic wastewater treatment and disposal. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that a building or dwelling that is occupied for more than two (2) hours per day is connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity/Facility is required to apply for a permit to construct an OSWW system within five (5) days and install the OSWW system within ten (10) days of the issuance of the permit to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate or remove the camper. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

29. Order Type and Number: Administrative Order AF-0001708
Order Date: July 9, 2026
Individual/Entity/Facility: **Kenny Lancaster**
County: Spartanburg
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Pollution Control Act

Summary: Kenny Lancaster owns property located in Spartanburg County, South Carolina. The Department conducted an investigation on April 6, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Pollution Control Act as follows: failed to ensure that no domestic wastewater or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the connection to the public sewer provider within five (5) days to effectively stop the discharging of domestic wastewater or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

30. Order Type and Number: Administrative Order AF-0001709
Order Date: July 9, 2026
Individual/Entity/Facility: **Martin Pedro Jesus**
County: Greenville
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Martin Pedro Jesus owns property located in Greenville County, South Carolina. The Department conducted an investigation on April 21, 2026, and observed a building being occupied for more than two (2) hours per day without being connected to an approved means of domestic wastewater treatment and disposal. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that a building or dwelling that is occupied for more than two (2) hours per day is connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity/Facility is required to apply for a permit to construct an OSWW system within five (5) days and install the OSWW system within ten (10) days of the issuance of the permit to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate or remove the building. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

31. Order Type and Number: Administrative Order AF-0001710
Order Date: July 9, 2026
Individual/Entity/Facility: **4236 Dono Prop, LLC**
County: Richland
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Pollution Control Act

Summary: 4236 Dono Prop, LLC owns property located in Richland County, South Carolina. The Department conducted an investigation on March 12, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Pollution Control Act as follows: failed to ensure that no domestic wastewater or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the connection to the public sewer provider within five (5) days to effectively stop the discharging of domestic wastewater or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

32. Order Type and Number: Administrative Order AF-0001679
Order Date: July 21, 2026
Individual/Entity/Facility: **Neighbors of Deborah Circle, LLC**
County: Horry
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Neighbors of Deborah Circle, LLC own property located in Horry County, South Carolina. The Department conducted an investigation on March 30, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

33. Order Type and Number: Administrative Order AF-0001705

Order Date: July 21, 2026

Individual/Entity/Facility: **Robert Wayne Hall**

County: Laurens

Previous Orders: None

Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Robert Wayne Hall owns property located in Laurens County, South Carolina. The Department conducted an investigation on May 29, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

34. Order Type and Number: Administrative Order AF-0001706

Order Date: July 21, 2026

Individual/Entity/Facility: **Joshua Bridges, Heir and Assign to the Estate of Charlotte Bridges**

County: Pickens

Previous Orders: None

Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Joshua Bridges, Heir and Assign to the Estate of Charlotte Bridges owns property located in Pickens County, South Carolina. The Department conducted an investigation on April 30, 2026, and observed an RV being occupied for more than two (2) hours per day without being connected to an approved means of domestic wastewater treatment and disposal. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that a building or dwelling that is occupied for more than two (2) hours per day is connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity/Facility is required to apply for a permit to construct an OSWW system within five (5) days and install the OSWW system within ten (10) days of the issuance of the permit to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate or remove the RV. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

35. Order Type and Number: Administrative Order AF-0001725

Order Date: July 21, 2026

Individual/Entity/Facility: **Jamelle Crosby**

County: York

Previous Orders: None

Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Jamelle Crosby owns property located in York County, South Carolina. The Department conducted an investigation on April 15, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

36. Order Type and Number: Administrative Order AF-0001745

Order Date: July 21, 2026

Individual/Entity/Facility: **Douglas Jerome Miller, Verzario Jones, and Eugene D. Jones**

County: Greenville

Previous Orders: None

Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Douglas Jerome Miller, Verzario Jones, and Eugene D. Jones own property located in Greenville County, South Carolina. The Department conducted an investigation on June 2, 2026, and observed a camper being occupied for more than two (2) hours per day without being connected to an approved means of domestic wastewater treatment and disposal. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that a building or dwelling that is occupied for more than two (2) hours per day is connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity/Facility is required to apply for a permit to construct an OSWW system within five (5) days and install the OSWW system within ten (10) days of the issuance of the permit to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate or remove the camper. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

37. Order Type and Number: Administrative Order AF-0001754

Order Date: July 21, 2026

Individual/Entity/Facility: **John Ferguson and Selena Ferguson**

County: Anderson

Previous Orders: None

Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: John Ferguson and Selena Ferguson own property located in Anderson County, South Carolina. The Department conducted an investigation on June 22, 2026, and observed a camper being occupied for more than two (2) hours per day without being connected to an approved means of domestic wastewater treatment and disposal. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that a building or dwelling that is occupied for more than two (2) hours per day is connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity/Facility is required to apply for a permit to construct an OSWW system within five (5) days and install the OSWW system within ten (10) days of the issuance of the permit to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate or remove the camper. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

38. Order Type and Number: Administrative Order AF-0001757

Order Date: July 21, 2026

Individual/Entity/Facility: **Keith K. Galios and Cynthia Williamson**

County: Greenville

Previous Orders: None

Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Keith K. Galios and Cynthia Williamson own property located in Greenville County, South Carolina. The Department conducted an investigation on June 19, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.