

For the reporting period of XXX 1, 2026, through XXXX XX, 2026, the Department of Environmental Services issued XXX (X) Consent Orders with total assessed civil penalties in the amount of XXX dollars (\$ X). Also, X (X) Administrative Orders were reported during this period.

Bureau and Program Area	Administrative Orders	Assessed Penalties	Consent Orders	Assessed Penalties
Land and Waste Management				
UST Program	1	\$22,580	2	\$7,200
Hazardous Waste			5	\$35,200
Mining			1	
Radiation Protection			1	\$25,000
Infectious Waste			1	\$5,500
Water				
Drinking Water			3	\$3000
Water Pollution			9	\$39,900
Air Quality				
Air Quality			4	\$17,200
Regional & Laboratory Services				
Onsite Wastewater	2		3	\$1500
TOTAL	3	\$22,580	29	\$134,500

BUREAU OF LAND AND WASTE MANAGEMENT

Underground Storage Tank Enforcement

1. Order Type and Number: Administrative Order AF-0001632-UST
Order Date: June 19, 2026
Individual/Entity/Facility: **DG Pelzer Gas LLC**
County: Greenville
Previous Orders: N/A
Permit/ID Number: 14975

Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB), S.C. Code Ann. §§ 44-2-10 et seq.; and the South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code Ann. Regs. 61-92, 280.31(a); 280.34(c); 280.36(a)(1)(i&ii); 280.40(a); 280.40(a)(2); 280.40(a)(3); 280.41(b)(1)(i)(B); 280.43(d); 280.44(a); 280.45(b)(1); 280.242(b)(3); 280.242(b)(4); 280.243(c); and 280.245 (2012 & Supp. 2025).

Summary: The Individual/Entity/Facility owns underground storage tanks (UST) in Greenville County, South Carolina. On January 6, 2026, the Department conducted an inspection of the Facility and issued a Notice of Alleged Violation. The Individual/Entity/Facility has violated the SUPERB Act, and the Regulations as follows: failed to operate and maintain corrosion protection equipment continuously; failed to provide records to the Department upon request; failed to conduct monthly and annual walkthrough inspections; failed to provide an adequate release detection method; failed to maintain release detection equipment properly; failed to complete the required annual release detection operability testing; failed to conduct annual tightness test or have monthly monitoring of pressurized piping; failed to conduct proper release detection using an automatic tank gauge (ATG); failed to check line leak detector function annually; failed to maintain records for at least one (1) year; failed to have Class B operator; failed to have Class B operator visit the facility quarterly; failed to train a Class C operator in facility-specific response actions; and failed to maintain records of designated Class A, B, or C operators.

Action: The Individual/Entity/Facility is required to submit: either ten (10) of twelve (12) months of ATG test results with the most recent two (2) months passing for all USTs at the Facility, or a current passing tank tightness test and current ATG record for all USTs at the Facility; proof that liquid under diesel dispenser 9 has been pumped out and disposed of properly, and passing sump integrity test results for the under-dispenser containment sump; if the integrity test fails, conduct a site check from the area underneath the containment sump; proof that metal components in the submersible turbine pump (STP) sump associated with the 8,000-gallon premium UST have been isolated from soil and water, and proof of proper liquid disposal for the STP sump; proof of repaired and/or replaced ATG cap for the 6,000-gallon diesel UST; passing release detection equipment operability test results for all USTs; passing line leak detector function check results for all USTs; passing line tightness test results for all USTs; proof that a Class A/B

Operator/Walkthrough log (form D-3185) has been initiated and is being properly maintained; and a list of Class C operators trained and designated for the Facility. The Individual/Entity/Facility shall pay a civil penalty in the amount of twenty-two thousand, five hundred and eighty dollars (\$22,580.00).

2. Order Type and Number: Consent Order AF-000641-UST
Order Date: June 23, 2026
Individual/Entity/Facility: **Whiskey Road Real Estate LLC**
County: Aiken
Previous Orders: CO 23-0061-UST (\$3,600.00)
Permit/ID Number: 00160

Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB), S.C. Code Ann. §§ 44-2-10 et seq.; and the South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code Ann. Regs. 61-92, 280.20(c)(1)(ii) (2012 & Supp. 2025).

Summary: The Individual/Entity/Facility owns underground storage tanks in Aiken County, South Carolina. On April 4, 2025, the Department conducted an inspection of the Facility and issued a Notice of Alleged Violation. The Individual/Entity/Facility has violated the SUPERB Act, and the Regulations as follows: failed to use an adequate overfill prevention system for a new Underground Storage Tank.

Action: The Individual/Entity/Facility shall, within forty-five (45) days of the effective date of the Consent Order: submit payment of a civil penalty in the amount of three thousand, six hundred dollars (\$3,600.00).

3. Order Type and Number: Consent Order AF-0001661-UST
Order Date: June 29, 2026
Individual/Entity/Facility: **Sreeji 2 LLC**
County: Lexington
Previous Orders: N/A
Permit/ID Number: 18152

Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB Act), S.C. code Ann. § 44-2-10 et seq.; and South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code Ann., Regs 61-92, 280.20(c)(1)(ii) (2012 & Supp 2025).

Summary: The Individual/Entity owns underground storage tanks in Lexington County, South Carolina. On April 17, 2026, the Department conducted a routine compliance inspection of the Facility and issued a Notice of Alleged Violation. Sreeji 2 LLC has violated the SUPERB Act and the South Carolina Underground Storage Tank Regulations, as follows: failed to maintain overfill prevention equipment.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of three thousand, six hundred dollars (\$3,600.00).

Mining Enforcement

4. Order Type and Number: Consent Order AF-0001660-MSWM
Order Date: June 11, 2026
Individual/Entity/Facility: **Nicholas Cody Wheeler**
County: Williamsburg
Tax Map: #45-383-020 (Site)

Violations Cited: The South Carolina Mining Act of 1990 (Act), S.C. Code Ann. §§ 48-20-10 et seq. (2008 & Supp. 2025) and the Mining Regulation, S.C. Code Ann. Regs. 89-20.

Summary: The Individual/Entity/Facility operated an unpermitted mine in Williamsburg County, South Carolina. Based on a complaint, the Department conducted a site visit on December 9, 2024. The Individual/Entity/Facility has violated the South Carolina Mining Act and the Mining Regulation, in that the Individual/Entity/Facility conducted mining activities without a Department-issued permit.

Action: The Individual/Entity/Facility is required to grade all banks to a minimum of 3H:1V to ensure stability and safe contours around the pond; final grading must be performed to eliminate irregularities, ensure consistent slope, and promote proper drainage; and disturbed areas must be seeded to establish vegetative cover. The site must achieve at least 75% vegetative growth to meet reclamation standards. The Individual/Entity/Facility shall pay a stipulated civil penalty in the amount of one thousand dollars (\$1,000.00) should any requirement of the Order not be met.

Hazardous Waste Enforcement

5. Order Type and Number: Consent Order 26-13-HW
Order Date: June 11, 2026
Individual/Entity/Facility: **Carolina Metal Casting**
County: Jasper
Previous Orders: N/A
Permit/ID Number: SCR 000 789 537

Violations Cited: The South Carolina Hazardous Waste Management Act, S.C. Code Ann. §§ 44-56-10 et seq. (2018), the South Carolina Hazardous Waste Management Regulation, 6 and 7 S.C. Code Ann. Regs. 61-79 (2012 and Supp. 2021), and the South Carolina Hazardous Waste Management Act, S.C. Code Ann. § 44-56-30 (2021).

Summary: The Individual/Entity/Facility is a generator of hazardous waste located in Jasper County, South Carolina. On January 7, 2026, the Department conducted an inspection at the Facility. The Individual/Entity/Facility has violated the South Carolina Hazardous Waste Management Act, and the Hazardous Waste Management Regulations as follows: failed to mark or label containers with the words "Hazardous Waste"; failed to inspect the central accumulation areas; failed to mark or label containers with the accumulation start date ; failed to make arrangements with the local police department, fire department, other emergency response teams, emergency response contractors, equipment suppliers, and local hospitals, taking into account the types and quantities of hazardous wastes handled at the facility; failed to be equipped with fire control equipment, spill control equipment, and decontamination

equipment; failed to post the following information next to telephones or in areas directly involved in the generation of hazardous waste: (A) the name and emergency telephone number of the emergency coordinator; (B) location of fire extinguishers, spill control material, and, fire alarm; and (C) the telephone number of the fire department, unless the facility has a direct alarm; failed to keep a copy of each manifest signed for three (3) years or until they receive a signed copy from the designated facility which received the waste; and failed to ensure that containers and aboveground storage tanks used to store used oil were labeled or marked clearly with the words "Used Oil."

Action: The Individual/Entity/Facility has corrected all violations prior to the issuance of the Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of five thousand, seven hundred dollars (\$5,700.00).

6. Order Type and Number: Consent Order 26-14-HW
Order Date: June 5, 2026
Individual/Entity/Facility: **Huntsman Advanced Materials Americas, LLC**
County: York
Previous Orders: N/A
Permit/ID Number: SCR 000 782 011

Violations Cited: The South Carolina Hazardous Waste Management Act, S.C. Code Ann. §§ 44-56-10 et seq. (2018) and the South Carolina Hazardous Waste Management Regulation, 6 and 7 S.C. Code Ann. Regs. 61-79 (2012 and Supp. 2021).

Summary: The Individual/Entity/Facility is a generator of hazardous waste located in York County, South Carolina. On January 15, 2026, the Department conducted an inspection at the Facility. The Individual/Entity/Facility has violated the South Carolina Hazardous Waste Management Act, and the Hazardous Waste Management Regulations as follows: failed to ensure satellite accumulation area containers are at or near the point of generation; failed to ensure a container holding hazardous waste remained closed at all times; failed to mark or label containers with the words "Hazardous Waste"; failed to inspect central accumulation areas; failed to post a "No Smoking" sign; failed to attempt to make arrangements with the emergency response teams; failed to maintain records documenting arrangements with emergency response teams; failed to describe arrangements agreed to with emergency response teams; failed to submit a copy of the contingency plan to all local emergency responders; and failed to include, in the quick reference guide, the name of the emergency coordinator(s) and emergency telephone number(s).

Action: The Individual/Entity/Facility corrected all violations prior to the issuance of the Consent Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of eight thousand, five hundred dollars (\$8,500.00).

7. Order Type and Number: Consent Order 26-11-HW
Order Date: June 5, 2026
Individual/Entity/Facility: **WeylChem US Inc.**
County: Kershaw
Previous Orders: CO 22-14-HW (\$25,000.00)
Permit/ID Number: SCD 042 627 448

Violations Cited: The South Carolina Hazardous Waste Management Act, S.C. Code Ann. §§ 44-56-10 et seq. (2018) and the South Carolina Hazardous Waste Management Regulation, 6 and 7 S.C. Code Ann. Regs. 61-79 (2012 and Supp. 2021).

Summary: The Individual/Entity/Facility is a generator of hazardous waste located in Kershaw County, South Carolina. On June 3 through June 5, 2025, the Department and the United States Environmental Protection Agency conducted an inspection at the Facility. The Individual/Entity/Facility has violated the South Carolina Hazardous Waste Management Act, and the Hazardous Waste Management Regulations as follows: failed to make an accurate determination; failed to ensure a container holding hazardous waste remained closed at all times; failed to mark or label containers with the words "Hazardous Waste," an indication of the hazards of the contents, and the date hazardous waste began accumulating; failed to immediately transfer hazardous waste from a container that is not in good condition; failed to ensure facility personnel take part in an annual review of the initial training; failed to clean up any hazardous waste discharge; failed to submit a copy of the contingency plan to all local emergency responders; failed to review and immediately amend the contingency plan whenever the list of emergency coordinators changes; failed to contain universal waste lamps in containers that are structurally sound, adequate to prevent breakage, and compatible with the contents of the lamps; accumulated universal waste for greater than one (1) year from the date the universal waste was generated; failed to ensure that containers and aboveground storage tanks used to store used oil is closed; and directly or indirectly discharged organic or inorganic matter into the environment.

Action: The Individual/Entity/Facility is required to submit an inventory of the current amount and type of hazardous and universal waste at the facility as well as a plan and schedule for shipping any remaining hazardous waste off-site; notify the Department using Form 8700-12 no later than thirty (30) days prior to closing the facility in accordance with R.61-79.262.17(a)(8)(ii)(A); notify the Department using within ninety (90) days after closing the facility that it has complied with the closure performance standards; and within ninety (90) days after closing the facility, complete all closure requirements. Should the Individual/Entity/Facility fail to comply with the aforementioned requirements, the Individual/Entity/Facility shall pay a civil penalty in the amount of thirty-seven thousand, five hundred dollars (\$37,500.00).

8. Order Type and Number:	Consent Order 26-16-HW
Order Date:	June 22, 2026
Individual/Entity/Facility:	Siegwerk Ink Packaging
County:	Spartanburg
Previous Orders:	N/A
Permit/ID Number:	SCD 982 144 701

Violations Cited: The South Carolina Hazardous Waste Management Act, S.C. Code Ann. §§ 44-56-10 et seq. (2018) and the South Carolina Hazardous Waste Management Regulation, 6 and 7 S.C. Code Ann. Regs. 61-79 (2012 and Supp. 2021).

Summary: The Individual/Entity/Facility is a generator of hazardous waste located in Spartanburg County, South Carolina. On January 7, 2026, the Department conducted an inspection at the Facility. The Individual/Entity/Facility has violated the South Carolina Hazardous Waste Management Act, and the Hazardous Waste Management Regulations as follows: failed to maintain a description of the process used

to ensure the solvent-contaminated wipes contain no free liquids; failed to ensure containers holding hazardous waste remain closed at all times; failed to post “No Smoking” signs; failed to ensure containers were labeled with the accumulation start dates; failed to comply with the standards in subpart M; failed to ensure facility personnel successfully complete a program that teaches them to perform their duties in a way that ensure compliance with the regulations; (ii) facility personnel must successfully complete the program within six (6) months after the date of their employment or assignment to the facility; and (iii) facility personnel must take part in an annual review of the initial training required; failed to maintain documents and records at the facility pertaining to job titles and training required to fill these positions; failed to locate equipment necessary to prepare for and respond to emergencies; failed to attempt to make arrangements with emergency response teams, equipment suppliers, and local hospitals; failed to submit a copy of the contingency plan to local emergency responders and failed to submit a quick reference guide of the contingency plan to emergency responders.

Action: The Individual/Entity/Facility has corrected all violations prior to the issuance of the Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of six thousand dollars (\$6,000.00).

9. Order Type and Number: Consent Order 26-15-HW
Order Date: June 29, 2026
Individual/Entity/Facility: **MUSC Medical Center Florence**
County: Florence
Previous Orders: N/A
Permit/ID Number: SCR 000 776 740

Violations Cited: The South Carolina Hazardous Waste Management Act, S.C. Code Ann. §§ 44-56-10 et seq. (2018) and the South Carolina Hazardous Waste Management Regulation, 6 and 7 S.C. Code Ann. Regs. 61-79 (2012 and Supp. 2021).

Summary: The Individual/Entity/Facility is a generator of hazardous waste located in Florence County, South Carolina. On February 11, 2026, the Department conducted an inspection at the Facility. The Individual/Entity/Facility has violated the South Carolina Hazardous Waste Management Act, and the Hazardous Waste Management Regulations as follows: failed to make an accurate determination; failed to maintain aisle space; failed to declare its small quantity generator status on or before January 31 each year; failed to mark or label containers with the words “Hazardous Waste Pharmaceuticals”; failed to accumulate non-creditable hazardous waste pharmaceuticals on-site for one (1) year or less; failed to demonstrate the length of time non-creditable hazardous waste pharmaceuticals have been accumulating; failed to keep a copy of each manifest signed for three (3) years or until it receives a signed copy from the designated facility; failed to label each universal waste lamp with the words “Universal Waste – Lamp(s),” or “Waste Lamp(s),” or “Used Lamp(s);” and failed to demonstrate the length of time that universal waste had been accumulating.

Action: The Individual/Entity/Facility corrected all violations prior to the issuance of the Consent Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of seven thousand, five hundred dollars (\$7,500.00).

Radiation Protection Enforcement

10. Order Type and Number: Consent Order 26-05-RP
Order Date: June 2, 2026
Individual/Entity/Facility: **Mountainview Medical Imaging**
County: Oconee
Previous Orders: 26-02-RP (Administrative Order of Emergency Summary Suspension)
Permit/ID Number: R # 37-5180

Violations Cited: The Atomic Energy and Radiation Control Act, S.C. Code Ann. § 13-7-10 et seq. (1977 & Supp. 2025) and the X-Rays (Title B) Regulations, 6 S.C. Code Ann. Regs. 61-64 (2012 & Supp. 2025).

Summary: The Individual/Entity/Facility operates a mammography facility in Oconee County, South Carolina. On October 22, 2025, the Department conducted an inspection. The Individual/Entity/Facility has violated Atomic Energy and Radiation Control Act and the X-Rays (Title B) Regulations as follows: failed to assign responsibility for the quality assurance program and for each of its elements to individuals who are qualified for their assignments and who shall be allowed adequate time to perform these duties; failed to identify a lead interpreting physician to maintain the quality assurance program; failed to have the services of a medical physicist available to survey mammography equipment and oversee the equipment-related quality assurance practices of the facility; failed to assign individual tasks within the quality assurance program not assigned to the lead interpreting physician or the medical physicist to a quality control technologist(s); failed to ensure the quality assurance program is substantially the same as the quality assurance program recommended by the image receptor manufacturer; and failed to meet image quality standards as determined by the facility's accreditation body.

Action: The Individual/Entity/Facility is required to complete patient provider notifications in accordance with the instructions and timeline outlined in the Department's February 24, 2026 letter. The Individual/Entity/Facility is required to pay a civil penalty in the amount of twenty-five thousand dollars (\$25,000.00).

Infectious Waste Enforcement

11. Order Type and Number: Consent Order AF-0001638-IW
Order Date: June 11, 2026
Individual/Entity/Facility: **Lexington Health, Inc.**
County: Lexington
Previous Orders: N/A
Permit/ID Number: SC32-0057G

Violations Cited: The South Carolina Infectious Waste Management Act, S.C. Code Ann. §§ 44-93-30 et seq. (2018) and the South Carolina Infectious Waste Management Regulations, S.C. Code Ann Regs. 61-105 (2012 & Supp. 2025).

Summary: The Individual/Entity/Facility is a generator of infectious waste located in Lexington County, South Carolina. On March 3, 2026, the Department conducted an inspection at the Facility. The Individual/Entity/Facility has violated the South Carolina Infectious Waste Management Act, and the

Infectious Waste Management Regulations as follows: failed to manage infectious waste in a manner which prevents exposure to the public or release to the environment; failed to segregate infectious waste from solid waste; failed to ensure containers storing infectious waste onsite were sealed and closed tightly and securely; failed to ensure reusable containers were properly disinfected after each use; failed to ensure containers storing infectious waste were stored in a location which minimizes exposure to the public; failed to ensure reusable containers which have been used to contain infectious waste were disinfected; and failed to prepare a manifest using the facility's Department identification number.

Action: The Individual/Entity/Facility has corrected all violations prior to the issuance of the Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of five thousand, five hundred dollars (\$5,500.00).

BUREAU OF WATER

Drinking Water Enforcement

12. Order Type and Number: Consent Order 26-010-DW
Order Date: June 9, 2026
Individual/Entity/Facility: **Gilbert Summit Rural Water District**
County: Lexington
Previous Orders: CO 21-008-DW (\$4,000.00 stipulated
Permit/ID Number: 3220001

Violations Cited: S.C. Code Ann. Regs. 61-58.5.H(2) State Primary Drinking Water Regulation

Summary: Gilbert Summit Rural Water District owns and is responsible for the proper operation and maintenance of a public water system (PWS) located in Lexington County, South Carolina. On April 24, 2026, a violation was issued as a result of review of monitoring records. The Individual/Entity/Facility has violated the State Primary Drinking Water Regulation as follows: the PWS exceeded the maximum contaminant level (MCL) for combined radium 226/228.

Action: The Individual/Entity/Facility is required to: submit a corrective action plan with a schedule to address the causes of the combined radium 226/228 MCL exceedance. The Individual/Entity/Facility shall pay a stipulated penalty in the amount of four thousand dollars (\$4,000.00) should any requirement of the Order not be met.

13. Order Type and Number: Consent Order 26-011-DW
Order Date: June 15, 2026
Individual/Entity/Facility: **City of Georgetown**
County: Georgetown
Previous Orders: None
Permit/ID Number: 2210001

Violations Cited: S.C. Code Ann. Regs. 61-58.5.P(2)(b), State Primary Drinking Water Regulation

Summary: The City of Georgetown owns and is responsible for the proper operation and maintenance of a public water system (PWS) located in Georgetown County, South Carolina. On April 30, 2026, a violation was issued as a result of a review of monitoring records. The Individual/Entity/Facility has violated the State Primary Drinking Water Regulation as follows: the PWS exceeded the maximum contaminant level (MCL) for total trihalomethanes (TTHM).

Action: The Individual/Entity/Facility is required to: submit a corrective action plan with a schedule to address the causes of the TTHM MCL exceedance. The Individual/Entity/Facility shall pay a stipulated penalty in the amount of four thousand dollars (\$4,000.00) should any requirement of the Order not be met.

14. Order Type and Number: Consent Order 26-012-DW
Order Date: June 24, 2026
Individual/Entity/Facility: **Town of Fairfax**
County: Allendale
Previous Orders: None
Permit/ID Number: 0310004

Violations Cited: S.C. Code Ann. Regs. 61-58.11, State Primary Drinking Water Regulation

Summary: The Town of Fairfax owns and is responsible for the proper operation and maintenance of a public water system (PWS) located in Allendale County, South Carolina. On December 15, 2025, a violation was issued for failure to provide initial notification to all persons served by the PWS at the service connection with a lead, galvanized requiring replacement, or lead status unknown within thirty (30) days of completion of the Lead Service Line Inventory (Inventory). The Individual/Entity/Facility has violated the State Primary Drinking Water Regulation as follows: failure to provide initial notification to all persons served by the PWS at the service connection with a lead, galvanized requiring replacement, or lead status unknown within thirty (30) days of completion of the Inventory.

Action: The Individual/Entity/Facility shall pay a civil penalty in the amount of three thousand dollars (\$3,000.00).

Water Pollution Enforcement

15. Order Type and Number: Consent Order 26-018-W
Order Date: June 3, 2026
Individual/Entity/Facility: **Colleton County School District**
County: Colleton County
Previous Orders: N/A
Permit/ID Number: SC0033766

Violations Cited: Proper Closeout of Wastewater Treatment Facilities Regulation, S.C. Code Ann. Regs. 61-82 Section IV and Letter of Approval.

Summary: Colleton County School District owns and is responsible for the proper operation and maintenance of the Ruffin Middle School Wastewater Treatment Plant (WWTP) located in Colleton County,

South Carolina. On November 12, 2025, a Notice of Deficiency was issued regarding final inspections/closure verifications conducted on July 16, 2025, and August 19, 2025. The Individual/Entity/Facility has violated the Proper Closeout of Wastewater Treatment Facilities Regulation, and the Letter of Approval, as follows: failed to close out the wastewater treatment plant in accordance with guidelines issued by the Department.

Action: The Individual/Entity/Facility is required to: pay a civil penalty in the amount of eight thousand dollars (\$8,000.00).

16. Order Type and Number: Consent Order 26-020-W
Order Date: June 15, 2026
Individual/Entity/Facility: **Safety Components Fabric Technologies Inc**
Previous Orders: N/A
Permit/ID Number: SCG250075

Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110(d) and the Water Pollution Control Permits and S.C. Code Ann Regs. 61-9.122.21(d) and 6-19.122.41(a).

Summary: Safety Components Fabric Technologies owns and is responsible for the proper operation and maintenance of a utility discharge unit located in Greenville County, South Carolina. On April 7, 2026, a Notice of Violation was issued for failure to submit a timely permit renewal application. The Individual/Entity/Facility has violated the Pollution Control Act, and the Water Pollution Control Permits Regulation as follows: failed to submit a timely permit renewal application.

Action: The Individual/Entity/Facility submitted an administratively complete permit renewal application prior to the issuance of the Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of three thousand dollars (\$3,000.00).

17. Order Type and Number: Consent Order 26-021-W
Order Date: June 16, 2026
Individual/Entity/Facility: **Associated Asphalt Inman LLC**
Previous Orders: N/A
Permit/ID Number: SCG250297

Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110(d) and the Water Pollution Control Permits and S.C. Code Ann Regs. 61-9.122.21(d) and 6-19.122.41(a).

Summary: Associated Asphalt Inman LLC owns and is responsible for the proper operation and maintenance of a utility discharge unit located in Spartanburg County, South Carolina. On April 20, 2026, a Notice of Violation was issued for failure to submit a timely permit renewal application. The Individual/Entity/Facility has violated the Pollution Control Act, and the Water Pollution Control Permits Regulation as follows: failed to submit a timely permit renewal application.

Action: The Individual/Entity/Facility submitted an administratively complete permit renewal application prior to the issuance of the Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of three thousand dollars (\$3,000.00).

18. Order Type and Number: Consent Order 26-022-W
Order Date: June 26, 2026
Individual/Entity/Facility: **DAA Draexlmaier Automotive of America, LLC**
Previous Orders: N/A
Permit/ID Number: SCG250257

Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110(d) and the Water Pollution Control Permits and S.C. Code Ann Regs. 61-9.122.21(d) and 6-19.122.41(a).

Summary: DAA Draexlmaier Automotive of America, LLC owns and is responsible for the proper operation and maintenance of a utility discharge unit located in Spartanburg County, South Carolina. On April 8, 2026, a Notice of Violation was issued for failure to submit a timely permit renewal application. The Individual/Entity/Facility has violated the Pollution Control Act, and the Water Pollution Control Permits Regulation as follows: failed to submit a timely permit renewal application.

Action: The Individual/Entity/Facility shall submit an administratively complete permit renewal application and pay a civil penalty in the amount of three thousand dollars (\$3,000.00).

19. Order Type and Number: Consent Order 26-023-W
Order Date: June 26, 2026
Individual/Entity/Facility: **Mergon Corporation**
Previous Orders: N/A
Permit/ID Number: SCG250321

Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110(d) and the Water Pollution Control Permits and S.C. Code Ann Regs. 61-9.122.21(d) and 6-19.122.41(a).

Summary: Mergon Corporation owns and is responsible for the proper operation and maintenance of a utility discharge unit located in Anderson County, South Carolina. On April 9, 2026, a Notice of Violation was issued for failure to submit a timely permit renewal application. The Individual/Entity/Facility has violated the Pollution Control Act, and the Water Pollution Control Permits Regulation as follows: failed to submit a timely permit renewal application.

Action: The Individual/Entity/Facility submitted an administratively complete permit renewal application prior to the issuance of the Consent Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of three thousand dollars (\$3,000.00).

20. Order Type and Number: Consent Order 26-024-W
Order Date: June 26, 2026
Individual/Entity/Facility: **Town of Lynchburg WWTF**
County: Lee
Previous Orders: 23-052-W (\$900.00), 23-033-W (\$6,868.00), 22-034-W (\$1,000.00)
Permit/ID Number: SC0042676

Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110 (d) and S.C. Code Ann. Regs 61-9.122.41(e)(1), 61-9.122.41(e)(3)(i), 61-9.122.41(e)(2), 61-9.122.41(j)(1)(ii)(A), 61-9.122.41(j)(1)(ii)(B), 61-9.122.41(j)(1)(i)(A), 61-9.503.50, 61-67.300.F.1, 61-67.300.F.15, 61-67.300.F.3, 61-67.300.F.14, 61-9.503.22.

Summary: The Town of Lynchburg (Individual/Entity/Facility) owns and is responsible for the proper operation and maintenance of the Lynchburg Wastewater Treatment Facility located off of US Highway 76 northeast of the Town of Lynchburg, Lee County, South Carolina. The Department conducted a Compliance Sampling Inspection on January 13, 2025, and an Operation and Maintenance Inspection on March 24, 2025. The Individual/Entity/Facility has violated the Pollution Control Act and the Water Pollution Control Permits Regulation as follows: failed to properly operate and maintain in good working order all facilities and systems of treatment and control, failed to operate as efficiently as possible the wastewater treatment facility, failed to use best management practices associated with the operation and maintenance of a sludge wastewater facility in accordance with an Odor Abatement Plan, failed to record inspections, failed to maintain an Operations and Maintenance Manual at the facility, failed to calibrate and maintain a flow measurement device, failed to maintain a record of the method used in estimating the discharge flow for the outfall, effluent flow monitoring system and/or effluent sampling point did not allow for confirmation that the effluent disposal permit limits were being met, failed to take representative sampling and measurements of the monitored activity, failed to provide an alternative source of electric power to allow continuous operation, failed to locate a weather durable sign with a 24 hr. emergency telephone number, failed to provide a water supply line equipped with an approved reduced pressure backflow preventer, and placed sewage sludge on an active sewage sludge unit without meeting requirements.

Action: The Individual/Entity/Facility is required to: ensure daily treatment inspections are performed and documented and maintained on-site; submit an updated Operations and Maintenance Manual; submit documentation demonstrating compliance with and Odor Abatement Plan; the manual bar screen has been cleaned; chlorine tablets have been removed from the WWTF or a permit modification request has been submitted; sulfur dioxide is being used properly for dichlorination; the influent lift station at Highway 76 has been repaired; submit an application and a plan for the removal of sludge from the aeration basins; submit a Corrective Action Plan for replacing curtains, install/repair/maintain an operational generator on-site, and treatment control repairs; and submit documentation demonstrating that an approved reduced pressure backflow preventer has been installed and is operational. The Individual/Entity/Facility shall pay a civil penalty in the amount of five thousand, nine hundred dollars (\$5,900.00) in ten monthly installments, and twenty-five thousand dollars (\$25,000.00) shall be suspended and payable in the event requirements are not completed within the timelines established in the Consent Order.

21. Order Type and Number:	Consent Order 26-025-W
Order Date:	June 26, 2026
Individual/Entity/Facility:	Americold Logistics, LLC
Previous Orders:	N/A
Permit/ID Number:	SCG250254

Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110(d) and the Water Pollution Control Permits and S.C. Code Ann Regs. 61-9.122.21(d) and 6-19.122.41(a).

Summary: Americold Logistics, LLC owns and is responsible for the proper operation and maintenance of a utility discharge unit located in Greenville County, South Carolina. On April 8, 2026, a Notice of Violation

was issued for failure to submit a timely permit renewal application. The Individual/Entity/Facility has violated the Pollution Control Act, and the Water Pollution Control Permits Regulation as follows: failed to submit a timely permit renewal application.

Action: The Individual/Entity/Facility submitted an administratively complete permit renewal application prior to the issuance of the Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of three thousand dollars (\$3,000.00).

22. Order Type and Number: Consent Order 26-026-W
Order Date: June 26, 2026
Individual/Entity/Facility: **Boeing South Carolina**
Previous Orders: N/A
Permit/ID Number: SCG250270

Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110(d) and the Water Pollution Control Permits and S.C. Code Ann Regs. 61-9.122.21(d) and 6-19.122.41(a).

Summary: Boeing South Carolina owns and is responsible for the proper operation and maintenance of a utility discharge unit located in Charleston County, South Carolina. On April 14, 2026, a Notice of Violation was issued for failure to submit a timely permit renewal application. The Individual/Entity/Facility has violated the Pollution Control Act, and the Water Pollution Control Permits Regulation as follows: failed to submit a timely permit renewal application.

Action: The Individual/Entity/Facility submitted an administratively complete permit renewal application prior to the issuance of the Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of three thousand dollars (\$3,000.00).

23. Order Type and Number: Consent Order 26-027-W
Order Date: June 26, 2026
Individual/Entity/Facility: **Blue Granite Water Company Trollingwood WWTP**
County: Greenville
Previous Orders: 25-026-W (\$5,400.00)
Permit/ID Number: SC0026611

Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110(d), and the Water Pollution Control Permits Regulation S.C. Code Ann. Regs. 61-9.122.41(a).

Summary: Blue Granite Water Company (Individual/Entity/Facility) owns and is responsible for the proper operation and maintenance of the Trollingwood Wastewater Treatment Plant located at an unnamed access road at 1300 Reedy Fork Road in Pelzer, Greenville County, South Carolina. The Individual/Entity/Facility reported violations of permitted effluent limits for chronic toxicity (CTOX) on discharge monitoring reports submitted to the Department for April 2025 through March 2026 quarterly monitoring periods. The Individual/Entity/Facility has violated the Pollution Control Act and the Water Pollution Control Permits Regulation as follows: failed to comply with the permitted effluent limits for CTOX.

Action: The Individual/Entity/Facility is required to: submit to the Department written notification of the planned completion date for all corrective actions necessary to resolve the effluent violations subject of this Consent Order, which shall include conducting a Toxicity Identification Evaluation/Toxicity Reduction Evaluation, and conduct four (4) quarters of compliance confirmation for CTOX upon completion of corrective actions. The Individual/Entity/Facility shall pay a civil penalty in the amount of eight thousand dollars (\$8,000.00).

BUREAU OF AIR QUALITY

24. Order Type/Order Number: Consent Order 26-009-A

Order Date: June 22, 2026
Individual/Entity/Facility: **P & L Development, LLC**
County: Greenville
Previous Orders: N/A
Permit/ID Number: 1200-0534

Violations Cited: S.C. Code Ann. Regs. 61-62.1 Section II, *Permit Requirements*.

Summary: P & L Development, LLC ("Individual/Entity/Facility") packages over-the-counter pharmaceutical and consumer healthcare products at its plant located in Greenville County, South Carolina. On October 27, 2025, the Department received an annual report for the reporting period of October 1, 2024, to September 30, 2025. The Individual/Entity/Facility has violated South Carolina Air Pollution Control Regulations, as follows: failed to limit hours of operation to 3,000 hours from October 1, 2024, to September 30, 2025.

Action: Henceforth comply with all terms, conditions, and emission limits in the operating permit until such time as the Department issues a new Title V operating permit; and, submit a Title V permit application to the Department no later than March 12, 2027. A civil penalty in the amount of eight thousand five hundred dollars (\$8,500.00) has been assessed by the Department. The Department has elected to suspend the entirety of the assessed penalty so long as Individual/Entity/Facility stays in compliance with this consent order and its active operating permits for a period of 12 months.

25. Order Type and Number: Consent Order 26-010-A

Order Date: June 25, 2026
Individual/Entity: **Constantia Blythewood Inc.**
County: Richland
Previous Orders: N/A
Permit/ID Number: CM-1900-0146

Violations Cited: S.C. Code Ann. Regs. 61-62.1, Section II(A)(1)(a) and (F)(1), 62.63.6640(a) and S.C. Code Ann. Regs. 61-62.1, Section II, *Permit Requirements*.

Summary: Constantia Blythewood Inc. (Individual/Entity/Facility) manufactures printed and laminated foils at its facility located in Richland County, South Carolina. On October 31, 2026, the Department conducted a comprehensive investigation at the Individual/Entity/Facility. The Individual/Entity has violated South Carolina Air Pollution Control Regulations, as follows: installed and operated a 12.533 MMBtu/hr natural

gas boiler without first obtaining a construction permit from the Department; and, failed to maintain onsite records of temperature readings for RTO4.

Action: The Individual/Entity/Facility shall pay a civil penalty in the amount of six thousand five hundred dollars (\$6,500.00) by August 25, 2026.

26. Order Type/Order Number: Consent Order 26-011-A

Order Date: June 29, 2026
Individual/Entity/Facility: **Head, LLC**
County: Richland
Previous Orders: N/A
Permit/ID Number: 9900-0847

Violations Cited: S.C. Code Ann. Regs. 61-62.1, Section II(A)(1)(a) and II(F)(1); and, S.C. Code Ann. Regs. 61-62.1, Section II, *Permit Requirements*

Summary: Head, LLC ("Individual/Entity/Facility") operates a concrete batch plant in Richland County, South Carolina. On September 16, 2025, the Department conducted an investigation at the Individual/Entity/Facility. The Individual/Entity/Facility has violated South Carolina Air Pollution Control Regulations, as follows: installed and operated a 30kw and a 600kw non-emergency generator without first obtaining a permit from the Department or obtaining an exemption determination; failed to provide daily concrete production records at the time of the inspection; failed to conduct and record weekly visual inspections of the truck/mixer load-out and control device when loading occurred; failed to conduct and record daily pressure drop readings; and, failed to conduct and record any daily visual inspections of its silos and control devices.

Action: Henceforth comply with the requirements to obtain a construction/operating permit prior to installing/operating non-exempt equipment; henceforth maintain records of daily concrete production; henceforth conduct and record weekly visual inspections of the truck/mixer load-out and control device during loading; henceforth record daily pressure drop readings; and, henceforth record daily visual inspections of silos and control devices. A civil penalty in the amount of fourteen thousand seven hundred dollars (\$14,700.00) has been assessed by the Department. The Department has elected to suspend four thousand dollars (\$4,000.00) of the assessed penalty so long as Individual/Entity/Facility stays in compliance with this consent order and its active operating permit for a period of 12 months. The Individual/Entity/Facility shall pay a civil penalty in the amount of ten thousand seven hundred dollars (\$10,700.00) by August 29, 2026.

27. Order Type and Number: Consent Order 26-012-A

Order Date: June 29, 2026
Individual/Entity/Facility: **WeylChem US Inc.**
County: Kershaw
Previous Orders: 22-018-A
Permit/ID Number: 1380-0017

Violations Cited: U.S. EPA regulations at 40 CFR Part 60 and S.C. Code Ann. Regs. 61-62.60, Subpart Kb, Standards of Performance for Volatile Organic Liquid Storage Vessels (collectively "Subpart Kb"), U.S. EPA

regulations at 40 CFR Part 63 and S.C. Code Ann. Regs. 61-62.63, Subpart FFFF, National Emission Standards for Hazardous Air Pollutants: Miscellaneous Organic Chemical Manufacturing (collectively "Subpart FFFF"), U.S. EPA 40 CFR Part 63 and S.C. Code Ann. Regs. 61-62.63, Subpart SS, National Emission Standards for Closed Vent Systems, Control Devices, Recovery Devices and Routing to a Fuel Gas System or a Process (collectively "Subpart SS"), U.S. EPA regulations at 40 CFR Part 63 and S.C. Code Ann. Regs. 61-62.63, Subpart DDDDD, National Emission Standards for Hazardous Air Pollutants: Industrial, Commercial, and Institutional Boilers and Process Heaters (collectively "Subpart DDDDD"), and S.C. Code Ann. Regs. 61-62.1, Section II, Permit Requirements.

Summary: WeylChem ("Individual/Entity/Facility") manufactures specialty chemicals at its facility located in Kershaw County. As a result of a review of Department records, violations of Subpart Kb, Subpart FFFF, and Subpart SS were discovered. A comprehensive inspection conducted on April 22, 2025, identified violations of Subpart DDDDD. The Individual/Entity/Facility has violated U.S. EPA and South Carolina Air Pollution Control Regulations as follows: failed to properly operate the control or recovery device based on established monitoring parameters, as needed to demonstrate reduction in the inlet VOC emissions by 95 percent or greater; failed to properly operate the control or recovery device based on established monitoring parameters; failed to operate RTO-2 at all times when emissions were vented to it, as needed to demonstrate reduction of collective uncontrolled organic HAP emissions from the sum of all batch process vents within the process by 98 percent or greater by weight; failed to utilize the Modified El Paso Method for the required two (2) instances of required quarterly monitoring for the reporting period of January 1, 2024, to June 30, 2024; failed to submit a timely supplement to the Subpart FFFF NOCS for the pressure relief devices; failed to measure CO and O2 effluent stream concentrations prior to and following adjustments made during October 24, 2024, and December 12, 2024, tune-ups conducted on boilers SB-8 and SB-7 respectively.

Action: The Individual/Entity/Facility is required to: Within sixty (60) days of the execution of this Order, no later than August 31, 2026, discontinue all operations at the facility that require a Title V air permit, and submit the appropriate Title V operating permit cancellation form to the Department within fifteen (15) days of cessation of operation, but no later than September 14, 2026.

BUREAU OF REGIONAL AND LABORATORY SERVICES

On-Site Wastewater Enforcement

28. Order Type and Number:	Consent Order AF-0001635
Order Date:	June 5, 2026
Individual/Entity/Facility:	Chaze Baeza, individually and DBA LP Septic Solutions, LLC
County:	Greenville
Previous Orders:	None
Permit Number:	OSWW029397

Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Chaze Baeza, individually and DBA LP Septic Solutions, LLC, installed an Onsite Wastewater (OSWW) system at a property located in Greenville County, South Carolina. The Department conducted a final inspection on November 3, 2025, and determined the OSWW system was installed deeper than

allowed on the permit to construct. The Individual/Entity/Facility has violated the South Carolina OSWW Systems regulation as follows: failed to ensure that an OSWW system for which they were responsible was installed per the permit to construct and regulation.

Action: The Individual/Entity/Facility is required to cease installing OSWW systems outside the parameters of the permit to construct. The Individual/Entity/Facility shall pay a civil penalty in the amount of five hundred dollars (\$500.00).

29. Order Type and Number: Consent Order AF-0001625
Order Date: June 9, 2026
Individual/Entity/Facility: **Tom C. Lee**
County: Kershaw
Previous Orders: None
Permit Number: OSWW018233, OSWW041393, OSWW036506

Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Tom C. Lee installed an Onsite Wastewater (OSWW) system at property located in Kershaw County, South Carolina. The Department conducted a review of documents submitted to the Department on September 11, 2025, and determined the license number provided had expired due to non-payment of renewal fees. The Individual/Entity/Facility has violated the South Carolina OSWW Systems regulation as follows: failed to ensure that the Department issued license to install and repair OSWW systems is applied for, received, and maintained.

Action: The Individual/Entity/Facility is required to cease installing OSWW systems without a license. The Individual/Entity/Facility shall pay a civil penalty in the amount of five hundred dollars (\$500.00).

30. Order Type and Number: Administrative Order / Order of License Suspension /
Cease and Desist Order
Order Date: June 23, 2026
Individual/Entity/Facility: **David Chitwood**
County: Lancaster
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: David Chitwood is a licensed Onsite Wastewater (OSWW) installer who did not pay the civil penalty from an executed Administrative Order issued on June 27, 2025. The Individual/Entity/Facility has violated the South Carolina OSWW Systems regulation as follows: failed to pay a civil penalty assessed by the Department.

Action: The Individual/Entity/Facility is required to cease installing OSWW systems until the Individual/Entity/Facility pays the civil penalty in the amount of one thousand dollars (\$1,000.00).

31. Order Type and Number: Consent Order AF-0001630
Order Date: June 24, 2026
Individual/Entity/Facility: **Sergey Sidorchuk, individually and DBA Century Septic Solutions**
County: Spartanburg
Previous Orders: None
Permit Number: OSWW035791

Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Sergey Sidorchuk, individually and DBA Century Septic Solutions, installed an Onsite Wastewater (OSWW) system at a property located in Greenville County, South Carolina. The Department conducted a final inspection on November 6, 2025, and determined the OSWW system was installed deeper than allowed on the permit to construct. The Individual/Entity/Facility has violated the South Carolina OSWW Systems regulation as follows: failed to ensure that an OSWW system for which they were responsible was installed per the permit to construct and regulation.

Action: The Individual/Entity/Facility is required to cease installing OSWW systems outside the parameters of the permit to construct. The Individual/Entity/Facility shall pay a civil penalty in the amount of five hundred dollars (\$500.00).

32. Order Type and Number: Administrative Order AF-0001707
Order Date: June 24, 2026
Individual/Entity/Facility: **Melissa Lynn Dalton and Jesse Franklin Dalton**
County: Pickens
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Melissa Lynn Dalton and Jesse Franklin Dalton own property located in Pickens County, South Carolina. The Department conducted an investigation on April 21, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no domestic wastewater or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharge of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.