

For the reporting period of May 1, 2026, through May 31, 2026, the Department of Environmental Services issued seventeen (17) Consent Orders with total assessed civil penalties in the amount of one hundred thirty thousand six hundred ten dollars (\$130,610). Also, twenty-two (22) Administrative Orders were reported during this period.

Bureau and Program Area	Administrative Orders	Assessed Penalties	Consent Orders	Assessed Penalties
Land and Waste Management				
UST Program			3	\$17,940
Solid Waste			1	\$4200
Hazardous Waste			1	\$4200
Radiation Protection			1	\$60,750
Water				
Drinking Water			2	\$2000
Water Pollution			3	\$19,000
Air Quality				
Air Quality			2	\$20,020
Regional & Laboratory Services				
Onsite Wastewater	22		4	\$2500
TOTAL				



BUREAU OF LAND AND WASTE MANAGEMENT

Underground Storage Tank Enforcement

- 1) Order Type and Number: Consent Order AF-0001568-UST
Order Date: May 1, 2026
Individual/Entity/Facility: **Service Oil Company, Inc. of South Carolina**
County: Cherokee
Previous Orders: N/A
Permit/ID Number: 02032

Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB), S.C. Code Ann. §§ 44-2-10 et seq.; and the South Carolina Underground Storage Tank Control Regulation, 7.C. Code Ann. Regs. 61-92, 280.31(b)(1), 280.34(c), 280.35(a)(1)(ii), 280.35(a)(2), 280.36(a)(1)(ii), 280.40(a), 280.40(a)(3), 280.41(b)(1)(i)(B), 280.43(d), 280.44(a), 280.45(b)(1), 280.242(b)(3), 280.242(b)(4), 280.243(c), 280.245 (2012 & Supp. 2025) and S.C. Code Ann. § 44-2-60(A) (2018).

Summary: The Individual/Entity/Facility owns underground storage tanks (USTs) in Cherokee County, South Carolina. On September 2, 2025, the Department conducted an inspection of the Facility and issued a Notice of Alleged Violation. On December 9, 2025, the Department conducted a file review of Service Oil Company and determined that the ATRFs and associated late fees for fiscal year 2026, had not been submitted. The Individual/Entity/Facility has violated the SUPERB Act, and the Regulations as follows: failed to operate and maintain corrosion protection equipment continuously; failed to provide records to the Department upon request; failed to prevent releases from spill buckets and/or containment sumps used for interstitial monitoring of piping by meeting required criteria; failed to inspect overfill prevention at least once every three (3) years, ensure operating properly, and conducted in accordance with criteria; failed to conduct the required periodic operation and maintenance walkthrough annual inspection as required; failed to provide an adequate release detection method; failed to complete the required annual release detection operability check/testing as required; failed to conduct annual tightness test or have monthly monitoring of pressurized piping; failed to conduct proper release detection using an automatic tank gauge (ATG); failed to check line leak detector function annually; failed to maintain results of annual operation tests for at least one (1) year; failed to validate that monthly requirements have been met; failed to physically visit each assigned facility once a quarter; failed to train Class C operators before they assume

responsibility for the UST facility; failed to designate and list all Class C operators; and failed to pay the Department annual underground storage tank registration fees.

Action: The Individual/Entity/Facility is required to submit: proof that a walkthrough inspection log has been initiated and properly maintained; either ten (10) or twelve (12) months of ATG test results with the most recent two (2) months passing for the 8,000-gallon regular UST at the Facility or a current passing tank tightness test and current ATG record for the abovementioned UST; passing spill bucket test results for all USTs at the Facility; passing overfill prevention equipment operability test results for all USTs at the Facility; passing release detection equipment operability test results for all USTs at the Facility; passing line tightness test results for all USTs at the Facility; passing line leak detector function check results for USTs at the Facility; a list of Class C operators trained and designated for the Facility; current passing cathodic protection system test results for all USTs at the Facility; and annual the tank registration fee and associated late fee for fiscal year 2026 in the amount of three hundred sixty-three dollars (\$363.00). The Individual/Entity/Facility shall pay a civil penalty in the amount of ten thousand, seven hundred and forty dollars (\$10,740.00).

- 2) Order Type and Number: Consent Order AF-0001468-UST
Order Date: May 1, 2026
Individual/Entity/Facility: **Spinx Company LLC**
County: Richland
Previous Orders: N/A
Permit/ID Number: 07731

Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB Act), S.C. code Ann. § 44-2-10 et seq.; and South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code Ann., Regs 61-92, 280.20(c)(1) (ii) (2012 & Supp 2025).

Summary: The Individual/Entity owns underground storage tanks in Richland County, South Carolina. On November 13, 2025, the Department conducted a routine compliance inspection of the Facility and issued a Notice of Alleged Violation. Spinx Company LLC has violated the SUPERB Act and the South Carolina Underground Storage Tank Regulations, as follows: failed to maintain overfill prevention equipment.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of sixteen thousand, five hundred dollars (\$3,600.00).

- 3) Order Type and Number: Consent Order AF-0001580-UST
Order Date: May 22, 2026
Individual/Entity/Facility: **76 Palmetto LLC**
County: Florence
Previous Orders: N/A
Permit/ID Number: 20122

Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB Act), S.C. code Ann. § 44-2-10 et seq.; and South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code Ann., Regs 61-92, 280.20(c)(1)(ii), (2012 & Supp 2025).

Summary: The Individual/Entity/Facility owns underground storage tanks (USTs) in Florence County, South Carolina. On February 19, 2026, the Department conducted an inspection at the Facility and issued a Notice of Alleged Violation. The Individual/Entity/Facility has violated the SUPERB Act and the South Carolina Underground Storage Tank Regulation, as follows: failed to maintain overfill prevention equipment.

Action: The Individual/Entity/Facility has corrected all violations prior to the issuance of the Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of three thousand, six hundred dollars (\$3,600.00).

Solid Waste Enforcement

- 4) Order Type and Number: Consent Order AF-0001547-SW
Order Date: May 13, 2026
Individual/Entity/Facility: **Terra Nova Solutions, Inc.**
County: Lee
Previous Orders: N/A
Permit/ID Number: 312640-2001

Violations Cited: South Carolina Solid Waste Policy and Management Act of 1991 (Act), S.C. Code Ann., Sections 44-96-10 et seq. (Rev. 2018 & Supp. 2025), the Solid Waste Management: Solid Waste Processing Facilities Regulations 61-107.6 (Rev. 2012 and Supp. 2024), and the Solid Waste Permit # 312640-2001.

Summary: The Individual/Entity/Facility owns and is responsible for the proper operation and maintenance of a Class 3 Processing Facility in Lee County, South Carolina. Between June 4, 2025, and January 27, 2026, the Department conducted multiple inspections at the Facility. The Individual/Entity/Facility has violated the South Carolina Solid Waste Policy and Management Act, and the Solid Waste Management: Solid Waste Processing Facilities Regulations as follows: failed to process and contain solid waste to minimize the effects of weather, wind, and precipitation; failed to ensure all waste was contained to the tipping area; failed to maintain adequate aisle space provided for emergency equipment; and Terra Nova Solutions, Inc. exceeded the total maximum storage limit of Building 1.

Action: The Individual/Entity/Facility is required to: submit time stamped photographs to the department to demonstrate that solid waste at the facility is processed and contained to minimize the effects of weather, wind, and precipitation; ensure all waste is contained to the tipping area; and ensure adequate aisle space is provided for emergency equipment; and submit either an updated, comprehensive Operating Plan for the facility to the Department for approval or submit confirmation in writing that the facility will utilize the existing Operating Plan approved on October 21, 2018. The Individual/Entity/Facility shall pay a civil penalty in the amount of four thousand, two hundred dollars (\$4,200.00).

Hazardous Waste Enforcement

- 5) Order Type and Number: Consent Order 26-12-HW
Order Date: May 22, 2026
Individual/Entity/Facility: **Hydera, LLC**
County: Berkley
Previous Orders: N/A

Violations Cited: The South Carolina Hazardous Waste Management Act, S.C. Code Ann. §§ 44-56-10 et seq. (2018) and the South Carolina Hazardous Waste Management Regulation, 6 and 7 S.C. Code Ann. Regs. 61-79 (2012 and Supp. 2021).

Summary: The Individual/Entity/Facility is a generator of hazardous waste located in Berkley County, South Carolina. On February 25, 2025, the Department conducted an inspection at the Facility. The Individual/Entity/Facility has violated the South Carolina Hazardous Waste Management Act, and the Hazardous Waste Management Regulations as follows: failed to file a revised or new Site Identification Form within thirty (30) days after a new hazardous waste is first produced; failed to provide written description of the type and amount of both introductory and continuing training that will be given to each person filling a position; failed to prepare and, no later than thirty (30) days after the end of each calendar quarter, submit a written report to the Department including, but not limited to the EPA identification number, name, and address of the generator, the calendar quarter covered by the report, the EPA identification number, name, and address for each offsite treatment, storage, or disposal facility in the United States to which waste was shipped during the quarter, the name and EPA identification number of each transporter used during the reporting quarter for shipments to a treatment, storage or disposal facility within the United States, a description, the EPA hazardous waste number, DOT hazard class, and quantity of each hazardous waste shipped offsite for shipments to a treatment, storage, or disposal facility within the United States listed by the EPA identification number of each such facility to which waste was shipped, the types and quantities of such wastes shipped for offsite treatment and disposal, the types and quantities of such wastes remaining in storage at the end of the reporting period, and certification of information signed by the generator or his authorized agent; failed to describe in the Contingency Plan a list of all emergency equipment at the facility (such as fire extinguishing systems, spill control equipment, communications and alarm systems (internal and external), and decontamination equipment), where this equipment is required; and failed to ensure that containers and aboveground tanks used to store used oil at generator facilities are labeled or marked clearly with the words "Used Oil."

Action: The Individual/Entity/Facility has corrected all violations prior to the issuance of the Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of four thousand, two hundred dollars (\$4,200.00).

Radiation Protection Enforcement

- 6) Order Type and Number: Consent Order 26-03-RP
Order Date: May 22, 2026
Individual/Entity/Facility: **McLeod Regional Medical Center**
County: Florence
Previous Orders: None
Permit/ID Number: SC Radiation Program Registration #46-6682

Violations Cited: The Atomic Energy and Radiation Control Act, S.C. Code Ann. § 13-7-10 et seq. (2017 & Supp. 2025) and the Radioactive Materials (Title B) Regulations, 6 S.C. Code Ann. Regs. 61-64 (2012 & Supp. 2025).

Summary: The Individual/Entity/Facility is located in Florence County, South Carolina. On August 12, 2025, the Department conducted a routine inspection of the facility to determine compliance with Regulation 61-64. The Individual/Entity/Facility has violated the Atomic Energy and Radiation Control Act, and the Radioactive Materials (Title B) Regulations as follows: failed to submit shielding plans for Hybrid ORs 1 and 3 prior to installation of the Cios Spin X-Ray Machine; and failure to ensure a shielding plan was accepted by the Department prior to installation, as stated in the guidelines of use document issued by the Department on January 4, 2023; failed to report replacements, transfers, equipment status updates, and registering X-ray machines at the MRMC facility; failed to meet the Radiation Program Requirements; failed to meet Occupational Dose Limits for Adults and declared pregnant women; failed to ensure the personnel monitoring devices were returned within forty-five (45) days of the end of the monitoring period; failed to meet conditions requiring monitoring of Occupational Dose; failed to provide documentation of semi-annual observations of adherences to proper radiation safety practices by the RSO or designee; failed to post a conspicuous sign in each radiation area bearing the radiation symbol and the words, "CAUTION, RADIATION AREA; failed to report exposures and radiation levels exceeding the limits within thirty (30) days after learning of the occurrences; ensure that patient positioning is performed by certified personnel holding a current SCRQSA Certification; failed to have training documentation available for Department review; failed to ensure all personnel are following Personal Protective Equipment requirements; failed to ensure Quality Assurance is performed as required on all X-ray units; failed to submit Shielding Plans prior to replacing and/or installing X-ray systems; failed to submit adequate radiation area surveys to the Department; failed to ensure that the X-ray control requirements were met; and failed to provide documentation to the Department or completed Manufacturer's Operator Training.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of sixty thousand, seven hundred fifty dollars (\$60,750.00).

BUREAU OF WATER

Drinking Water Enforcement

- 7) Order Type and Number: Consent Order 26-008-DW
Order Date: May 5, 2026
Individual/Entity/Facility: **Boys Farm, Inc.**
County: Newberry
Previous Orders: None
Permit/ID Number: 3670108

Violations Cited: S.C. Code Ann. Regs. 61-58.17.F(2), State Primary Drinking Water Regulation.

Summary: Boys Farm, Inc. owns and is responsible for the proper operation and maintenance of a public water system (PWS) located in Newberry County, South Carolina. On March 12, 2026, July 17, 2025, and March 18, 2025, violations were issued as a result of review of monitoring records, which indicated that samples were not collected as required to monitor for total coliforms during the February 2025, May 2025, and February 2026 monitoring periods. The Individual/Entity/Facility has violated the State Primary Drinking Water Regulation as follows: the Individual/Entity failed to collect a minimum of one sample per

month to monitor the PWS for total coliforms during the February 2025, May 2025, and February 2026 monitoring periods.

Action: The Individual/Entity/Facility is required to: submit to the Department for review and approval a standard operating procedure to ensure that all monitoring and reporting requirements for total coliform samples are collected, analyzed, and reported to the Department as required per State Primary Drinking Water Regulations. The Individual/Entity/Facility shall pay a civil penalty in the amount of two thousand one hundred forty dollars (\$2,140.00); and pay a stipulated penalty in the amount of four thousand dollars (\$4,000.00) should any requirement of the Order not be met.

- 8) Order Type and Number: Consent Order 26-009-DW
Order Date: May 6, 2026
Individual/Entity/Facility: **ACG McGregor, LLC**
County: Lexington
Previous Orders: None
Permit/ID Number: 3260059

Violations Cited: S.C. Code Ann. Regs. 61-58.17.K(1)(b), and 61-58.17.I(2)(a), State Primary Drinking Water Regulation.

Summary: ACG McGregor, LLC owns and is responsible for the proper operation and maintenance of a public water system (PWS) located in Lexington County, South Carolina. On March 13, 2026, a violation was issued as a result of review of monitoring records; and on March 13, 2026, a violation was issued for failure to notify the Department. The Individual/Entity/Facility has violated the State Primary Drinking Water Regulation as follows: the PWS tested present for total coliform and E. coli, which resulted in a violation of the maximum contaminant level for E. coli; and the Individual/Entity, and the Individual/Entity failed to notify the Department by the end of the day when the system was notified of an E. coli present test result.

Action: The Individual/Entity/Facility is required to: submit a standard operating procedure to ensure that all monitoring and reporting requirements for bacteriological monitoring are complied with, submit a corrective action plan to include proposed steps to address the MCL violation. The Individual/Entity/Facility shall pay a civil penalty in the amount of two thousand dollars (\$2,000.00); and pay a stipulated penalty in the amount of six thousand dollars (\$6,000.00) should any requirement of the Order not be met.

Water Pollution Enforcement

- 9) Order Type and Number: Consent Order 26-016-W
Order Date: May 12, 2026
Individual/Entity/Facility: **Republic Services of Kentucky, LLC/ Union County Regional MSW Landfill**
County: Union
Previous Orders: None
Permit/ID Number: SC004002

Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110(d), and the Water Pollution Control Permits Regulation, S.C. Code Ann. 61-9.122.41(a).

Summary: Republic Services of Kentucky, LLC owns and is responsible for the proper operation and maintenance of the Union County Regional MSW Landfill located in Union County, South Carolina. On October 9, 2025, a Notice of Violation was issued for exceedance of the permitted discharge limits for Total Suspended Solids (TSS) reported on the discharge monitoring reports submitted to the Department. The Individual/Entity/Facility has violated the Pollution Control Act, and the Water Pollution Control Permits Regulation, as follows: failed to comply with the permitted effluent limitations for TSS.

Action: The Individual/Entity/Facility is required to: submit written notification of the planned completion date for all corrective actions necessary to resolve the effluent violations for TSS; conduct a four (4) quarterly monitoring compliance confirmation period upon completion of corrective actions; and implement engineered upgrades to the landfill should additional violations be observed during the compliance confirmation period. The Individual/Entity/Facility shall pay a civil penalty in the amount of six thousand dollars (\$6,000.00).

- 10) Order Type and Number: Consent Order 26-017-W
Order Date: May 12, 2026
Individual/Entity/Facility: **City of Inman / City of Inman WWTF**
Previous Orders: CO 25-039-W (\$6,000.00)
Permit/ID Number: SC0021601

Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110(d) and the Water Pollution Control Permits and S.C. Code Ann Regs. 61-9.122.41(a).

Summary: City of Inman owns and is responsible for the proper operation and maintenance of a wastewater treatment facility (WWTF) located in Spartanburg County, South Carolina. On October 6, 2025, a Notice of Violation was issued for exceedance of the permitted discharge limits for ammonia reported on the discharge monitoring reports submitted to the Department. The Individual/Entity/Facility has violated the Pollution Control Act, and the Water Pollution Control Permits Regulation as follows: failed to comply with the permitted effluent limitations for ammonia.

Action: The Individual/Entity/Facility is required to: submit written notification of the planned completion date for all corrective actions necessary to resolve the effluent violations for ammonia, including the plans/corrective actions submitted for compliance with Consent Order 25-039-W for which this Consent Order has replaced and superseded; conduct a three (3) month monitoring compliance confirmation period upon completion of corrective actions; and implement engineered upgrades to the WWTP should additional violations be observed during the compliance confirmation period. The Individual/Entity/Facility shall pay a civil penalty in the amount of eight thousand dollars (\$8,000.00).

- 11) Order Type and Number: Consent Order 26-019-W
Order Date: May 21, 2026
Individual/Entity/Facility: **Town of St. Matthews**
County: Calhoun
Previous Orders: 23-041-W (\$7,000.00)
Permit/ID Number: ND0086983

Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110(d), § 48-1-110(a)(2), the Water Pollution Control Permits Regulation, S.C. Code Ann. 61-9.505.41(e)(1), and Well Standards, S.C. Code Ann Regs. 61-7(h).

Summary: The Town of St. Matthews owns and is responsible for the proper operation and maintenance of the Town of St. Matthews Wastewater Treatment Facility (WWTF) located in Calhoun County, South Carolina. On July 15, 2024, and May 22, 2025, Notices of Deficiencies were issued regarding Compliance Evaluation Inspections that were conducted on May 8, 2024, and April 16, 2025. The Individual/Entity/Facility has violated the Pollution Control Act, and the Water Pollution Control Permits Regulation, as follows: failed to properly operate and maintain all facilities and systems of treatment and control in good working order, failed to ensure proper monitoring well maintenance, and failed to apply for a construction permit prior to making changes to its chlorine system.

Action: The Individual/Entity/Facility is required to: submit a construction permit application to the Department for changes to its chlorination process and submit documentation demonstrating that facility equipment has been repaired and is in good working order. The Individual/Entity/Facility shall pay a civil penalty in the amount of five thousand dollars (\$5,000.00) and pay a suspended penalty in the amount of twenty-nine thousand dollars (\$29,000.00) should requirements and timelines established in the Consent Order not be met.

BUREAU OF AIR QUALITY

12) Order Type/Order Number: Consent Order 26-007-A
Order Date: May 21, 2026
Individual/Entity/Facility: **Secondary Aluminum Target, LLC**
County: Berkeley
Previous Orders: N/A
Permit/ID Number: 0420-0185

Violations Cited: U.S. EPA 40 CFR 63, Subpart RRR and S.C. Code Ann. Regs. 61-62.63, Subpart RRR *National Emission Standards for Hazardous Air Pollutants for Secondary Aluminum Production* (collectively "Subpart RRR") and S.C. Code Ann. Regs. 61-62.1, Section II, *Permit Requirements*.

Summary: Secondary Aluminum Target, LLC ("Individual/Entity/Facility") operates an aluminum smeltery in Berkeley County, South Carolina. On September 16, 2024, a Department inspector conducted a comprehensive inspection at the Individual/Entity/Facility. On June 19, 2025, the Department received the results of a Department approved source test for HCL that was conducted during the period of April 15th to April 18th. The Individual/Entity/Facility has violated U.S.EPA and South Carolina Air Pollution Control Regulations, as follows: failed to limit HCL emissions to 0.40 lb per ton of feed/charge during the April 15th to April 18th source test; failed to submit performance test results to the Department within sixty (60) days of the source test occurring; failed to submit a written start of construction notification within thirty (30) days after construction of new equipment; failed to submit a timely notification of startup and operating permit for each new source; failed to conduct and record daily pressure drop readings for Baghouse BH-

1; failed to conduct and record weekly O&M checks got Baghouse BH-1; and, failed to submit operational ranges, specifically for the pressured gauge associated with Baghouse BH-1, within 180 days of startup.

Action: Upon execution of this order, comply with all emissions limits, monitoring, and reporting requirements pursuant to Subpart RRR, the Construction Permit, and the Operating Permit. The Individual/Entity/Facility shall pay a civil penalty in the amount of nineteen thousand five hundred and twenty dollars (\$19,520.00) by June 20, 2026.

13) Order Type/Order Number: 26-008-A
Order Date: May 21, 2026
Individual/Entity/Facility: **Frazier Industrial Co.**
County: Darlington
Previous Orders: N/A
Permit/ID Number: 0820-0053

Violations Cited: S.C. Code Ann. Regs. 61-62.1, Section II, *Permit Requirements*.

Summary: Frazier Industrial Co. ("Individual/Entity/Facility") manufactures steel industrial storage racks at its facility located in Darlington, South Carolina. On May 22, 2025, a Department inspector conducted a comprehensive inspection at the individual/entity/facility. The Individual/Entity/Facility has violated South Carolina Air Pollution Control Regulations, as follows: failed to maintain records of pressure drop gauge calibrations or replacements for the baghouse from February 2022 to March 2025, and failed to record the cause and corrective action for two hundred and sixty-eight (268) instances of the baghouse operating outside of the established operational range from February 2022 to March 2025.

Action: The Individual/Entity shall: henceforth conduct and record daily pressure drop readings for the baghouse, along with recording the date, time, cause and corrective action for each incidence of operation outside of the operational ranges; and henceforth maintain records of pressure drop gauge calibrations and replacements for the baghouse. The Individual/Entity/Facility shall pay a civil penalty in the amount of five hundred dollars (\$500.00) by June 20, 2026.

BUREAU OF REGIONAL AND LABORATORY SERVICES

On-Site Wastewater Enforcement

14) Order Type and Number: Administrative Order AF-0001574
Order Date: May 1, 2026
Individual/Entity/Facility: **Shelley Owens**
County: Berkeley
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Shelley Owens owns property located in Berkeley County, South Carolina. The Department conducted an investigation on February 6, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

15) Order Type and Number: Administrative Order AF-0001603
Order Date: May 1, 2026
Individual/Entity/Facility: **James Blackmon and Brenda Blackmon**
County: Lancaster
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: James Blackmon and Brenda Blackmon own property located in Lancaster County, South Carolina. The Department conducted an investigation on March 10, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

16) Order Type and Number: Administrative Order AF-0001615
Order Date: May 1, 2026
Individual/Entity/Facility: **Thomas Smith**
County: Anderson
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Thomas Smith owns property located in Anderson County, South Carolina. The Department conducted an investigation on February 12, 2026, and observed

a camper being occupied for more than two (2) hours per day without being connected to an approved means of domestic wastewater treatment and disposal. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that a building or dwelling that is occupied for more than two (2) hours per day is connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity/Facility is required to apply for a permit to construct an OSWW system within five (5) days and install the OSWW system within ten (10) days of the issuance of the permit to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate or remove the camper. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

17) Order Type and Number: Consent Order AF-0001617
Order Date: May 14, 2026
Individual/Entity/Facility: **Gary Camacho, DBA Ace Basin Services**
County: Charleston
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Gary Camacho, DBA Ace Basin Services, installed OSWW systems on properties located in Charleston County, South Carolina. The Department conducted an investigation on September 23, 2025, and determined the onsite wastewater (OSWW) system was installed by a contractor that did not have a license to install and repair OSWW systems. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater Systems regulation as follows: failed to obtain a Department license to install and repair OSWW systems.

Action: The Individual/Entity/Facility is required to cease installing OSWW systems without a license. The Individual/Entity/Facility shall pay a civil penalty in the amount of five hundred dollars (\$500.00).

18) Order Type and Number: Administrative Order AF-0001575
Order Date: May 18, 2026
Individual/Entity/Facility: **Sydney Smith and Leanna Thomas, Heirs and Assigns of Lesa Francina Smith**
County: Richland
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Sydney Smith and Leanna Thomas, Heirs and Assigns of Lesa Francina Smith, own property located in Richland County, South Carolina. The Department conducted an investigation on April 8, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as

follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

19) Order Type and Number: Administrative Order AF-0001582
Order Date: May 18, 2026
Individual/Entity/Facility: **Perry Walters and Donald Walters**
County: Orangeburg
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Perry Walters and Donald Walters own property located in Orangeburg County, South Carolina. The Department conducted an investigation on March 3, 2026, and observed a camper being occupied for more than two (2) hours per day without being connected to an approved means of domestic wastewater treatment and disposal. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that a building or dwelling that is occupied for more than two (2) hours per day is connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity/Facility is required to apply for a permit to construct an OSWW system within five (5) days and install the OSWW system within ten (10) days of the issuance of the permit to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate or remove the camper. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

20) Order Type and Number: Administrative Order AF-0001607
Order Date: May 18, 2026
Individual/Entity/Facility: **Huegoknots Properties, LLC**
County: Saluda
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Huegoknots Properties, LLC owns property located in Saluda County, South Carolina. The Department conducted an investigation on March 17, 2026, and observed a camper being occupied for more than two (2) hours per day without being connected to an approved means of domestic wastewater treatment and disposal. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that a building or dwelling that is occupied for more

than two (2) hours per day is connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity/Facility is required to apply for a permit to construct an OSWW system within five (5) days and install the OSWW system within ten (10) days of the issuance of the permit to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate or remove the camper. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

21) Order Type and Number: Administrative Order AF-0001637
Order Date: May 18, 2026
Individual/Entity/Facility: **Amelia Thornton**
County: Spartanburg
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Amelia Thornton owns property located in Spartanburg County, South Carolina. The Department conducted an investigation on May 5, 2025, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

22) Order Type and Number: Consent Order AF-0001624
Order Date: May 27, 2026
Individual/Entity/Facility: **Kellie Sharpe, DBA Complete Well Drilling & Septic**
County: Lexington
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Kellie Sharpe, DBA Complete Well Drilling & Septic, installed an onsite wastewater (OSWW) system on property located in Lexington County, South Carolina. The Department conducted an investigation on October 22, 2025, and determined the OSWW system was installed deeper than specified on the permit to construct. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater Systems regulation as follows: failed to ensure the OSWW system was installed per the parameters of the permit to construct.

Action: The Individual/Entity/Facility is required to cease installing OSWW systems outside the parameters of the permit to construct and the regulation. The Individual/Entity/Facility shall pay a civil penalty in the amount of five hundred dollars (\$500.00).

23) Order Type and Number: Consent Order AF-000628
Order Date: May 27, 2026
Individual/Entity/Facility: **William Horsley, DBA Southeastern Landworks**
County: Charleston
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: William Horsley, DBA Southeastern Landworks, installed an onsite wastewater (OSWW) system on property located in Charleston County, South Carolina. The Department conducted an investigation on September 4, 2025, and determined the OSWW system was installed outside the permitted area and too close to the residence and roadside ditch. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater Systems regulation as follows: failed to ensure the OSWW system was installed according to the setbacks specified in the regulation and failed to ensure the OSWW system was installed per the parameters of the permit to construct.

Action: The Individual/Entity/Facility is required to cease installing OSWW systems outside the parameters of the permit to construct and the regulation. The Individual/Entity/Facility shall pay a civil penalty in the amount of one thousand dollars (\$1,000.00).

24) Order Type and Number: Consent Order AF-0001629
Order Date: May 27, 2026
Individual/Entity/Facility: **James Moore, Sr.**
County: Oconee
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: James Moore, Sr. installed onsite wastewater (OSWW) system on property located in Charleston County, South Carolina. The Department conducted an investigation on September 4, 2025, and determined the OSWW system was installed outside the permitted area and seven feet (7') of undisturbed soil was not left between the drainline trenches. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater Systems regulation as follows: failed to ensure the OSWW system was installed with seven feet (7') of undisturbed soil between the drainline trenches and failed to ensure the OSWW system was installed per the parameters of the permit to construct.

Action: The Individual/Entity/Facility is required to cease installing OSWW systems outside the parameters of the permit to construct and the regulation. The Individual/Entity/Facility shall pay a civil penalty in the amount of five hundred dollars (\$500.00).

25) Order Type and Number: Administrative Order AF-0001633
Order Date: May 27, 2026
Individual/Entity/Facility: **Ivan Rusev, DBA Rock Solid Excavation Services**
County: Spartanburg
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Ivan Rusev, DBA Rock Solid Excavation Services, upgraded an onsite wastewater (OSWW) system on property located in Spartanburg County, South Carolina. The Department conducted an investigation on November 4, 2025, and determined the OSWW system was upgraded to serve additional bedrooms without a permit to construct. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater Systems regulation as follows: failed to ensure any upgrade to an OSWW system was issued a permit to construct.

Action: The Individual/Entity/Facility is required to cease upgrading OSWW systems without a permit to construct. The Individual/Entity/Facility shall pay a civil penalty in the amount of five hundred dollars (\$500.00).

26) Order Type and Number: Administrative Order AF-0001644
Order Date: May 27, 2026
Individual/Entity/Facility: **Estate of Mark Francis John Watts**
County: Greenwood
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Estate of Mark Francis John Watts owns property located in Greenwood County, South Carolina. The Department conducted an investigation on March 10, 2026, and observed a building being occupied for more than two (2) hours per day without being connected to an approved means of domestic wastewater treatment and disposal. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that a building or dwelling that is occupied for more than two (2) hours per day is connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity/Facility is required to apply for a permit to construct an OSWW system within five (5) days and install the OSWW system within ten (10) days of the issuance of the permit to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate or remove the camper. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

27) Order Type and Number: Administrative Order AF-0001645
Order Date: May 27, 2026
Individual/Entity/Facility: **Shirley Hale**

County: Berkeley
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Shirley Hale owns property located in Berkeley County, South Carolina. The Department conducted an investigation on March 25, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

28) Order Type and Number: Administrative Order AF-0001646
Order Date: May 27, 2026
Individual/Entity/Facility: **Doris Johnson**
County: Chesterfield
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Doris Johnson owns property located in Chesterfield County, South Carolina. The Department conducted an investigation on February 24, 2026, and observed a camper being occupied for more than two (2) hours per day without being connected to an approved means of domestic wastewater treatment and disposal. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that a building or dwelling that is occupied for more than two (2) hours per day is connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity/Facility is required to apply for a permit to construct an OSWW system within five (5) days and install the OSWW system within ten (10) days of the issuance of the permit to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate or remove the camper. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

29) Order Type and Number: Administrative Order AF-0001648
Order Date: May 27, 2026
Individual/Entity/Facility: **Travis Kiser and Alicia Mora-Kiser**
County: Spartanburg
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Travis Kiser and Alicia Mora-Kiser own property located in Spartanburg County, South Carolina. The Department conducted an investigation on January 15, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

30) Order Type and Number: Administrative Order AF-0001649
Order Date: May 27, 2026
Individual/Entity/Facility: **Screaming Bull Properties, LLC**
County: Lexington
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Screaming Bull Properties, LLC owns property located in Lexington County, South Carolina. The Department conducted an investigation on March 31, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

31) Order Type and Number: Administrative Order AF-0001650
Order Date: May 27, 2026
Individual/Entity/Facility: **Roderick Grigsby**
County: Bamberg
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Roderick Grigsby owns property located in Bamberg County, South Carolina. The Department conducted an investigation on March 4, 2026, and observed a building being occupied for more than two (2) hours per day without being connected to an approved means of domestic wastewater treatment and disposal. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that a building or dwelling that is occupied for more than two (2) hours per day is connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity/Facility is required to apply for a permit to construct an OSWW system within five (5) days and install the OSWW system within ten (10) days of the issuance of the permit to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate or remove the building. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

32) Order Type and Number: Administrative Order AF-0001651
Order Date: May 27, 2026
Individual/Entity/Facility: **John Keith, Jr. and Pearly Mae Keith**
County: Florence
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: John Keith, Jr. and Pearly Mae Keith own property located in Florence County, South Carolina. The Department conducted an investigation on March 19, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

33) Order Type and Number: Administrative Order AF-0001652
Order Date: May 27, 2026
Individual/Entity/Facility: **Jeffery Watson**
County: Spartanburg
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Pollution Control Act.

Summary: Jeffery Watson owns property located in Spartanburg County, South Carolina. The Department conducted an investigation on March 6, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Pollution Control Act as follows: failed to ensure that no domestic wastewater or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the connection to the public sewer provider within five (5) days to effectively stop the discharging of domestic wastewater or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

34) Order Type and Number: Administrative Order AF-0001653
Order Date: May 27, 2026
Individual/Entity/Facility: **Cassandra McKnight**
County: Williamsburg
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Cassandra McKnight owns property located in Williamsburg County, South Carolina. The Department conducted an investigation on March 25, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

35) Order Type and Number: Administrative Order AF-0001654
Order Date: May 27, 2026
Individual/Entity/Facility: **Sergio Melendrez and Laura Gomez**
County: Greenwood
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Sergio Melendrez and Laura Gomez own property located in Greenwood County, South Carolina. The Department conducted an investigation on March 26, 2026, and observed domestic

wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

36) Order Type and Number: Administrative Order AF-0001655
Order Date: May 27, 2026
Individual/Entity/Facility: **Flora Ismalej De Cajbon and Celestino Cajdon Camo**
County: Pickens
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Flora Ismalej De Cajbon and Celestino Cajdon Camo own property located in Pickens County, South Carolina. The Department conducted an investigation on April 1, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

37) Order Type and Number: Administrative Order AF-0001656
Order Date: May 27, 2026
Individual/Entity/Facility: **David Jordan**
County: Anderson
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: David Jordan owns property located in Anderson County, South Carolina. The Department conducted an investigation on March 17, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater,

or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

38) Order Type and Number: Administrative Order AF-0001657
Order Date: May 27, 2026
Individual/Entity/Facility: **Justin Kelley and Shannon Kelley**
County: Pickens
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Justin Kelley and Shannon Kelley own property located in Pickens County, South Carolina. The Department conducted an investigation on April 14, 2026, and observed campers being occupied for more than two (2) hours per day without being connected to an approved means of domestic wastewater treatment and disposal. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that a building or dwelling that is occupied for more than two (2) hours per day is connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity/Facility is required to apply for a permit to construct an OSWW system within five (5) days and install the OSWW system within ten (10) days of the issuance of the permit to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate or remove the camper. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

39) Order Type and Number: Administrative Order AF-0001659
Order Date: May 27, 2026
Individual/Entity/Facility: **Rebecca Savage, Brian Reed, and Rachel Moore, Heirs and Assigns of the Estate of Ruth R. Reed**
County: Oconee
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Rebecca Savage, Brian Reed, and Rachel Moore, Heirs and Assigns of the Estate of Ruth R. Reed, own property located in Oconee County, South Carolina. The Department conducted an investigation on March 17, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as

follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.