



Catherine E. Heigel, Director

Promoting and protecting the health of the public and the environment

Certified Mail

November 2, 2015

UPPER DEERFIELD LAKE ASSOC LLC
31 PATHFINDER DRIVE
SUMTER, SC 29150

Re: UPPER DEERFIELD LAKE DAM - D 1991
Sumter County

To Whom It May Concern:

According to our records, you are listed as the Owner(s) of UPPER DEERFIELD LAKE DAM. Based on a visual assessment of your dam following the recent flooding, it was noted that your dam is damaged and repairs and/or maintenance are needed to ensure your dam is in compliance with the South Carolina Dams and Reservoirs Act, S.C. Code Ann. 49-11-110, et seq., and Regulation 72-1, et seq.

Your dam, including spillways and all appurtenances, must be inspected by a South Carolina licensed professional engineer to assess the dam and identify any necessary repairs and/or maintenance. A detailed report of the engineer's assessment, including findings and recommendations, must be submitted by the engineer to the Department by February 2, 2016. This report must include a statement by the engineer that all maintenance actions needed have been completed. An application for a permit to make any necessary repairs must also accompany the detailed report submitted by your engineer. The application and other relevant information can be found on our website at <http://www.scdhec.gov/environment/WaterQuality/DamsReservoirs/DamsPermitting>.

All correspondence should be directed to:

Surface Water Monitoring and Dam Safety Section
Bureau of Water, SCDHEC
2600 Bull Street
Columbia, SC 29201
Email: response@dhec.sc.gov

Should you have any questions regarding the requirements of this letter, please call 803-898-1539.

Sincerely,

Charles M. Gorman, PG, Director
Division of Water Monitoring, Assessment & Protection
Bureau of Water

ENC: List of Engineers